Basic information about your system

```
Today is: 04/21/25
Current User: rap
Home path is: /home/rap
OS & Kernel: Linux GNU/Linux
Hostname is: nyx
Total files in home: 75
```

```
Changing directories to: /home/rap/Documents
Current PWD is: /home/rap/Documents
Long list of files and directories in /home/rap/Documents
total 19G
-rw-rw-r-- 1 19G 03/21/25 AOT_S1.mp4
drwxrwxr-x 2 4.0K 11/29/24 Books/
drwxrwxr-x 2 4.0K 11/05/24 Csv/
drwxrwxr-x 2 4.0K 11/29/24 Games/
drwxrwxr-x 2 4.0K 11/29/24 Json/
```

```
~/final_sp_playground
```

→ bash script.sh

Basic information about your system

Today is: 04/21/25
Current User: rap
Home path is: /home/rap
OS & Kernel: Linux GNU/Linux
Hostname is: nyx
Total files in home: 75

Here you will require variables and the echo command with the trailing new line disabled.

I/O redirection will be required too ()

```
Changing directories to: /home/rap/Documents
Current PWD is: /home/rap/Documents
Long list of files and directories in /home/rap/Documents
total 19G
-rw-rw-r-- 1 19G 03/21/25 AOT_S1.mp4
drwxrwxr-x 2 4.0K 11/29/24 Books/
drwxrwxr-x 2 4.0K 11/05/24 Csv/
drwxrwxr-x 2 4.0K 11/29/24 Games/
drwxrwxr-x 2 4.0K 11/29/24 Json/
```

```
~/final_sp_playground
```

→ bash script.sh

Basic information about your system

Today is: 04/21/25
Current User: rap
Home path is: /home/rap
OS & Kernel: Linux GNU/Linux
Hostname is: nyx
Total files in home: 75

Here you will require variables
The script has to use the cd command
You will need to use the echo command
with the trailing new line disabled
The options of the ls command are:
Long list
Human readable
No group and no user (owner)
Time style

```
Changing directories to: /home/rap/Documents
Current PWD is: /home/rap/Documents
Long list of files and directories in /home/rap/Documents
total 19G
-rw-rw-r-- 1    19G 03/21/25 AOT_S1.mp4
drwxrwxr-x 2    4.0K 11/29/24 Books/
drwxrwxr-x 2    4.0K 11/05/24 Csv/
drwxrwxr-x 2    4.0K 11/29/24 Games/
drwxrwxr-x 2    4.0K 11/29/24 Json/
```