ENGR 4350: Applied Deep Learning

Classic ConvNet Architectures

11/09/2022

Outline

- LeNet
- AlexNet
- VGGNet
- GoogleNet (Inception)
- ResNet
- ConvNets Benchmarks

Convolutional Neural Network





LeNet



LeCun Y, Bottou L, Bengio Y, Haffner P. Gradient-based learning applied to document recognition. Proceedings of the IEEE. 1998 Nov;86(11):2278-324.

AlexNet



Krizhevsky A, Sutskever I, Hinton GE. Imagenet classification with deep convolutional neural networks. Communications of the ACM. 2017 May 24;60(6):84-90.

AlexNet

AlexNet Network - Structural Details													
Input			Output			Layer	Stride	Pad	Kernel size		in	out	# of Param
227	227	3	55	55	96	conv1	4	0	11	11	3	96	34944
55	55	96	27	27	96	maxpool1	2	0	3	3	96	96	0
27	27	96	27	27	256	conv2	1	2	5	5	96	256	614656
27	27	256	13	13	256	maxpool2	2	0	3	3	256	256	0
13	13	256	13	13	384	conv3	1	1	3	3	256	384	885120
13	13	384	13	13	384	conv4	1	1	3	3	384	384	1327488
13	13	384	13	13	256	conv5	1	1	3	3	384	256	884992
13	13	256	6	6	256	maxpool5	2	0	3	3	256	256	0
						fc6			1	1	9216	4096	37752832
						fc7			1	1	4096	4096	16781312
						fc8			1	1	4096	1000	4097000
Total													**62,378,344**

VGGNet



Simonyan K, Zisserman A. Very deep convolutional networks for large-scale image recognition. arXiv preprint arXiv:1409.1556. 2014 Sep 4.

VGGNet

VGG16 - Structural Details													
#	Input Image			output			Layer	Stride	Kernel		in	out	Param
1	224	224	3	224	224	64	conv3-64	1	3	3	3	64	1792
2	224	224	64	224	224	64	conv3064	1	3	3	64	64	36928
	224	224	64	112	112	64	maxpool	2	2	2	64	64	0
3	112	112	64	112	112	128	conv3-128	1	3	3	64	128	73856
4	112	112	128	112	112	128	conv3-128	1	3	3	128	128	147584
	112	112	128	56	56	128	maxpool	2	2	2	128	128	65664
5	56	56	128	56	56	256	conv3-256	1	3	3	128	256	295168
6	56	56	256	56	56	256	conv3-256	1	3	3	256	256	590080
7	56	56	256	56	56	256	conv3-256	1	3	3	256	256	590080
	56	56	256	28	28	256	maxpool	2	2	2	256	256	0
8	28	28	256	28	28	512	conv3-512	1	3	3	256	512	1180160
9	28	28	512	28	28	512	conv3-512	1	3	3	512	512	2359808
10	28	28	512	28	28	512	conv3-512	1	3	3	512	512	2359808
	28	28	512	14	14	512	maxpool	2	2	2	512	512	0
11	14	14	512	14	14	512	conv3-512	1	3	3	512	512	2359808
12	14	14	512	14	14	512	conv3-512	1	3	3	512	512	2359808
13	14	14	512	14	14	512	conv3-512	1	3	3	512	512	2359808
	14	14	512	7	7	512	maxpool	2	2	2	512	512	0
14	1	1	25088	1	1	4096	fc		1	1	25088	4096	102764544
15	1	1	4096	1	1	4096	fc		1	1	4096	4096	16781312
16	1	1	4096	1	1	1000	fc		1	1	4096	1000	4097000
Total													**138,423,208**

GoogLeNet (Inception)



Szegedy C, Liu W, Jia Y, Sermanet P, Reed S, Anguelov D, Erhan D, Vanhoucke V, Rabinovich A. Going deeper with convolutions. InProceedings of the IEEE conference on computer vision and pattern recognition 2015 (pp. 1-9).

GoogLeNet (Inception)



(a) Inception module, naïve version



(b) Inception module with dimensionality reduction

GoogLeNet (Inception)

GoogLeNet - Structural Details

	Input Image			output			Layer	Input Layer	Stride	Pad	Kernel		in	out	Param
	227	227	3	112	112	64	conv1	input	2	1	7	7	3	64	9472
	112	112	64	56	56	64	maxpool1	conv1	2	0.5	3	3	64	64	0
	56	56	64	56	56	64	conv1x1	maxpool1	1	0	1	1	64	64	4160
	56	56	64	56	56	192	conv2-1		1	1	3	3	64	192	110784
	56	56	192	28	28	192	maxpool2		2	0.5	3	3	192	192	0
inception (3a)	28	28	192	28	28	96	conv1x1a	maxpool2	1	0	1	1	192	96	18528
	28	28	96	28	28	16	conv1x1b	maxpool2	1	0	1	1	192	16	3088
	28	28	192	28	28	192	maxpool-a	maxpool2	1	1	3	3	192	192	0
	28	28	192	28	28	64	conv1x1c	maxpool2	1	0	1	1	192	64	12352
	28	28	96	28	28	128	conv3-3	conv1x1a	1	1	3	3	96	128	110720
	28	28	16	28	28	32	conv5x5	conv1x1b	1	2	5	5	16	32	12832
	28	28	192	28	28	32	conv1x1d	maxpool-a	1	0	1	1	192	32	6176
				28	28	256	depth-concat	conv1x1, conv3-3, conv5x5, conv1x1d							
inception (3b)	28	28	256	28	28	128	conv1x1a	depth-concat	1	0	1	1	256	128	32896
	28	28	128	28	28	32	conv1x1b	depth-concat	1	0	1	1	256	32	8224
	28	28	192	28	28	256	maxpoo-a	depth-concat	1	1	3	3	256	256	0
	28	28	192	28	28	128	conv1x1c	depth-concat	1	0	1	1	256	128	32896
	28	28	96	28	28	192	conv3-3	conv1x1a	1	1	3	3	128	192	221376
	28	28	16	28	28	96	conv5x5	conv1x1b	1	2	5	5	32	96	76896
	28	28	192	28	28	64	conv1x1d	maxpool-a	1	0	1	1	256	64	16448
				28	28	480	depth-concat	conv1x1, conv3-3, conv5x5, conv1x1d							
	28	28	480	14	14	480	maxpool3	depth-concat	2	0.5	3	3	480	480	0
inception (4a)	14	14	480	14	14	96	conv1x1a	maxpool3	1	0	1	1	480	96	46176
	14	14	480	14	14	16	conv1x1b	maxpool3	1	0	1	1	480	16	7696
	14	14	480	14	14	480	maxpool-a	maxpool3	1	1	3	3	480	480	0
	14	14	480	14	14	192	conv1x1c	maxpool3	1	0	1	1	480	192	92352
	14	14	96	14	14	208	conv3-3	conv1x1a	1	1	3	3	96	208	179920
	14	14	16	14	14	48	conv5x5	conv1x1b	1	2	5	5	16	48	19248
	14	14	192	14	14	64	conv1x1d	maxpool-a	1	0	1	1	480	64	30784
				14	14	512	depth-concat	conv1x1, conv3-3, conv5x5, conv1x1d							
inception (4b)	14	14	512	14	14	112	conv1x1a	depth-concat	1	0	1	1	512	112	57456
	14	14	512	14	14	24	conv1x1b	depth-concat	1	0	1	1	64	24	1560
	14	14	512	14	14	64	maxpool-a	depth-concat	1	1	3	3	64	64	0
	14	14	512	14	14	160	conv1x1c	depth-concat	1	0	1	1	64	160	10400
	14	14	96	14	14	224	conv3-3	conv1x1a	1	1	3	3	112	224	226016
	14	14	16	14	14	64	conv5x5	conv1x1b	1	2	5	5	24	64	38464
	14	14	160	14	14	64	conv1x1d	maxpool-a	1	0	1	1	64	64	4160
				14	14	512	depth-concat	conv1x1, conv3-3, conv5x5, conv1x1d							
inception (4c)	14	14	512	14	14	128	conv1x1a	depth-concat	1	0	1	1	512	128	65664
	14	14	512	14	14	24	conv1x1b	depth-concat	1	0	1	1	64	24	1560
	14	14	512	14	14	64	maxpool-a	depth-concat	1	1	3	3	64	64	0
	14	14	512	14	14	128	conv1x1c	depth-concat	1	0	1	1	64	128	8320
	14	14	96	14	14	256	conv3-3	conv1x1a	1	1	3	3	128	256	295168
	14	14	16	14	14	64	conv5x5	conv1x1b	1	2	5	5	24	64	38464
	14	14	128	14	14	64	conv1x1d	maxpool-a	1	0	1	1	64	64	4160
				14	14	512	depth-concat	conv1x1, conv3-3, conv5x5, conv1x1d							
inception (4d)	14	14	512	14	14	144	conv1x1a	depth-concat	1	0	1	1	512	144	73872
	14	14	512	14	14	32	conv1x1b	depth-concat	1	0	1	1	64	32	2080
	14	14	512	14	14	64	maxpool-a	depth-concat	1	1	3	3	64	64	0
	14	14	512	14	14	112	conv1x1c	depth-concat	1	0	1	1	64	112	7280
	14	14	96	14	14	288	conv3-3	conv1x1a	1	1	3	3	144	288	373536
	14	14	16	14	14	64	conv5x5	conv1x1b	1	2	5	5	32	64	51264
	14	14	112	14	14	64	conv1x1d	maxpool-a	1	0	1	1	64	64	4160
				14	14	528	depth-concat	conv1x1, conv3-3, conv5x5, conv1x1d							
inception (4e)	14	14	528	14	14	160	conv1x1a	depth-concat	1	0	1	1	528	160	84640
	14	14	528	14	14	32	conv1x1b	depth-concat	1	0	1	1	64	32	2080
	14	14	528	14	14	64	maxpool-a	depth-concat	1	1	3	3	64	64	0
	14	14	528	14	14	256	conv1x1c	depth-concat	1	0	1	1	64	256	16640
	14	14	96	14	14	320	conv3-3	conv1x1a	1	1	3	3	160	320	461120
	14	14	16	14	14	128	conv5x5	conv1x1b	1	2	5	5	32	128	102528
	14	14	256	14	14	128	conv1x1d	maxpool-a	1	0	1	1	64	128	8320
				14	14	832	depth-concat	conv1x1, conv3-3, conv5x5, conv1x1d							
	14	14	832	7	7	832	maxpool4	depth-concat	2	0.5	3	3	832	832	0
inception (5a)	7	7	832	7	7	160	conv1x1a	maxpool4	1	0	1	1	832	160	133280
	7	7	832	7	7	32	conv1x1b	maxpool4	1	0	1	1	832	32	26656
	7	7	832	7	7	832	maxpool-a	maxpool4	1	1	3	3	832	832	0
	7	7	832	7	7	256	conv1x1c	maxpool4	1	0	1	1	832	256	213248
	7	7	96	7	7	320	conv3-3	conv1x1a	1	1	3	3	160	320	461120
	7	7	16	7	7	128	conv5x5	conv1x1b	1	2	5	5	32	128	102528
	7	7	256	7	7	128	conv1x1d	maxpool-a	1	0	1	1	832	128	106624
				7	7	832	depth-concat	conv1x1, conv3-3, conv5x5, conv1x1d							
inception (5b)	7	7	832	7	7	192	conv1x1a	depth-concat	1	0	1	1	832	192	159936
	7	7	832	7	7	48	conv1x1b	depth-concat	1	0	1	1	832	48	39984
	7	7	832	7	7	832	maxpool-a	depth-concat	1	1	3	3	832	832	0
	7	7	832	7	7	384	conv1x1c	depth-concat	1	0	1	1	832	384	319872
	7	7	96	7	7	384	conv3-3	conv1x1a	1	1	3	3	192	384	663936
	7	7	16	7	7	128	conv5x5	conv1x1b	1	2	5	5	48	128	153728
	7	7	384	7	7	128	conv1x1d	maxpool-a	1	0	1	1	128	128	16512
				7	7	1024	depth-concat	conv1x1, conv3-3, conv5x5, conv1x1d							
	7	7	1024	1	1	1024	avgpool	depth-concat	1	0	7	7	1024	1024	0
	1	1	1024	1	1	1000	fc	depth-concat	1	0	1	1	1024	1000	1025000
								Total							6,414,360

ResNet



He K, Zhang X, Ren S, Sun J. Deep residual learning for image recognition. InProceedings of the IEEE conference on computer vision and pattern recognition 2016 (pp. 770-778).

ResNet



He K, Zhang X, Ren S, Sun J. Deep residual learning for image recognition. InProceedings of the IEEE conference on computer vision and pattern recognition 2016 (pp. 770-778).

ResNet

ResNet18 - Structural Details														
#	Input Image			output			Layer	Stride	Pad	Kernel		in	out	Param
1	227	227	3	112	112	64	conv1	2	1	7	7	3	64	9472
	112	112	64	56	56	64	maxpool	2	0.5	3	3	64	64	0
2	56	56	64	56	56	64	conv2-1	1	1	3	3	64	64	36928
3	56	56	64	56	56	64	conv2-2	1	1	3	3	64	64	36928
4	56	56	64	56	56	64	conv2-3	1	1	3	3	64	64	36928
5	56	56	64	56	56	64	conv2-4	1	1	3	3	64	64	36928
6	56	56	64	28	28	128	conv3-1	2	0.5	3	3	64	128	73856
7	28	28	128	28	28	128	conv3-2	1	1	3	3	128	128	147584
8	28	28	128	28	28	128	conv3-3	1	1	3	3	128	128	147584
9	28	28	128	28	28	128	conv3-4	1	1	3	3	128	128	147584
10	28	28	128	14	14	256	conv4-1	2	0.5	3	3	128	256	295168
11	14	14	256	14	14	256	conv4-2	1	1	3	3	256	256	590080
12	14	14	256	14	14	256	conv4-3	1	1	3	3	256	256	590080
13	14	14	256	14	14	256	conv4-4	1	1	3	3	256	256	590080
14	14	14	256	7	7	512	conv5-1	2	0.5	3	3	256	512	1180160
15	7	7	512	7	7	512	conv5-2	1	1	3	3	512	512	2359808
16	7	7	512	7	7	512	conv5-3	1	1	3	3	512	512	2359808
17	7	7	512	7	7	512	conv5-4	1	1	3	3	512	512	2359808
	7	7	512	1	1	512	avg pool	7	0	7	7	512	512	0
18	1	1	512	1	1	1000	fc					512	1000	513000
Total														11,511,784

ConvNets Benchmarks



ConvNets Benchmarks





ConvNets Benchmarks



Russakovsky O, Deng J, Su H, Krause J, Satheesh S, Ma S, Huang Z, Karpathy A, Khosla A, Bernstein M, Berg AC. Imagenet large scale visual recognition challenge. International journal of computer vision. 2015 Dec;115(3):211-52.

ConvNets Implementation

- Models and pre-trained weights
- Transfer Learning Tutorial