

Safety data sheet
Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and
1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SYNTHETIC PAO 2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Distribution of the substance

Formulation and (re)packaging of substances and mixtures

Lubricants (industrial, professional, consumer)

Use in metal working fluids (industrial)

Functional fluids (industrial, professional, consumer)

Application of the substance / the mixture: PAO

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

AKFA S.A.

Ormos Mikrou Vatheos Avlida, 341 00 Chalkida

Tel: +30 22210 33155 | Fax: +30 22210 33174

E-mail: info@akfa-chem.com

1.4 Emergency telephone number



European emergency number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008:



GHS08 health hazard

STOT RE 1 H372 Causes damage to the central nervous system through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet
Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and
1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2**Hazard pictograms:**

(Contd. of page 1)



GHS07 GHS08 GHS09

Signal word: Danger**Hazard-determining components of labelling:**

dec-1-ene, dimers, hydrogenated

Naphtha (petroleum), hydrodesulfurized heavy

A mixture of: branched icosane; branched docosane; branched tetracosane

Hazard statements:

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H372 Causes damage to the central nervous system through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

EN

Safety data sheet

Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and 1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 2)

Dangerous components:

CAS: 64742-82-1 EC number: 919-446-0 Reg.nr.: 01-2119458049-33-xxxx	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)  Flam. Liq. 3, H226  STOT RE 1, H372; Asp. Tox. 1, H304  Aquatic Chronic 2, H411  STOT SE 3, H336 EUH066 Note: P ATE: LD50 oral: > 15,000 mg/kg LD50 dermal: > 3,400 mg/kg LC50/4 h inhalative: > 13,100 mg/l	40.0%
CAS: 68649-11-6 NLP: 500-228-5 Reg.nr.: 01-2119537268-33-xxxx	dec-1-ene, dimers, hydrogenated  Asp. Tox. 1, H304  Acute Tox. 4, H332 ATE: LD50 oral: > 5,000 mg/kg LD50 dermal: > 2,000 mg/kg LC50/4 h inhalative: 1.5 mg/l	≤ 30.0%
CAS: 151006-58-5 ELINCS: 417-050-8 Index number: 601-070-00-0 Reg.nr.: 01-2119527647-31-xxxx	A mixture of: branched icosane; branched docosane; branched tetracosane  Asp. Tox. 1, H304  Acute Tox. 4, H332 ATE: LD50 oral: > 5,000 mg/kg LD50 dermal: > 2,000 mg/kg LC50/4 h inhalative: 1.5 mg/l	≤ 30.0%

Additional information:

The percentage of cumen in the mixture is less than 0.1% w/w.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

Remove contaminated clothing or footwear immediately.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Remove any contact lenses.

(Contd. on page 4)

Safety data sheet
Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and
1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 3)

After swallowing:

Call a doctor immediately.

Rinse the mouth and DO NOT swallow.

If spontaneous vomiting occurs after swallowing, keep the casualty's head down with the body in a prone position to prevent fluid from entering the airway.

A person vomiting while laying on their back should be turned onto their side.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if ingested and penetrates the respiratory tract.

4.3 Indication of any immediate medical attention and special treatment needed

Treat accordingly depending on the type of exposure.

In case of ingestion or vomiting there is a risk of penetration into the lungs and causing chemical pneumonia.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:**CO₂, fire extinguishing powder or water spray.

Alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water spray**5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

carbon dioxide (CO₂)**5.3 Advice for firefighters**

Remove all persons from the incident.

Do not attempt to fight the fire without proper protective equipment:

- Self-contained breathing apparatus.

- Independent respirators.

Protective equipment:

In the event of a large fire or in enclosed or poorly ventilated areas, wear full-face fire suits and self-contained breathing apparatus (SCBA) with mask full face and positive pressure mask.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Keep people at a distance and stay on the windward side.

Mount respiratory protective device.

Wear protective clothing.

Avoid inhaling vapours.

6.1.1 For non-emergency personnel

Ensure adequate ventilation.

Use personal protective equipment.

6.1.2 For emergency responders

Remove unprotected persons.

Ensure adequate ventilation.

(Contd. on page 5)

Safety data sheet
Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and
1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 4)

Wear protective equipment.

6.2 Environmental precautions Do not allow to enter drains / surface or ground water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

For restraint:

Leaks on the ground: If necessary, cover the product with dry soil, sand or similar non-combustible materials. Large spills should be carefully covered with foam, if available, to reduce the risk of fire. Do not use direct water jets.

Spills in water or at sea: In the case of small spills in enclosed waters (e.g. harbours) contain the product with floating barriers or other equipment.

If possible, large spills on the open sea should be contained by floating barriers or other mechanical means. If this is not possible, limit the spread of the spill, and contain the product by means of deaeration or other appropriate mechanical means.

For cleaning:

In the case of indoor areas (e.g. inside buildings or enclosed spaces) ensure adequate ventilation.

In buildings, e.g. indoor or indoor buildings, such as in buildings, indoor buildings, indoor buildings, etc:

Absorb the spilled product with suitable non-burnable materials.

Collect the free product by appropriate means. Collect recovered product and other contaminated materials in suitable containers or receptacles for recycling, recovery or safe disposal. In case of soil contamination, remove the contaminated soil and remediate or dispose of it in accordance with local regulations.

Spills in water or sea: In case of small spills in enclosed waters (e.g. harbours), collect the spillage by absorbing it with special floating absorbent materials. In the case of large spills, contain the spill and collect the product by means of absorbent means or other suitable mechanical means.

The use of dispersants should be recommended by an expert and, if required, approved by local authorities.

Collect the recovered product and other contaminated materials in suitable tanks or containers for recovery or safe disposal.

Product that is heavier than water will sink to the bottom and probably no intervention will be possible. If possible, collect the product and contaminated materials by mechanical means and store/dispose of them in accordance with relevant regulations. In special situations (to be assessed on a case-by-case basis, according to expert opinion and local conditions), excavation of trenches in the bottom to collect the product or complete covering of the product with sand may be feasible solutions.

6.4 Reference to other sections

For information on safe handling, see chapter 7.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Wash hands thoroughly after handling.

Avoid any direct contact with the product.

Prevent formation of aerosols.

Information about fire - and explosion protection: Take the usual measures for preventive fire protection.

(Contd. on page 6)

Safety data sheet

Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and 1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 5)

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:**

Keep in a dry, cool and well-ventilated place.

Partially used or damaged bags must be tightly closed.

Protect from moisture.

Keep containers tightly closed, in a dry, cool and well-ventilated place.

Protect from the sun's rays.

Keep away from food, drink and animal feed.

Information about storage in one common storage facility: Not required.**Further information about storage conditions:**

Store under lock and key and with access restricted to technical experts or their assistants only.

Storage class: 6.1 C**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Ingredients with biological limit values: They are not contained.**Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Do not inhale dust / smoke / mist.

Ensure that washing facilities are available at the work place.

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink or smoke when using it.

Wash hands before breaks and at the end of work.

Respiratory protection:

Half-face mask with type A filter (EN 136, EN 140, EN 405 for mask, EN 149, EN 143 for filter)

Hand protection:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(EN ISO 374)

(Contd. on page 7)

Safety data sheet

Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and 1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 6)

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection:

Goggles recommended during refilling

Body protection:

Protective work clothing

8.2.3 Environmental exposure controls No further recommendation. See sections 6 & 7.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information**

Physical state:	Fluid
Colour:	Clear
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range:	Undetermined.
Flammability:	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	> 150 °C (ASTM D-93)
Decomposition temperature:	Not determined.
pH:	Mixture is non-soluble (in water). Not determined.
Viscosity:	
Kinematic viscosity at 40 °C	5 cSt
Kinematic viscosity at 100 °C	2 cSt
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value):	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.

(Contd. on page 8)

Safety data sheet
Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and
1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 7)

Relative density:	Not determined.
Vapour density:	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	40.0 %
VOC (EC)	400.0 g/l
	40.00 %
Solids content:	0.0 %
Change in condition	
Softening point/range	
Pour point	<-50 oC
Evaporation rate:	Not determined.

Information with regard to physical hazard classes

Explosives:	Void
Flammable gases:	Void
Aerosols:	Void
Oxidising gases:	Void
Gases under pressure:	Void
Flammable liquids:	Void
Flammable solids:	Void
Self-reactive substances and mixtures:	Void
Pyrophoric liquids:	Void
Pyrophoric solids:	Void
Self-heating substances and mixtures:	Void
Substances and mixtures, which emit flammable gases in contact with water:	Void
Oxidising liquids:	Void
Oxidising solids:	Void
Organic peroxides:	Void
Corrosive to metals:	Void
Desensitised explosives:	Void

SECTION 10: Stability and reactivity**10.1 Reactivity**

No active substance is contained and no risks of reactivity are expected.
 No further relevant information available.

10.2 Chemical stability Under normal conditions of use and storage, it is stable.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.**10.4 Conditions to avoid** Heat.

(Contd. on page 9)

Safety data sheet

Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and 1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 8)

10.5 Incompatible materials Strong oxidants.**10.6 Hazardous decomposition products** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if inhaled.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative	LC50/4 h	≥ 2.5 mg/l (ATE)
------------	----------	------------------

CAS: 64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy

Oral	LD50	> 15,000 mg/kg (ATE)
------	------	----------------------

Dermal	LD50	> 3,400 mg/kg (ATE)
--------	------	---------------------

Inhalative	LC50/4 h	> 13,100 mg/l (ATE)
------------	----------	---------------------

CAS: 68649-11-6 dec-1-ene, dimers, hydrogenated

Oral	LD50	> 5,000 mg/kg (ATE)
------	------	---------------------

Dermal	LD50	> 2,000 mg/kg (ATE)
--------	------	---------------------

Inhalative	LC50/4 h	1.5 mg/l (ATE)
------------	----------	----------------

CAS: 151006-58-5 A mixture of: branched icosane; branched docosane; branched tetracosane

Oral	LD50	> 5,000 mg/kg (ATE)
------	------	---------------------

Dermal	LD50	> 2,000 mg/kg (ATE)
--------	------	---------------------

Inhalative	LC50/4 h	1.5 mg/l (ATE)
------------	----------	----------------

Primary irritant effect:

Skin corrosion/irritation: Based on available data, the classification criteria are not met.**Serious eye damage/irritation:** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.**Carcinogenicity:** Based on available data, the classification criteria are not met.**Reproductive toxicity:** Based on available data, the classification criteria are not met.**STOT-single exposure:** May cause drowsiness or dizziness.

STOT-repeated exposure:

Causes damage to the central nervous system through prolonged or repeated exposure.

Aspiration hazard: May be fatal if swallowed and enters airways.

Additional toxicological information:

Repeated dose toxicity It is not classified.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

No known significant outcome or critical risk.

11.2 Information on other hazards

Endocrine disrupting properties:

None of the ingredients is listed.

EN

(Contd. on page 10)

Safety data sheet

Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and 1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 9)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 64742-82-1 Naphtha (petroleum), hydrodesulfurized heavy

LD50 10 – 30 mg/l (Fresh water fish)

10 – 22 mg/l (daphnia)

NOEC 0.097 mg/l (daphnia)

NOELR 0.76 mg/l (algae)

CAS: 68649-11-6 dec-1-ene, dimers, hydrogenated

EL50 > 1,000 mg/l /(48h) (daphnia)

LC50 > 1,000 mg/l /(96h) (Fresh water fish)

NOELR 1,000 mg/l /(72h) (aquatic algae and cyanobacteria)

125 mg/l /(21d) (daphnia)

CAS: 151006-58-5 A mixture of: branched icosane; branched docosane; branched tetracosane

EL50 > 1,000 mg/l /(48h) (daphnia)

LD50 > 1,000 mg/l /(96h) (Fresh water fish)

NOELR 1,000 mg/l /(72h) (aquatic algae and cyanobacteria)

125 mg/l /(21d) (daphnia)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: It is not classified.

vPvB: It is not classified.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

The disposal of the material must comply with national legislation.

The generation of waste should be avoided or minimized wherever possible. Recycle processing, if possible.

Do not mix with other waste. The waste product to remain in the original packaging. Do not allow significant quantities of the product or residues to enter in the sewage system. Treat them in WWTP. Disposal of this product or it's solutions must always comply with the requirements of environmental protection and local legal requirements in the field of waste management.

(Contd. on page 11)

Safety data sheet
Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and
1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 10)

European waste catalogue:

HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP14	Ecotoxic

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN number or ID number**
ADR, IMDG, IATA

not regulated

14.2 UN proper shipping name
ADR, IMDG, IATA

not regulated

14.3 Transport hazard class(es)ADR, ADN, IMDG, IATA
Class

not regulated

14.4 Packing group
ADR, IMDG, IATA

not regulated

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

UN "Model Regulation":

not regulated

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EU) CLP 1272/2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006

REACH Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency.

Directive 2008/98/EC of 19 November 2008 on waste and repealing certain directives.

Directive 2012/18/EC of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and consequently repealing Directive 96/82/EC.

Directive 2001/7/EC of 29 January 2001 on the third adaptation to technical progress.

Council Directive 94/55/EC on the approximation of the laws of the Member States with regard to the transport of dangerous goods by road.

Directive 2004/35/EC of the European Parliament and of the Council of 21 April 2004 on environmental sustainability with regard to the prevention and remedying of environmental damage.

Directive 2004/37/EC of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Directive 2009/161 establishing a third list of indicative exposure limit values in implementation of Directive 98/24/EC and amending Directive 2000/39/EC.

Authorisations:

(Contd. on page 12)

Safety data sheet

Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and 1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 11)

REACH Regulation Annex XIV - List of substances subject to authorisation.

Restrictions of use:

REACH Regulation Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Council Directive 94/33/EC on the protection of young people at work, as amended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as amended.

Directive 2012/18/EU**Named dangerous substances - ANNEX I** None of the ingredients is listed.**Seveso category E2** Hazardous to the Aquatic Environment**Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3**Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

Regulation (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57** They are not contained.**15.2 Chemical safety assessment** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

These statements are based on our current state of knowledge, are not a guarantee of the properties of the products and do not give rise to legal consequences.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

(Contd. on page 13)

Safety data sheet

Regulations 1907/2006/EC (REACH) Article 31, 2020/878/EC and 1272/2008/EC (CLP)

Printing date 29.11.2024

Version number 1

Revision: 29.11.2024

Trade name: SYNTHETIC PAO 2

(Contd. of page 12)

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

Acute toxicity - inhalation

Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated exposure)

Aspiration hazard

Hazardous to the aquatic environment - long-term
(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

EN