

Online Questionnaire Assessment

Platform: sosci.cbs.mpg.de
 All questionnaires displayed in German

Structure / Order

[1]




[2]

(at the beginning of the laboratory session)

STAI
d2-Revision (paper-pencil)

[optional]

(if participants take part in more than one study of rsAirflow)



6x6 Latin Square (according to Williams, 1949)

Ballot for the Random Drawing	
Codes (contents):	Drawn yet:
1 = HMBQ, MAIA2, STAI, BIS11, WURSk, TAS20	1: 0
2 = STAI, TAS20, MAIA2, WURSk, HMBQ, BIS11	2: 0
3 = MAIA2, BIS11, TAS20, HMBQ, STAI, WURSk	3: 0
4 = TAS20, WURSk, BIS11, STAI, MAIA2, HMBQ	4: 0
5 = BIS11, HMBQ, WURSk, MAIA2, TAS20, STAI	5: 0
6 = WURSk, STAI, HMBQ, TAS20, BIS11, MAIA2	6: 0

(created by Büşra Çilburunoğlu)

Williams, E. J. (1949). Experimental designs balanced for the estimation of residual effects of treatments. *Australian Journal of Chemistry*, 2(2), 149-168. <https://doi.org/10.1071/CH9490149>

References

HMBQ

Sano, M., Sano, S., Kato, H., Arakawa, K., & Arai, M. (2018). Proposal for a screening questionnaire for detecting habitual mouth breathing, based on a mouth-breathing habit score. *BMC Oral Health*, 18(1), 216. <https://doi.org/10.1186/s12903-018-0672-6>
(translated into German by Lioba Enk)

WURSk

Retz-Junginger, P., Retz, W., Blocher, D., Weijers, H. G., Trott, G. E., Wender, P. H., & Rössler, M. (2002). Wender Utah Rating Scale (WURSk) Die deutsche Kurzform zur retrospektiven Erfassung des hyperkinetischen Syndroms bei Erwachsenen [The German Short Form for the Retrospective Assessment of Hyperkinetic Syndrome in Adults]. *Der Nervenarzt*, 73(9), 830-838. <https://doi.org/10.1007/s00115-001-1215-x>

STAI (trait) / STAI (state)

Laux, L., Glanzmann, P., Schaffner, P., & Spielberger, C. D. (1983). *Das State-Trait-Angstinventar: STAI*. Beltz.

MAIA2

Eggart, M., Todd, J., & Valdés-Stauber, J. (2021). Validation of the Multidimensional Assessment of Interoceptive Awareness (MAIA-2) questionnaire in hospitalized patients with major depressive disorder. *Plos One*, 16(6), e0253913. <https://doi.org/10.1371/journal.pone.0253913>

TAS20

Bach, M., Bach, D., de Zwaan, M., & Serim, M. (1996). Validierung der deutschen Version der 20-Item Toronto-Alexithymie-Skala bei Normalpersonen und psychiatrischen Patienten [Validation of the German Version of the 20-Item Toronto Alexithymia Scale in Healthy Individuals and Psychiatric Patients]. *PPmP: Psychotherapie Psychosomatik Medizinische Psychologie*.

BIS11

Preuss, U. W., Rujescu, D., Giegling, I., Watzke, S., Koller, G., Zetzsche, T., ... & Möller, H. J. (2008). Psychometrische evaluation der deutschsprachigen version der Barratt-Impulsivness-Skala [Psychometric Evaluation of the German-Language Version of the Barratt Impulsiveness Scale]. *Der Nervenarzt*, 79(3), 305-319. <https://doi.org/10.1007/s00115-007-2360-7>

GAD7

Löwe, B., Decker, O., Müller, S., Brähler, E., Schellberg, D., Herzog, W., & Herzberg, P. Y. (2008). Validation and standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the general population. *Medical Care*, 46(3), 266-274. <https://doi.org/10.1097/MLR.0b013e318160d093>

PHQ9

Löwe, B., Spitzer, R. L., Zipfel, S., & Herzog, W. (2002). *PHQ-D: Gesundheitsfragebogen für Patienten; Manual Komplettversion und Kurzform [PHQ-D: Health Questionnaire for Patients; Manual Full Version and Short Form]*. Pfizer GmbH.

PSS10

Klein, E. M., Brähler, E., Dreier, M., Reinecke, L., Müller, K. W., Schmutzer, G., ... & Beutel, M. E. (2016). The German version of the Perceived Stress Scale—psychometric characteristics in a representative German community sample. *BMC Psychiatry*, 16(1), 159. <https://doi.org/10.1186/s12888-016-0875-9>

d2-Revision

Brickenkamp, R., Schmidt-Atzert, L., & Liepmann, D. (2010). *Test d2-Revision: Aufmerksamkeits- und Konzentrationstest (Vol. 1) [d2 Revision Test: Attention and Concentration Test (Vol. 1)]*. Hogrefe.

Habitual Mouth Breathing Questionnaire (HBMQ)

1. Haben Sie oft eine verstopfte Nase?	Ja	Nein
2. Ist Ihr Mund normalerweise leicht geöffnet?	Ja	Nein
3. Atmen Sie normalerweise durch Ihren Mund?	Ja	Nein
4. Ist das Zahnfleisch Ihrer Schneidezähne oft gerötet oder geschwollen?	Ja	Nein
5. Treten bei Ihnen leicht Verfärbungen an den Schneidezähnen auf?	Ja	Nein
6. Sind Sie oft besorgt, Mundgeruch zu haben?	Ja	Nein
7. Glauben Sie, dass Sie einen ausgeprägten Überbiss haben?	Ja	Nein

8. Wurden Sie im Säuglingsalter mit der Flasche, durch Stillen an der Brust oder durch beides ernährt?	Flasche	Beides	Stillen an der Brust
--	---------	--------	----------------------

9. War Ihre Nase als Kind (bis zum 10. Lebensjahr) oft verstopft – zum Beispiel aufgrund von Schnupfen oder Allergien?	Ja	Nein
--	----	------

10. Wurde bei Ihnen vor dem 16. Lebensjahr jemals Bronchialasthma diagnostiziert?	Ja, und ich hatte auch noch <i>nach</i> dem 16. Lebensjahr Asthmaanfälle.	Ja, ich hatte <i>vor</i> dem 16. Lebensjahr Asthmaanfälle, aber danach nicht mehr.	Nein
---	---	--	------