

Phase – folded and binned flux and centroid views

==== TCE 167526485-1-S6 ====


Ephemerides: Epoch (BTJD)=1469.681, Period (day)=5.012, Transit Duration (hour)=6.961

==== TCE and stellar parameters ====


tce_depth=10861.079 tce_max_mult_ev=106.254 tce_max_sngle_ev=53.218 tce_model_chisq=3692.378 tce_maxmes=4.225 tce_maxmesd=-0.631 wst_depth=518.580
tce_ptemp_stat=1.996 tce_albedo_stat=-0.536 tce_bin_oedp_stat=0.041 tce_dikco_msky=0.147 tce_dikco_msky_err=0.474 tce_dicco_msky=0.067 tce_dicco_msky_err=0.474
tce_cap_stat=87.925 tce_hap_stat=15.317 boot_fap=0.000E+00 tce_sdens=0.031 tce_steff=6967.72 tce_slogg=3.494 tce_smet=0.068
tce_sradius=3.670 mag=9.819 tce_prad=40.703

Red dashed lines: $\pm 1\sigma$ SEM envelope


Full-orbit flux
N_transits=5




Transit-view flux
N_transits=5




Full-orbit trend
N_transits=5




Transit-view odd flux
N_transits=2




Transit-view even flux
N_transits=3




Transit-view weak secondary flux
N_transits=5




Full-orbit centroid offset to target
N_transits=5





Transit-view centroid offset to target
N_transits=5




Transit-view momentum dump





Weak Secondary TCE 167526485-1-S6
Secondary Transit Depth: 518.580 (ppm) | Offset: -0.631 (day) | MES: 4.225
Full-Orbit



Odd vs Even TCE 167526485-1-S6




Periodogram TCE 167526485-1-S6 | Period: 5.012 day
Peak Amplitude @ $f_{max} = 0.390 \text{ d}^{-1}$ ($P = 2.566 \text{ d}$): $2.548e-03$ | TPM Peak @ $f_{TPM,max} = 1.800 \text{ d}^{-1}$ ($P = 0.555 \text{ d}$): $1.235e-04$




Difference Image
Sector 6
QMetric=1.00 | Target TMag=9.82


Difference Flux




Out-of-transit Flux



SNR Flux



Valid Pixels Image



x: target catalog position