UUT Report

Station ID	HZH6228C
Serial Number	NONE
Date	2021年8月26日
Time	10:38:39
Operator	
Execution Time	6144.71 seconds
Number of Results	98
UUT Result	Failed

Failure Chain		
Step	**Sequence**	**Sequence File**
TC_SmokeTest_006	MainSequence	IPU02_v3.seq

⊟ **Expand / Collapse MainSequence**

Begin Sequence: MainSequence
(D:\TestStand_IPU02\IPU02_v3.seq)

Step	Status	Measurement	Units	Limits			Comparison Type
				Nominal Value	Low Limit	High Limit	
ETHDataInit	Done						
TestResults/Data							
ExitCode:	0						
Wait	Done						
restart	Done						
TestResults/Data							
ExitCode:	0						
Wait	Done						
TC_SmokeTest_001	Passed	PASS			PASS		IgnoreCase
TC_SmokeTest_009	Passed	PASS			PASS		IgnoreCase
TC_SmokeTest_006	Failed	FAIL，CAN通讯测试失败			PASS		IgnoreCase
TC_SmokeTest_007	Passed	321			-1		NE(!=)
TC_SmokeTest_022	Passed	PASS			PASS		IgnoreCase
TC_SmokeTest_008	Passed	PASS			PASS		IgnoreCase
IHU显示功能测试	Done						
TC_SmokeTest_003	Passed	PASS			PASS		IgnoreCase
TestResults/Data							
Return Value:	PASS						
TC_SmokeTest_023	Passed	PASS			PASS		IgnoreCase
Call Version.exe	Done						
TestResults/Data							
ExitCode:	0						
TC_SmokeTest_002	Failed	FAIL			PASS		IgnoreCase
TC_SmokeTest_021	Passed	PASS			PASS		IgnoreCase
TC_SmokeTest_069	Failed	tra			PASS		IgnoreCase
TC_SmokeTest_071	Failed	std			PASS		IgnoreCase
TC_SmokeTest_070	Failed	FAIL			PASS		IgnoreCase
TC_SmokeTest_072	Passed	PASS			PASS		IgnoreCase
TC_SmokeTest_024	Failed	FAIL,坡度测量值为0			PASS		IgnoreCase

Step	Status	Measurement						
TC_SmokeTest_025	Passed	PASS				PASS		IgnoreCase
restart	Done							
TestResults/Data								
ExitCode:	0							
TC_SmokeTest_029	Passed	PASS				PASS		IgnoreCase
⊟ INC_SLOT	Passed							

Begin Sequence: MainSequence_SlotDection
(D:\TestStand_IPU02\IPU02_v3.seq)

Step	Status	Measurement	Units	Limits			Comparison Type
				Nominal Value	Low Limit	High Limit	
Set ParkState	Done						
播放车位视频	Error						
TestResults/Data							
ExitCode:	0						
Error Message:	Operation Timed Out.[Error Code: -17402]						

End Sequence: MainSequence_SlotDection

Step	Status	Measurement	Units	Limits			Comparison Type
				Nominal Value	Low Limit	High Limit	
TC_SmokeTest_031	Failed	FAIL			PASS		IgnoreCase
⊟ VER_SLOT	Passed						

Begin Sequence: MainSequence_SlotDection
(D:\TestStand_IPU02\IPU02_v3.seq)

Step	Status	Measurement	Units	Limits			Comparison Type
				Nominal Value	Low Limit	High Limit	
Set ParkState	Done						
播放车位视频	Error						
TestResults/Data							
ExitCode:	0						
Error Message:	Operation Timed Out.[Error Code: -17402]						

End Sequence: MainSequence_SlotDection

Step	Status	Measurement	Units	Limits			Comparison Type
				Nominal Value	Low Limit	High Limit	
TC_SmokeTest_030	Failed	FAIL			PASS		IgnoreCase
⊟ CUR_SLOT	Passed						

Begin Sequence: MainSequence_SlotDection
(D:\TestStand_IPU02\IPU02_v3.seq)

Step	Status	Measurement	Units	Limits			Comparison Type
				Nominal Value	Low Limit	High Limit	
Set ParkState	Done						
播放车位视频	Error						
TestResults/Data							
ExitCode:	0						
Error Message:	Operation Timed Out.[Error Code: -17402]						

End Sequence: MainSequence_SlotDection

| Step | Status | Measurement | Units | Limits | | | |
				Nominal Value	Low Limit	High Limit	Comparison Type
TC_SmokeTest_032	Failed	FAIL			PASS		IgnoreCase
TC_SmokeTest_068	Failed	PASS;HMI显示 时 间:6.936929. 视 频显示时 间:6.537237			PASS		IgnoreCase
TC_SmokeTest_028	Failed	FAIL,搜车位失败			PASS		IgnoreCase
⊟ HOR_PARK	Passed						

**Begin Sequence: MainSequence_Parking
(D:\TestStand_IPU02\IPU02_v3.seq)**

| Step | Status | Measurement | Units | Limits | | | |
				Nominal Value	Low Limit	High Limit	Comparison Type
Set ParkState	Done						
播放车位视频	Error						
TestResults/Data							
ExitCode:	0						
Error Message:	Operation Timed Out.[Error Code: -17402]						
⊟ If{True}	Done						

| Step | Status | Measurement | Units | Limits | | | |
				Nominal Value	Low Limit	High Limit	Comparison Type
测试结果赋值（FAIL)	Done						
Goto	Error						
Error Message:	Error executing step post action. Cannot find go to target. The step 'ID#:ETXYt/nd6xG2vwAOxrutdD' is not in the current sequence. [Error Code: -17300]						

| Step | Status | Measurement | Units | Limits | | | |
				Nominal Value	Low Limit	High Limit	Comparison Type
End(If)	Done						

| Step | Status | Measurement | Units | Limits | | | |
				Nominal Value	Low Limit	High Limit	Comparison Type
测试结果赋值（FAIL)	Done						

End Sequence: MainSequence_Parking

| Step | Status | Measurement | Units | Limits | | | |
				Nominal Value	Low Limit	High Limit	Comparison Type
TC_SmokeTest_040	Failed	FAIL,泊入失败			PASS		IgnoreCase
⊟ INC_PARK	Passed						

**Begin Sequence: MainSequence_Parking
(D:\TestStand_IPU02\IPU02_v3.seq)**

| Step | Status | Measurement | Units | Limits | | | |
				Nominal Value	Low Limit	High Limit	Comparison Type
Set ParkState	Done						

播放车位视频	Error						
TestResults/Data							
ExitCode:	0						
Error Message:	Operation Timed Out.[Error Code: -17402]						
⊟ If{True}	Done						

Step	Status	Measurement	Units	Limits			
				Nominal Value	Low Limit	High Limit	Comparison Type
测试结果赋值（FAIL）	Done						
Goto	Error						
Error Message:	Error executing step post action. Cannot find go to target. The step 'ID#:ETXYt/nd6xG2vwAOxrutdD' is not in the current sequence. [Error Code: -17300]						

Step	Status	Measurement	Units	Limits			
				Nominal Value	Low Limit	High Limit	Comparison Type
End(If)	Done						

Step	Status	Measurement	Units	Limits			
				Nominal Value	Low Limit	High Limit	Comparison Type
测试结果赋值（FAIL）	Done						

End Sequence: MainSequence_Parking

Step	Status	Measurement	Units	Limits			
				Nominal Value	Low Limit	High Limit	Comparison Type
TC_SmokeTest_042	Failed	FAIL,泊入失败			PASS		IgnoreCase
⊟ VER_PARK	Passed						

Begin Sequence: MainSequence_Parking
(D:\TestStand_IPU02\IPU02_v3.seq)

Step	Status	Measurement	Units	Limits			
				Nominal Value	Low Limit	High Limit	Comparison Type
Set ParkState	Done						
播放车位视频	Error						
TestResults/Data							
ExitCode:	0						
Error Message:	Operation Timed Out.[Error Code: -17402]						
⊟ If{True}	Done						

Step	Status	Measurement	Units	Limits			
				Nominal Value	Low Limit	High Limit	Comparison Type
测试结果赋值（FAIL）	Done						
Goto	Error						
Error Message:	Error executing step post action. Cannot find go to target. The step 'ID#:ETXYt/nd6xG2vwAOxrutdD' is not in the current sequence. [Error Code: -17300]						

Step	Status	Measurement	Units	Limits			
				Nominal	Low	High	Comparison Type

Step	Status	Measurement	Units	Value	Limit	Limit	
End(If)	Done						

| | | | | Limits | | | |
Step	Status	Measurement	Units	Nominal Value	Low Limit	High Limit	Comparison Type
测试结果赋值（FAIL）	Done						

End Sequence: MainSequence_Parking

| | | | | Limits | | | |
Step	Status	Measurement	Units	Nominal Value	Low Limit	High Limit	Comparison Type
TC_SmokeTest_041	Failed	FAIL,泊入失败			PASS		IgnoreCase
☐ CUR_PARK	Passed						

Begin Sequence: MainSequence_Parking
(D:\TestStand_IPU02\IPU02_v3.seq)

| | | | | Limits | | | |
Step	Status	Measurement	Units	Nominal Value	Low Limit	High Limit	Comparison Type
Set ParkState	Done						
播放车位视频	Error						
TestResults/Data							
ExitCode:	0						
Error Message:	Operation Timed Out.[Error Code: -17402]						
☐ If{True}	Done						

| | | | | Limits | | | |
Step	Status	Measurement	Units	Nominal Value	Low Limit	High Limit	Comparison Type
测试结果赋值（FAIL）	Done						
Goto	Error						
Error Message:	Error executing step post action. Cannot find go to target. The step 'ID#:ETXYt/nd6xG2vwAOxrutdD' is not in the current sequence. [Error Code: -17300]						

| | | | | Limits | | | |
Step	Status	Measurement	Units	Nominal Value	Low Limit	High Limit	Comparison Type
End(If)	Done						

| | | | | Limits | | | |
Step	Status	Measurement	Units	Nominal Value	Low Limit	High Limit	Comparison Type
测试结果赋值（FAIL）	Done						

End Sequence: MainSequence_Parking

| | | | | Limits | | | |
Step	Status	Measurement	Units	Nominal Value	Low Limit	High Limit	Comparison Type
TC_SmokeTest_043	Failed	FAIL,泊入失败			PASS		IgnoreCase
TC_SmokeTest_026	Failed	FAIL			PASS		IgnoreCase
TestResults/Data							
Return Value:	FAIL						

TC_SmokeTest_027	Passed	PASS			PASS		IgnoreCase
TC_SmokeTest_050	Failed	FAIL:搜车位失败			PASS		IgnoreCase
TC_SmokeTest_049	Failed	FAIL:搜车位失败			PASS		IgnoreCase
TC_SmokeTest_051	Failed	FAIL:搜车位失败			PASS		IgnoreCase
TC_SmokeTest_052	Failed	FAIL:搜车位失败			PASS		IgnoreCase
TC_SmokeTest_080	Failed	FAIL			PASS		IgnoreCase
TC_SmokeTest_013	Failed	FAIL			PASS		IgnoreCase
TC_SmokeTest_015	Passed	PASS			PASS		IgnoreCase
TC_SmokeTest_060	Failed	FAIL:搜车位失败			PASS		IgnoreCase
TC_SmokeTest_074	Failed	FAIL;NO Data.			PASS		IgnoreCase
TC_SmokeTest_073	Passed	PASS			PASS		IgnoreCase
TC_SmokeTest_076	Passed	PASS			PASS		IgnoreCase
TC_SmokeTest_075	Passed	PASS			PASS		IgnoreCase
⊟ VER_PARK	Passed						

Begin Sequence: MainSequence_Parking_车头
(D:\TestStand_IPU02\IPU02_v3.seq)

Step	Status	Measurement	Units	Limits Nominal Value	Limits Low Limit	Limits High Limit	Comparison Type
Set ParkState	Done						
播放车位视频	Error						
TestResults/Data							
ExitCode:	0						
Error Message:	Operation Timed Out.[Error Code: -17402]						
⊟ If{True}	Done						

Step	Status	Measurement	Units	Limits Nominal Value	Limits Low Limit	Limits High Limit	Comparison Type
测试结果赋值（FAIL）	Done						
Goto	Error						
Error Message:	Error executing step post action. Cannot find go to target. The step 'ID#:ETXYt/nd6xG2vwAOxrutdD' is not in the current sequence. [Error Code: -17300]						

Step	Status	Measurement	Units	Limits Nominal Value	Limits Low Limit	Limits High Limit	Comparison Type
End(If)	Done						

Step	Status	Measurement	Units	Limits Nominal Value	Limits Low Limit	Limits High Limit	Comparison Type
测试结果赋值（FAIL）	Done						

End Sequence: MainSequence_Parking_车头

Step	Status	Measurement	Units	Limits Nominal Value	Limits Low Limit	Limits High Limit	Comparison Type
TC_SmokeTest_044	Failed	FAIL,泊入失败			PASS		IgnoreCase
Call xmlTOhtml_py.exe	Done						
TestResults/Data							
ExitCode:	1						

End Sequence: MainSequence

End UUT Report