

```
PS C:\Users\lipo\Downloads\distibp-lab03-starter-main\distibp-lab03-starter-main> docker compose build pipeline
>> docker compose up -i --progress
#1 [internal] load local build definitions
#1 reading from stdin 0.1s done
#1 DONE 0.1s

#2 [internal] load build definition from Dockerfile
#2 transferring Dockerfile: 28.0B 0.0s done
#2 DONE 0.1s

#3 [internal] load metadata for docker.io/library/python:3.11-slim
#3 ...

#4 [sch] library/python:pull token for registry-1.docker.io
#4 DONE 0.0s

#5 [internal] load metadata for docker.io/library/python:3.11-slim
#5 DONE 4.6s

#6 [internal] load .dockerignore
#6 transferring context: 2B done
#6 DONE 0.1s

#7 [internal] load build context
#7 ...

#7 [1/5] FROM docker.io/library/python:3.11-slim@sha256:da6738f9d896c970f3388aef7274c138afdc6e5e8874aad19f9a9
#7 resolve docker.io/library/python:3.11-slim@sha256:da6738f9d896c970f3388aef7274c138afdc6e5e8874aad19f9a9 0.1s done
#7 DONE 0.3s

#8 [internal] load build context
#8 transferring context: 5.49MB 0.4s done
#8 DONE 0.6s

#7 [1/5] FROM docker.io/library/python:3.11-slim@sha256:da6738f9d896c970f3388aef7274c138afdc6e5e8874aad19f9a9
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 0B / 20.89MB 0.2s
#7 sha256:41e72173c58a8d8f89cac5cfef848d9cf9999867c19f9938c4aa5f78 0B / 1.29MB 0.2s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 0B / 14.49MB 0.2s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 20MB / 20.89MB 0.2s
#7 sha256:41e72173c58a8d8f89cac5cfef848d9cf9999867c19f9938c4aa5f78 1.29MB / 1.29MB 0.6s done
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 1.49MB / 14.49MB 0.8s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 3.19MB / 14.49MB 0.9s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 4.19MB / 14.49MB 1.1s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 5.19MB / 14.49MB 1.2s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 6.19MB / 20.89MB 1.3s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 7.19MB / 14.49MB 1.5s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 8.19MB / 20.89MB 1.6s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 9.19MB / 14.49MB 1.8s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 10.19MB / 14.49MB 2.0s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 11.19MB / 14.49MB 2.1s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 12.19MB / 14.49MB 2.3s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 13.19MB / 14.49MB 2.4s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 14.19MB / 14.49MB 2.6s
#7 sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 15.19MB / 20.89MB 2.7s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 16.19MB / 20.89MB 2.8s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 17.19MB / 20.89MB 3.0s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 18.19MB / 20.89MB 3.1s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 19.19MB / 20.89MB 3.3s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 20.19MB / 20.89MB 3.4s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 20.89MB / 20.89MB 3.6s
#7 sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 20.89MB / 20.89MB 3.7s done
#7 extracting sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8
#7 extracting sha256:41e72173c58a8d8f89cac5cfef848d9cf9999867c19f9938c4aa5f78 2.8s done
#7 extracting sha256:41e72173c58a8d8f89cac5cfef848d9cf9999867c19f9938c4aa5f78 0.5s done
#7 DONE 7.4s

#7 [1/5] FROM docker.io/library/python:3.11-slim@sha256:da6738f9d896c970f3388aef7274c138afdc6e5e8874aad19f9a9
#7 extracting sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 2.7s
#7 extracting sha256:5ba4d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 2.8s done
#7 DONE 9.4s

#7 [1/5] FROM docker.io/library/python:3.11-slim@sha256:da6738f9d896c970f3388aef7274c138afdc6e5e8874aad19f9a9
#7 extracting sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 0.1s done
#7 extracting sha256:83a8d979c4c5b8420c188996d0c799a4d94f78527748b7dbd811317044c8 0.1s done
#7 DONE 9.5s

#8 [2/5] WORKDIR /app
#8 DONE 0.0s
```



```
Explorer
> distlib-lab01-starter-main
> config
> dags
> distlib_pipeline.py
> data
> docs
> sql
> src
> templates
> tests
> env
❌ distlib-compose.override.yml
❌ distlib-compose.yml
❌ Dockerfile
❌ Dockerfile airflow
❌ LICENSE
❌ README.md
❌ requirements airflow.txt
❌ requirements.txt

PS C:\Users\j\piper\Downloads\distlib-lab01-starter-main\distlib-lab01-starter-main> docker compose run -- pipeline python -c 'print(json.loads(config.py).read())'
[+] 1/1: 1/1
Container distlib-postgres Running
Container distlib-postgres Waiting
Container distlib-postgres healthy
Container distlib-lab01-starter-main-pipeline-run-96526a2f22a Creating
Container distlib-lab01-starter-main-pipeline-run-96526a2f22a Created
{ 'pipeline': { 'source_dir': 'data/source', 'row_dir': 'data/row', 'staging_dir': 'data/staging', 'curated_dir': 'data/curated', 'quarantine_dir': 'data/quarantine', 'benchmark_dir': 'data/benchmark', 'partition_dir': 'data/partitioned', 'audit_filename': 'UTC', 'storage_benchmark': { 'reports': 5, 'json_lines': True, 'filter_status': 'VALIDATED', 'partition_columns': [ 'o
rder_year', 'order_month' ] }, 'quality': { 'allowed_order_statuses': [ 'PENDING', 'PAID', 'PACKED', 'SHIPPED', 'DELIVERED', 'CANCELLED' ], 'min_quantity': 1, 'max_quantity': 20 } }
PS C:\Users\j\piper\Downloads\distlib-lab01-starter-main\distlib-lab01-starter-main> docker compose run -- pipeline python -c 'from src.extract.files import extract_sources; print(extract_sources("test_row_001"))'
[+] 1/1: 1/1
Container distlib-postgres Running
Container distlib-postgres Waiting
Container distlib-postgres healthy
Container distlib-lab01-starter-main-pipeline-run-29126c89920 Creating
Container distlib-lab01-starter-main-pipeline-run-29126c89920 Created
/app/data/row/row_id-test_row_001
PS C:\Users\j\piper\Downloads\distlib-lab01-starter-main\distlib-lab01-starter-main> docker compose run -- pipeline python -c 'from src.extract.files import extract_sources; print(extract_sources("test_row_001"))'
[+] 1/1: 1/1
Container distlib-postgres Running
Container distlib-postgres Waiting
Container distlib-postgres healthy
Container distlib-lab01-starter-main-pipeline-run-43088138abf Creating
Container distlib-lab01-starter-main-pipeline-run-43088138abf Created
/app/data/row/row_id-test_row_001
PS C:\Users\j\piper\Downloads\distlib-lab01-starter-main\distlib-lab01-starter-main> docker compose run -- pipeline python -c 'import os; print(os.listdir("src/transform"))'
[+] 1/1: 1/1
Container distlib-postgres Running
Container distlib-postgres Waiting
Container distlib-postgres healthy
Container distlib-lab01-starter-main-pipeline-run-90326e36280 Creating
Container distlib-lab01-starter-main-pipeline-run-90326e36280 Created
[ 'curated.py', 'staging.py', '_utils.py' ]
PS C:\Users\j\piper\Downloads\distlib-lab01-starter-main\distlib-lab01-starter-main> docker compose run -- pipeline python -c 'print(json.loads(transform/staging.py).read())'
[+] 1/1: 1/1
Container distlib-postgres Running
Container distlib-postgres Waiting
Container distlib-postgres healthy
Container distlib-lab01-starter-main-pipeline-run-90326e36280 Creating
Container distlib-lab01-starter-main-pipeline-run-90326e36280 Created
import pandas as pd

def build_staging(row_dir, row_id_str):
    """Create cleaned, typed staging datasets.

    Required rules:
    - Deduplicate by business key, keeping greatest updated_at.
    - Parse timestamps as UTC.
    - Normalize emails/titles and flatten product category.
    - Validate order quantities/status and product price.
    - Add pipeline_row_id and stage_at_utc_audit columns.
    - Write cleaned records to data/quarantine/ with a reason.

    Returns a dict of staging DataFrames and a quarantine DataFrame.
    """
    raise NotImplementedError("Implement Goal 2 staging transformations")

PS C:\Users\j\piper\Downloads\distlib-lab01-starter-main\distlib-lab01-starter-main> docker compose run -- pipeline python -c 'from src.extract.files import extract_sources; from src.transform.staging import build_staging; row = extract_sources("test_row_001"); s, q = build_staging(row, "test_row_001"); print([(k: len(v) for k, v in s.items()), "quarantine rows", len(q)])'
[+] 1/1: 1/1
Container distlib-postgres Running
Container distlib-postgres Waiting
Container distlib-postgres healthy
Container distlib-lab01-starter-main-pipeline-run-28576f68ab0 Creating
Container distlib-lab01-starter-main-pipeline-run-28576f68ab0 Created
Traceback (most recent call last):
  File "/usr/local/lib/python3.11/site-packages/pandas/core/indexes/base.py", line 3885, in get_loc
    return self._engine.get_loc(casted_key)
  File "pandas/_libs/index.pyi", line 167, in pandas._libs.index.IndexEngine.get_loc
  File "pandas/_libs/index.py", line 190, in pandas._libs.index.IndexEngine.get_loc
  File "pandas/_libs/hashtable_class_helper.pxi", line 7861, in pandas._libs.hashtable.PyObjectHashTable.get_item
  File "pandas/_libs/hashtable_class_helper.pxi", line 7889, in pandas._libs.hashtable.PyObjectHashTable.get_item
KeyError: 'price'

The above exception was the direct cause of the following exception:

Traceback (most recent call last):
  File "staging.py", line 1, in <module>
  File "/app/src/transform/staging.py", line 31, in build_staging
```

```

PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < "from src.extract_files import extract_sources; from src.transform_staging import build_staging; from src.transform_curated import build_curated; raw = extract_sources('test_run_001'); s, q = build_staging(raw, 'test_run_001'); curated, orphans = s
    build_curated(s, 'test_run_001'); print('Curated rows:', len(curated), 'Orphans rows:', len(orphans))"
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-dc7d4f03bdc6 Creating
Container ds150p-lab03-starter-main-pipeline-run-dc7d4f03bdc6 Created
Curated rows: 48907 Orphans rows: 381
PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < "import os; print(os.listdir('src/load'))"
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-d64b3103a28 Creating
Container ds150p-lab03-starter-main-pipeline-run-d64b3103a28 Created
[postgres.py, "_init_.py"]
PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < "print(open('src/load/postgres.py').read())"
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-0b37d007f61 Creating
Container ds150p-lab03-starter-main-pipeline-run-0b37d007f61 Created
def upsert_curated(df, run_id, str) -> int:
    """Load curated rows, overwritting using run-run-safe UPSERT semantics.

    Requirement: order_id is the conflict key. A run with unchanged records
    must not create duplicate business keys.
    """
    raise NotImplementedError("Implement Goal 2 PostgreSQL UPSERT")

def load_partition(df, year: int, month: int, run_id: str) -> int:
    """Load only a selected year/month partition and record audit_partition_loads."""
    raise NotImplementedError("Implement Goal 3 selected partition load")

PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < "from src.extract_files import extract_sources; from src.transform_staging import build_staging; from src.transform_curated import build_curated; from src.load_postgres import upsert_curated; raw = extract_sources('test_run_001'); s, q = build_sta
    ing(raw, 'test_run_001'); curated, orphans = build_curated(s, 'test_run_001'); raw = upsert_curated(curated, 'test_run_001'); print('Successfully upserted raw into Postgres:', raw)"
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-0b3b0d07762 Creating
Container ds150p-lab03-starter-main-pipeline-run-0b3b0d07762 Created
Testbench Check recent call last):
  File "string", line 1, in <module>
  File "AppetizerLoadPostgres.py", line 2, in <module>
    import psycopg2
ModuleNotFoundError: No module named 'psycopg2'

What's next:
Debug this compose error with Gordon - docker at 'help' to fix this compose error"
PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < "print(open('requirements.txt').read())"
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-9039f2364bc Creating
Container ds150p-lab03-starter-main-pipeline-run-9039f2364bc Created
psycopg2.2.9
pyarrow=7.8.8
psycopg[binary]=2.9.3
python-dotenv=1.8.1
PyYAML=6.8.2
PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < "from src.extract_files import extract_sources; from src.transform_staging import build_staging; from src.transform_curated import build_curated; from src.load_postgres import upsert_curated; raw = extract_sources('test_run_001'); s, q = build_sta
    ing(raw, 'test_run_001'); curated, orphans = build_curated(s, 'test_run_001'); raw = upsert_curated(curated, 'test_run_001'); print('Successfully upserted raw into Postgres:', raw)"
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-4704b3d1f87 Creating
Container ds150p-lab03-starter-main-pipeline-run-4704b3d1f87 Created
Testbench Check recent call last):
  File "string", line 1, in <module>

Debug this compose error with Gordon - docker at 'help' to fix this compose error"
PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < "print(open('benchmark/storage.py').read())"
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-562823b04da Creating
Container ds150p-lab03-starter-main-pipeline-run-562823b04da Created
def run_benchmark(curated_path, output_dir, repeats: int = 5):
    """Compare the same logical dataset in CSV, JSON Lines, Parquet, and PostgreSQL.

    Capture:
    - storage/file size where applicable
    - write time
    - full-read time
    - filtered-read/query time
    - row count

    Use multiple repetitions and report a median for read/query timing.
    """
    raise NotImplementedError("Implement week 6 storage benchmark")

def write_partitioned_parquet(df, output_dir):
    """Write Parquet partitioned by order_year/order_month."""
    raise NotImplementedError("Implement week 6 partitioning")

PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < src.cli run-all
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-0b64b4b0b0e Creating
Container ds150p-lab03-starter-main-pipeline-run-0b64b4b0b0e Created
Executing full pipeline run with run_id: run_202009221712412_as7d5148
Pipeline execution completed! Successfully loaded 48907 rows.
PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < "import os; print('dags!'); os.listdir('dags') if os.path.exists('dags') else 'No dags folder'"
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-08f8dc08f9c1 Creating
Container ds150p-lab03-starter-main-pipeline-run-08f8dc08f9c1 Created
dags: ['ds150p_pipeline.py']
PS C:\Users\lilipat\Downloads\ds150p-lab03-starter-main\ds150p-lab03-starter-main docker compose run --no pipeline python < "print(open('dags/ds150p_pipeline.py').read())"
[+] 1/11 1/11
Container ds150p-postgres Running
Container ds150p-postgres Waiting
Container ds150p-postgres healthy
Container ds150p-lab03-starter-main-pipeline-run-d9904d1f9477 Creating
Container ds150p-lab03-starter-main-pipeline-run-d9904d1f9477 Created
from datetime import datetime, timedelta
from airflow import DAG
from airflow.models.param import Param
from airflow.operators.bash import BashOperator

PROJECT = '/opt/airflow/project'

def failure_callback(context):
    # TODO Goal 4: write a concise failure record or print meaningful context.
    print("TASK FAILED:", context['task_instance'].task_id)

DEFAULT_ARGS = {
    'owner': 'ds150p',
    'retries': 2,
    'retry_delay': timedelta(minutes=1),

```

```

PS C:\Users\lipa\Downloads\ds150p-lab8-starter-main\ds150p-lab8-starter-main> docker compose run --rm pipeline python -c "import os; print('dags', os.listdir('dags')) if os.path.exists('dags') else 'No dags folder!'"
[+] 1/1t 1/1t
✓ Container ds150p-postgres Running
Container ds150p-postgres waiting
Container ds150p-postgres healthy
Container ds150p-lab8-starter-main-pipeline-run-499846f9477 Creating
Container ds150p-lab8-starter-main-pipeline-run-499846f9477 Created
from datetime import datetime, timedelta
from airflow import DAG
from airflow.models.param import Param
from airflow.operators.bash import BashOperator

PROJECT = "/opt/airflow/project"

def failure_callback(context):
    # TODO Goal 4: write a concise failure record or print meaningful context.
    print("TASK FAILED:", context['task_instance'].task_id)

DEFAULT_ARGS = {
    'owner': 'ds150p',
    'retries': 2,
    'retry_delay': timedelta(minutes=1),
    'on_failure_callback': failure_callback,
}

with DAG(
    dag_id='ds150p_sales_pipeline',
    start_date=datetime(2023, 1, 1),
    schedule='0 2 * * *',
    catchup=False,
    default_args=DEFAULT_ARGS,
    params={
        'year': Param('full', enum=['full', 'partition']),
        'year': Param(2023, type='integer'),
        'month': Param(1, type='integer', minimum=1, maximum=12),
    },
    tags=['DS150P'],
) as dag:
    extract = BashOperator(
        task_id='extract',
        bash_command=f'cd {PROJECT} && PIPELINE_RUN_ID="{{ run_id }}" python -e src.cli extract',
    )
    transform = BashOperator(
        task_id='transform',
        bash_command=f'cd {PROJECT} && PIPELINE_RUN_ID="{{ run_id }}" python -e src.cli transform',
    )
    load = BashOperator(
        task_id='load',
        bash_command=f'cd {PROJECT} && PIPELINE_RUN_ID="{{ run_id }}" python -e src.cli load',
    )
    validate = BashOperator(
        task_id='validate',
        bash_command=f'cd {PROJECT} && PIPELINE_RUN_ID="{{ run_id }}" python -e src.cli validate',
    )

    # TODO Goal 4: confirm dependencies, timeouts, parameter usage,
    # and a deliberate failure/recovery experiment.
    extract >> transform >> load >> validate

```

```

PS C:\Users\lipa\Downloads\ds150p-lab8-starter-main\ds150p-lab8-starter-main> docker compose run --rm pipeline python -e src.cli run-all
[+] 1/1t 1/1t
✓ Container ds150p-postgres Running
Container ds150p-postgres waiting
Container ds150p-lab8-starter-main-pipeline-run-488e76bd88 Creating
Container ds150p-lab8-starter-main-pipeline-run-488e76bd88 Created
Executing full pipeline run with run_id: run_263682271801112_0137918f
Pipeline execution complete! Successfully loaded 48897 rows.
PS C:\Users\lipa\Downloads\ds150p-lab8-starter-main\ds150p-lab8-starter-main> git status
fatal: not a git repository (or any of the parent directories): .git
PS C:\Users\lipa\Downloads\ds150p-lab8-starter-main\ds150p-lab8-starter-main>
fed@icloud:

```

```

PS C:\Users\lipat\Downloads\dss150p-lab03-starter-main\dss150p-lab03-starter-main> git pull origin main --allow-unrelated-histories
Auto-merging data/source/customers.csv
CONFLICT (add/add): Merge conflict in data/source/customers.csv
Auto-merging data/source/orders.csv
CONFLICT (add/add): Merge conflict in data/source/orders.csv
Auto-merging src/benchmark/storage.py
CONFLICT (add/add): Merge conflict in src/benchmark/storage.py
Auto-merging src/cli.py
CONFLICT (add/add): Merge conflict in src/cli.py
Auto-merging src/extract/files.py
CONFLICT (add/add): Merge conflict in src/extract/files.py
Auto-merging src/load/postgres.py
CONFLICT (add/add): Merge conflict in src/load/postgres.py
Auto-merging src/transform/curated.py
CONFLICT (add/add): Merge conflict in src/transform/curated.py
Auto-merging src/transform/staging.py
CONFLICT (add/add): Merge conflict in src/transform/staging.py
Auto-merging src/validate/quality.py
CONFLICT (add/add): Merge conflict in src/validate/quality.py
Automatic merge failed; fix conflicts and then commit the result.
PS C:\Users\lipat\Downloads\dss150p-lab03-starter-main\dss150p-lab03-starter-main> git add .
>> git commit -m "fix: resolve conflicts and finalize lab 3"
● >> git push -u origin main --force
warning: in the working copy of 'data/source/customers.csv', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'data/source/orders.csv', LF will be replaced by CRLF the next time Git touches it
[main 449a069] fix: resolve conflicts and finalize lab 3
Enumerating objects: 65, done.
Counting objects: 100% (65/65), done.
Delta compression using up to 16 threads
Compressing objects: 100% (43/43), done.
Writing objects: 100% (45/45), 346.64 KiB | 1.14 MiB/s, done.
Total 45 (delta 15), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (15/15), completed with 4 local objects.
To https://github.com/lipatathomas12-design/dss150p-lab03-starter.git
  3f0efc0..449a069  main -> main
branch 'main' set up to track 'origin/main'.

```