



NSF Product and Service Listings

These NSF Official Listings are current as of **Thursday, February 07, 2013** at 12:15 a.m. Eastern Time. Please [contact NSF International](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://www.nsf.org/Certified/PwsComponents/Listings.asp?Company=42850&Standard=061&>

NSF/ANSI STANDARD 61 Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of [Abbreviations used in these Listings.](#)

Spears Manufacturing Company



15853 Olden Street
P.O. Box 9203
Sylmar, CA 91342
United States
818-364-1611
[Visit this company's website](#)

Facility : Sylmar, CA

Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
Valves[G]			
Charlotte Copper Tube Size (CTS) Ball Valves with EPDM	1/2" - 4"	C. HOT	MLTPL
Copper Tube Size (CTS) Ball Valve with EPDM	1/2" - 4"	C. HOT	MLTPL
FLO PVC Utility Ball Valves	1/2" - 2"	CLD 23	MLTPL
GF CPVC True Union Ball Valves with EPDM	1/2" - 4"	C. HOT	MLTPL
GF PVC True Union Ball Valves	1/2" - 4"	CLD 23	MLTPL
GF PVC Utility Ball Valves	1/2" - 2"	CLD 23	MLTPL
KBI CPVC True Union Ball Valves with EPDM	1/2" - 4"	C. HOT	MLTPL
KBI PVC True Union Ball Valves	1/2" - 4"	CLD 23	MLTPL
NETAFIM PVC Utility Ball Valves	1/2" - 2"	CLD 23	MLTPL
Spears CPVC Butterfly Valves w/ EPDM seat	4" - 12"	C. HOT	CPVC
Spears CPVC Compact Ball Valves with EPDM	1/2" - 6"	C. HOT	MLTPL
Spears CPVC Gate Valves with EPDM	1/2" - 4"	C. HOT	MLTPL
Spears CPVC Industrial True Union 2000 Ball Check with EPDM	1/2" - 4"	C. HOT	MLTPL
Spears CPVC Industrial True Union 2000 Ball Valves with EPDM	1/2" - 4"	C. HOT	MLTPL

Spears CPVC Single Entry Ball Valves with EPDM	1/2" - 4"	C. HOT	MLTPL
Spears CPVC True Union 2000 Ind. 3-Way Ball Valve with EPDM	1/2" - 4"	C. HOT	MLTPL
Spears CPVC True Union 2000 Standard Ball Valve with EPDM	1/2" - 4"	C. HOT	MLTPL
Spears CPVC True Union Ball Valves	1/2" - 4"	C. HOT	MLTPL
Spears CPVC True Union Check Valves	1/2" - 4"	C. HOT	MLTPL
Spears CPVC Utility Ball Valves with EPDM	1/2" - 6"	C. HOT	MLTPL
Spears Copper Tube Size (CTS) Ball Valves with EPDM	1/2" - 4"	C. HOT	MLTPL
Spears PVC Butterfly Valves w/ EPDM Seat	1 1/2" - 12"	CLD 23	PVC
Spears PVC CWV Ball Valve	1/2" - 4"	CLD 23	MLTPL
Spears PVC Compact Ball Valve	1/2" - 6"	CLD 23	MLTPL
Spears PVC Gate Valves	1/2" - 4"	CLD 23	MLTPL
Spears PVC Industrial True Union 2000 Ball Check	1/2" - 4"	CLD 23	MLTPL
Spears PVC Industrial True Union 2000 Ball Valves	1/2" - 4"	CLD 23	MLTPL
Spears PVC Lab Valves	1/4" - 3/8"	CLD 23	MLTPL
Spears PVC Single Entry Ball Valves	1/2" - 4"	CLD 23	MLTPL
Spears PVC True Union 2000 Ind. 3-Way Ball Valve	1/2" - 4"	CLD 23	MLTPL
Spears PVC True Union 2000 Standard Ball Valves	1/2" - 4"	CLD 23	MLTPL
Spears PVC True Union Ball Valves	1/2" - 4"	CLD 23	MLTPL
Spears PVC True Union Check Valves	1/2" - 4"	CLD 23	MLTPL
Spears PVC Utility Ball Valves	1/2" - 6"	CLD 23	MLTPL

[G] Product also Certified to NSF/ANSI 61, Annex G and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953) and Vermont Act 193. Weighted average lead content <=0.25%; Solder and flux lead content <=0.2%.

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings			
CTS Pipe Fittings[G]	1/2" - 2"	C. HOT	CPVC
Spears CPVC Fittings[G]	>= 1/4"	C. HOT	CPVC
Spears CPVC Special Reinforced (SR) Fittings[G]	1/4" - 6"	C. HOT	CPVC
Spears Lead-Free CPVC Lined Fittings with Brass Male Inserts[G]	1/2" - 2"	C. HOT	MLTPL
Spears Lead-Free CTS CPVC Fittings w/Gasket Sealed Female Brass Threaded Inserts[G]	1/2" - 2"	C. HOT	MLTPL
Spears Lead-Free PVC Lined Fittings with Brass Male Inserts[G]	1/2" - 2"	CLD 23	MLTPL
Spears PVC Compression Coupling[G]	1/2" - 6"	CLD 23	MLTPL
Spears PVC Fittings[G]	>= 1/4"	CLD 23	PVC
Spears PVC Special Reinforced (SR) Fittings[G]	1/4" - 6"	CLD 23	PVC
Spears® Insulating Joints[G]	3" - 36"	CLD 23	MLTPL

[G] Product also Certified to NSF/ANSI 61, Annex G and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953) and Vermont Act 193. Weighted average lead content <=0.25%; Solder and flux lead content <=0.2%.

Facility : Jerome, ID**Mechanical Devices**

Trade Designation	Size	Water Contact Temp	Water Contact Material
Tapping Sleeves/Service Saddles[G]			
Spears CPVC Clamp-On Saddles with EPDM	1/2" - 8"	C. HOT	MLTPL
Spears PVC Clamp-On Saddles	1/2" - 8"	CLD 23	MLTPL

[G] Product also Certified to NSF/ANSI 61, Annex G and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953) and Vermont Act 193. Weighted average lead content <=0.25%; Solder and flux lead content <=0.2%.

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings[G]			
Spears CPVC Fittings	>= 1/4"	C. HOT	CPVC
Spears CPVC Special Reinforced (SR) Fittings	1/4" - 6"	C. HOT	CPVC
Spears CPVC Union with EPDM	1/2" - 4"	C. HOT	CPVC
Spears PVC Fittings	>= 1/4"	CLD 23	PVC
Spears PVC Special Reinforced (SR) Fittings	1/4" - 6"	CLD 23	PVC
Spears PVC Union	1/2" - 6"	CLD 23	MLTPL
Spears Tank Adapter	1/2" - 6"	CLD 23	MLTPL
Spears Tank Adapter with EPDM	1/2" - 4"	C. HOT	CPVC

[G] Product also Certified to NSF/ANSI 61, Annex G and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953) and Vermont Act 193. Weighted average lead content <=0.25%; Solder and flux lead content <=0.2%.

Facility : Caney, KS**Mechanical Devices**

Trade Designation	Size	Water Contact Temp	Water Contact Material
Valves[G]			
Spears PVC Utility Spring Check Valves (S1580 Series)	1/2" - 8"	CLD 23	MLTPL
Spears PVC Utility Swing Check Valves (S1520 Series)	1/2" - 8"	CLD 23	MLTPL
Spears True Union Utility Spring Check Valves (S1780 Series)	1/2" - 8"	CLD 23	MLTPL
Spears True Union Utility Swing Check Valves (S1720 Series)	1/2" - 8"	CLD 23	MLTPL

[G] Product also Certified to NSF/ANSI 61, Annex G and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953) and Vermont Act 193. Weighted average lead content <=0.25%; Solder and flux lead content <=0.2%.

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings			
CTS Pipe Fittings[G]	1/2" - 2"	C. HOT	CPVC
Spears CPVC Fittings[G]	>= 1/4"	C. HOT	CPVC
Spears CPVC Special Reinforced (SR) Fittings[G]	1/4" - 6"	C. HOT	CPVC
Spears PVC Expansion Repair Coupling[G]	1/2" - 6"	CLD 23	PVC
Spears PVC Fittings[G]	>= 1/4"	CLD 30	PVC
Spears PVC Special Reinforced (SR) Fittings[G]	1/4" - 6"	CLD 23	PVC

[G] Product also Certified to NSF/ANSI 61, Annex G and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953) and Vermont Act 193. Weighted average lead content <=0.25%; Solder and flux lead content <=0.2%.

Number of matching Manufacturers is 1
Number of matching Products is 64
Processing time was 0 seconds

- [Search Listings](#) |
- [News Room](#) |
- [About NSF](#) |
- [Careers](#) |
- [NSF Mark](#) |
- [Client Log-In](#)

- [Privacy Policy](#) |
- [Site Map](#) |
- [Request Info](#) |
- [Contact Us](#) |
- [Copyright © 2004 NSF International.](#)