

PATIENT REPORT

Name: lipika

Age: 21

Symptoms: cough, sore throat, fatigue, runny nose, fever

Doctor: General Physician

Appointment: 15-07-2026

Token: T369

AI ANALYSIS:

****Patient Report****

****Patient Information:****

***Name:* Lipika**

***Age:* 21 years old**

Treatment and Visit History: Previous visits for symptoms including cough, sore throat, fatigue, runny nose, fever

****Presenting Symptoms:****

- Cough
- Sore Throat
- Fatigue
- Runny Nose
- Fever

****Disease Prediction:****

Viral Upper Respiratory Infection (common cold or flu) based on the combination of her symptoms.

****Severity Assessment:****

Mild to Moderate.

Recommendations:

1. ****Monitor Symptoms:**** Keep track of the severity and frequency of each symptom over the next few days. Pay particular attention if there are signs of worsening.
2. ****Hydration:**** Drink plenty of fluids such as water, warm beverages like tea or soup to help soothe your throat and maintain hydration.
3. ****Rest:**** Ensure you get adequate rest to allow your body to fight off the infection more effectively; aim for at least 8 hours of sleep per night if possible.
4. ****Over-the-Counter Medications:****
 - Pain Relief: Use acetaminophen (Tylenol) or ibuprofen (Advil, Motrin), as needed, to help manage pain and reduce fever.
 - Cough Suppressants/Expectorants: Consider using these if you have an uncomfortable dry cough. An expectorant may be helpful in case of a productive cough.
5. ****Sore Throat Relief:**** Use throat lozenges or gargling with warm salt water to relieve your sore throat.
6. ****Humidifier:**** Run a humidifier at home to add moisture to the air and ease congestion and dryness in your nasal passages.
7. ****Avoid Irritants:**** Try to avoid smoke, dust, strong odors and other irritants that can further aggravate respiratory issues.
8. ****Monitor Fever:**** Keep an eye on any fever spikes and their duration. If the fever persists for longer than two days despite home care measures, or if it reaches a high of 103°F (or higher), contact your healthcare provider immediately.

9. ****Seek Medical Attention:**** Consult a Respiratory Specialist in case you experience new symptoms like severe fatigue that does not improve with rest and persistent respiratory issues such as difficulty breathing.

10. ****Hygiene Measures:**** Wash hands frequently, avoid close contact with others who are sick to prevent spreading germs.

Care Instructions:

- If lipika experiences significant deterioration (new symptoms, severe fatigue that doesn't improve with rest, persistent high fever of 103°F or higher, respiratory issues like difficulty breathing, or concerns about the progression), seek immediate medical attention.

- Continue monitoring your condition at home unless complications arise. Home care may help alleviate discomfort while your body heals from what appears to be a mild viral upper respiratory infection.

****Final Recommendations:****

Continue following these measures in conjunction with proper hydration and adequate rest, especially during warmer environments due to increased humidity which can exacerbate symptoms. Should there not be significant improvement within 1-2 days or any worsening occurs, consider consulting a Respiratory Specialist for further evaluation and, if necessary, treatment.

Status: Saved Successfully