软件名称: 叨叨 版本号: 1.0.0 页码: 1/60

软著源代码

```
index.js:
* @format
import {AppRegistry} from 'react-native';
import App from './App';
import {name as appName} from './app.ison';
AppRegistry.registerComponent(appName, () => App);
App.js:
import * as React from 'react';
import { View, StyleSheet, Dimensions, FlatList, Image, TouchableOpacity, Text, ScrollView,
StatusBar \ from "react-native";
import { NavigationContainer } from '@react-navigation/native';
import { createBottomTabNavigator } from '@react-navigation/bottom-tabs';
import { createStackNavigator } from '@react-navigation/stack'
import lonicons from 'react-native-vector-icons/lonicons';
import Global from './app/util/Global';
import TextStyles from './app/style/TextStyles';
import ViewStyles from './app/style/ViewStyles';
import ImageStyles, {glmageStyles} from './app/style/ImageStyles'
import HomePage from "./app/pages/HomePage";
import HotSpot from "./app/pages/HotSpot";
import Publish from "./app/pages/Publish";
import Convenience from "./app/pages/Convenience";
import My from "./app/pages/My";
import PersonInfo from "./app/pages/PersonInfo";
import Login from "./app/pages/Login"
import Message from "./app/pages/Message"
import Chat from "./app/pages/Chat"
import NewsDetail from "./app/pages/NewsDetail"
import WebPage from "./app/pages/WebPage";
import Search from "./app/pages/Search";
import { SafeAreaProvider } from 'react-native-safe-area-context';
import Splash from "./app/pages/Splash";
import Type from "./app/pages/Type";
import {WToast} from 'react-native-smart-tip'
const mainTab = createBottomTabNavigator();
function MainTab() {
  return(
     <mainTab.Navigator
       screenOptions={({ route }) => ({
         tabBarlcon: ({ focused, color, size }) => {
            let iconName:
```

软件名称: 叨叨 版本号: 1.0.0 页码: 2/60

```
// 配置tabbaricon
           if (route.name === '首页') {
              return <Image source={require('./app/source/tap1.png')}</pre>
style={glmageStyles.tabbarItem}/>
           } else if (route.name === '热点') {
              return < Image source={require('./app/source/tap2.png')}
style={glmageStyles.tabbarItem}/>
           } else if (route.name == '发布') {
              return <Image source={require('./app/source/tap3.png')}</pre>
style={glmageStyles.middelTabbarItem}/>
           } else if (route.name == '便民') {
              return <|mage source={require('./app/source/tap4.png')}</pre>
style={glmageStyles.tabbarltem}/>
           } else if (route.name == '我的') {
              return <|mage source={require('./app/source/tap5.png')}</pre>
style={glmageStyles.tabbarItem}/>
       tabBarOptions={{
         activeTintColor: '#FB5442'.
         inactiveTintColor: '#D3D3D3',
       <mainTab.Screen name="首页" component={HomePage} />
       <mainTab.Screen name="热点" component={HotSpot} />
       <mainTab.Screen name="发布" component={Publish} />
       <mainTab.Screen name="便民" component={Convenience} />
       <mainTab.Screen name="我的" component={My} />
    </mainTab.Navigator>
  );
}
const mainNav = createStackNavigator();
function MainNav() {
  return(
    <mainNav.Navigator
       headerMode={'none'}>
       <mainNav.Screen name='Login' component={Login}/>
       {/*tabbar部分*/}
       <mainNav.Screen name='MyTab' component={MainTab}/>
       {/*其他可跳转页面*/}
       <mainNav.Screen name='PersonInfo' component={PersonInfo}/>
       <mainNav.Screen name='Message' component={Message}/>
       <mainNav.Screen name='Chat' component={Chat}/>
       <mainNav.Screen name='NewsDetail' component={NewsDetail}/>
       <mainNav.Screen name='WebPage' component={WebPage}/>
       <mainNav.Screen name='Search' component={Search}/>
       <mainNav.Screen name='Type' component={Type}/>
    </mainNav.Navigator>
  );
}
```

软件名称: 叨叨 版本号: 1.0.0 页码: 3/60

```
export default function App() {
  const rootNav = createStackNavigator();
  return (
     <NavigationContainer>
       <rootNav.Navigator
         headerMode={'none'}
         {/*启动广告*/}
         <rootNav.Screen name='Splash' component={Splash}/>
         <rootNav.Screen name="MainNav" component={MainNav}/>
       </rootNav.Navigator>
     </NavigationContainer>
  );
}
Login.is:
import React, { Component } from "react";
import { Text, View, StyleSheet, SafeAreaView, Image, TouchableOpacity } from "react-native";
import {glmageStyles} from "../style/ImageStyles";
import {gViewStyles} from "../style/ViewStyles";
import {gTextStyles} from "../style/TextStyles";
export default class Login extends Component {
  render() {
     return(
       <SafeAreaView style={gViewStyles.rootViewContainer}>
         <TouchableOpacity onPress={()=>{this.props.navigation.navigate('MyTab', null)}}>
            <View style={qViewStyles.btnBack}>
              <lmage source={require('../source/guanbi.png')} style={glmageStyles.closeImg}/>
            </View>
         </TouchableOpacity>
         <View style={styles.container}>
            <lmage source={require('../source/iconlmg.jpg')} style={styles.iconlmg}/>
            <View style={styles.loginBtnContainer}>
              <TouchableOpacity onPress={()=>{alert(1)}}>
                 <View style={gViewStyles.ggloginBack}>
                   <Image source={require('../source/qq-2.png')} style={gViewStyles.qqlcon}/>
                   <Text style={gTextStyles.loginText}>QQ登录</Text>
                 </View>
              </TouchableOpacity>
            < View style={[styles.loginBtnContainer, {marginBottom: 50}]}>
              <TouchableOpacity onPress={()=>{alert(1)}}>
                 <View style={gViewStyles.wechatLoginBack}>
                   <lmage source={require('../source/weixin.png')}</pre>
style={gViewStyles.wechatlcon}/>
                   <Text style={gTextStyles.loginText}>微信登录</Text>
                 </View>
              </TouchableOpacity>
            </View>
         </SafeAreaView>
    );
  };
}
```

软件名称: 叨叨 版本号: 1.0.0 质码: 4/60

```
const styles = StyleSheet.create({
  container: {
     flex: 3,
     backgroundColor: 'white',
     alignItems: 'center',
  iconlmg:
     flex: 2.5,
     width: aScreen.screen width,
     resizeMode: 'center'
  loginBtnContainer: {
     flex: 0.5.
    justifyContent: 'center',
});
Splash.js:
import React, { Component } from "react";
import { Text, View, TouchableOpacity, StatusBar, Image, TouchableWithoutFeedback } from
"react-native";
import MyStatusBar from "../component/MyStatusBar";
import Swiper from 'react-native-swiper';
import {gViewStyles} from "../style/ViewStyles";
import {glmageStyles} from "../style/ImageStyles";
import {gTextStyles} from "../style/TextStyles";
export default class Splash extends Component {
  constructor(props) {
     super(props);
     this.state = {
       data: [require('../source/splashAd.jpg'), require('../source/ad6.jpg'), require('../source/
ad7.jpg')],
       load: true
  componentDidMount() {
     this.fetchADData();
    // setTimeout(this.onClickNext,3000);
  onClickImg = (data) => {
     // if (item.href!= null && item.href.length > 0) {
         let params = {
    //
            url: item.href,
    //
    //
         this.props.navigation.navigate('WebPage', params);
    //}
  fetchADData = async() => {
     let params = {
       post_cate_id: 3,
     let res = await httpApi.httpPost("http://dd.shenruxiang.com/api/v1/cate adv list", params);
```

软件名称: 叨叨 版本号: 1.0.0 页码: 5/60

```
if (res.status == 0) {
       this.setState({
         data: res.data.data,
         load: true
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  render() {
     return(
       <View style={qViewStyles.rootViewContainer}>
         <StatusBar barStyle="dark-content"/>
         <Swiper
            style={[gViewStyles.splashImgBack]}
            horizontal={true}
            activeDotColor={'#FB5442'}
            paginationStyle={{bottom: 12}}
            showsButtons={false}
            autoplayTimeout={2}
              Array.isArray(this.state.data)?(
                 Array.from(this.state.data).map((value, index, array) => {
                   return (
                      <TouchableWithoutFeedback onPress={() => this.onClickImg(value)}
key={index}>
                        {/*<lmage source={{uri: value.src}} style={glmageStyles.splashlmg}/>*/}
                        <lmage source={value} style={[{height: gScreen.screen_height, width:</pre>
gScreen.screen_width}]}/
                      </TouchableWithoutFeedback>
                   );
              ):(
                 <TouchableWithoutFeedback onPress={() => this.onClickImg(this.state.data)}>
                   {/*<Image source={{uri: this.state.data.src}} style={styles.img}/>*/}
                   <lmage source={require('../source/splashAd.jpg')}</pre>
                        style={glmageStyles.glmageStyles.splashlmg}/>
                 </TouchableWithoutFeedback>
            }
         </Swiper>
         <View style={gViewStyles.splashTextView}>
            <Text style={gTextStyles.splashText}>跳过</Text>
         </View>
         <TouchableOpacity style={[gViewStyles.splashBtnView]} onPress={() => {
            this.props.navigation.navigate('MainNav', null);
          </TouchableOpacity>
       );
 };
```

软件名称: 叨叨 版本号: 1.0.0 页码: 6/60

```
HomePage.js:
import React, { Component } from "react";
import { View, StyleSheet, Dimensions, FlatList, Image, TouchableOpacity, Text, ScrollView,
ActivityIndicator, RefreshControl \ from "react-native";
import lonicons from 'react-native-vector-icons/lonicons';
import SearchView from "../component/SearchView";
import TitleListView from "../component/TitleListView";
import BannerView from "../component/BannerView"
import NewsView from "../component/news/NewsView"
import httpApi from "../tools/Api"
import LoadingView from "../component/LoadingView";
import ScrollableTabView, { ScrollableTabBar } from 'react-native-scrollable-tab-view';
import {gViewStyles} from "../style/ViewStyles";
import MyStatusBar from "../component/MyStatusBar";
export default class HomePage extends Component {
  // ------ 生命周期 ------
  constructor(props) {
    super(props);
    this.state = {
      newsTypeList: ∏,
      newsList: [],
       pageList: [],
       loaded: false,
       showIndex: 0,
      headerLoad: false,
       listLoad: true,
    };
  async componentDidMount() {
    await this.fetchNewsTypeListData();
    // 默认请求第一个新闻列表
    this.showNewsList(this.state.newsTypeList[0]);
  // ------ 主题逻辑 ------
  // 点击头像
  onClickAvatar = (userId) => {
    let params = {
      userld: userld,
    this.props.navigation.navigate('PersonInfo', params);
  // 点击某个新闻分类标题
  onClickNewsType = (item) => {
    this.showNewsList(item);
  // 点击广告
```

软件名称: 叨叨 版本号: 1.0.0 页码: 7/60

```
onClickAd = (item) => {
  if (item.href != null && item.href.length > 0) {
    let params = {
      url: item.href,
    this.props.navigation.navigate('WebPage', params);
}
// 点击帖子
onClickNews = (newsld) => {
  let params = {
    newsld: newsld,
  this.props.navigation.navigate('NewsDetail', params);
// 展示新闻列表
showNewsList = (item) => {
  if (this.state.newsList != null && this.state.newsList[item.id] != null) {
  } else {
    this.fetchNewsListData(item.id);
  this.setState({
    showIndex: this.state.newsTypeList.findIndex(()=>item==item),
    headerLoad: false,
  });
// 跳转消息页
onClickMesBtn = () => {
  this.props.navigation.navigate('Message');
// 点击tap
onChangeTabs = (obj) => {
  let item = this.state.newsTypeList[obj.i];
  this.onClickNewsType(item);
// 搜索
onSearch = (text) => {
  let params = {
    search: text
  this.props.navigation.navigate('Search', params);
// ------ 网络请求 -------
// 请求新闻分类列表
fetchNewsTypeListData = async () => {
```

软件名称: 叨叨 版本号: 1.0.0 页码: 8/60

```
let params = {};
    let res = await httpApi.getNewsTypeList(params);
    if (res.status == 0) {
       let newPageList = ∏;
       for (let i = 0; i < res.data.length; i++) {
         newPageList[res.data[i].id] = 1;
       this.setState({
         pageList: newPageList,
         newsTypeList: res.data,
         loaded: true
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  // 下载具体新闻分类数据
  fetchNewsListData = async (newsTypeId) => {
     let params = {
       post_cate_id: newsTypeld,
    };
    let res = await httpApi.getNewsList(params);
    if (res.status == 0) {
       let newNewsList = this.state.newsList;
       newNewsList[newsTypeId] = res.data.data;
       this.setState({
         newsList: newNewsList,
       }):
    } else {
       alert("网络异常! 请检查网络! ");
  }
  // 上拉加载
  onLoadMoreData = async (value) => {
    if (this.state.listLoad == false) {
       return;
    let params = ";
     params+=("post_cate_id=" + value.id + '&');
     params+=('page=' + (this.state.pageList[value.id]+=1) + '&');
    let res = await httpApi.httpPostWithParamsStr('http://dd.shenruxiang.com/api/v1/post_list',
params);
    if (res.status == 0) {
       if (res.data.data.length > 0) {
         let newNewsList = this.state.newsList;
         for (let i = 0; i < res.data.data.length; <math>i++) {
            newNewsList[value.id].push(res.data.data[i]);
```

```
软件名称: 叨叨 版本号: 1.0.0 页码: 9/60 
}
this.setState({
```

```
newsList: newNewsList,
        });
      } else {
        this.setState({
          listLoad: false,
   } else {
      alert("网络异常! 请检查网络! ");
 }
// ------ view 层 ------
 render() {
   if (!this.state.loaded) {
      return <LoadingView/>;
   return(
      <View style={gViewStyles.viewContainer1}>
        <MyStatusBar/>
        {/*搜索*/}
        <View style={styles.searchContainer}>
           <View style={styles.searchView}>
             <SearchView
               onSearch={this.onSearch}
           </View>
           <TouchableOpacity onPress={this.onClickMesBtn}>
             <Image source={require('../source/xinxi.png')} style={styles.img3}/>
           </TouchableOpacity>
        </View>
        {/*新闻列表*/}
        <ScrollableTabView
          initialPage={this.state.showIndex}
          renderTabBar={() => <ScrollableTabBar style={styles.tabbar1} />}
          tabBarActiveTextColor='white'
          tabBarUnderlineStyle={styles.lineStyle}
          tabBarTextStyle={styles.text9}
          onChangeTabs{
          {this.state.newsTypeList.map((value, index, array) => {
             return (
                 tabLabel={value.name}
                 <FlatList
                    data={this.state.newsList[value.id]}
                    renderItem={this.newsListItemView}
                    style={styles.newsList}
                    key={index}
```

软件名称: 叨叨 版本号: 1.0.0 页码: 10/60

```
ListFooterComponent={()=>(
                        this.state.listLoad == true ? (<View style={styles.indicatorContainer}>
                           <ActivityIndicator
                             style={styles.indicator}
                             size={'small'}
                             animating={true}
                           />
                        </view>): (<View style={gViewStyles.bottomLoad}><Text>到底啦! </
Text></View>)
                        )}
                      refreshControl={
                        <RefreshControl
                           refreshing={this.state.headerLoad}
                           onRefresh={()=>{
                             this.setState({
                               newsTypeList: [],
                               newsList: □,
                               pageList: [],
                               loaded: false,
                               showIndex: index,
                               listLoad: true,
                               headerLoad: true.
                             this.componentDidMount();
                           enabled={true}
                      onEndReached={()=>{
                        this.onLoadMoreData(value, index);
                      onEndReachedThreshold={0.1}
                 </View>
            })}
         </ScrollableTabView>
       </View>
    );
  };
  newsListItemView = (item) => {
    if (item.item.is adv) {
       return(
            <View style={styles.bottomSegmentation}></View>
            <BannerView
              onClickAd = {this.onClickAd}
              data={item.item.data}
            ></BannerView>
         </View>
    } else {
       return (
```

软件名称: 叨叨 版本号: 1.0.0 页码: 11/60

```
<NewsView
            onClickAvatar = {this.onClickAvatar}
            onClickNews={this.onClickNews}
            data={item.item.data}
            isShowPersonInfo={true}
          ></NewsView>
       );
  };
}
const {width, height, scale} = Dimensions.get('window');
const styles = StyleSheet.create({
  container: {
     flex: 1,
     backgroundColor: 'white',
  searchContainer: {
     flexDirection: 'row'.
     alignItems: 'center',
     backgroundColor: '#FB5442'
  searchView: {
     flex: gScreen_width - 20,
  segmentation: {
     marginTop: 3,
     height: 1,
     backgroundColor: gColor.grayLineColor
  newsList: {
  },
  img3: {
     width: 30,
     height: 30,
     marginTop: 8,
     marginLeft: 8,
     marginRight: 10,
  lineStyle: {
     height: 2,
     backgroundColor: 'white',
  tabbar1: {
     backgroundColor: '#FB5442',
  text9: {
     color: 'white',
     fontSize: 16
  indicatorContainer:{
     alignItems: 'center'
  indicator:{
     color: 'red',
     margin:10
```

```
软件名称: 叨叨
                                      版本号: 1.0.0
                                                                              页码: 12/60
  bottomSegmentation: {
    height: 10,
    backgroundColor: gColor.grayLineColor
});
HotSpot.js:
import React, { Component } from "react";
import {Text, View, FlatList, StyleSheet, Dimensions, StatusBar} from "react-native";
import BannerView from "../component/BannerView"
import NewsView from "../component/news/NewsView"
import httpApi from "../tools/Api";
import LoadingView from "../component/LoadingView";
import MyNavigationBar from '../component/MyNavigationBar'
import MyStatusBar from "../component/MyStatusBar";
import {gViewStyles} from "../style/ViewStyles";
export default class HotSpot extends Component {
  // ------ 生命周期 ------
  constructor(props) {
    super(props);
    this.state = {
      newsList: [],
      load: false
    };
  componentDidMount() {
    this.fetchNewsListData()
  }
  // 点击帖子
  onClickNews = (newsld) => {
    let params = {
      newsld: newsld,
    this.props.navigation.navigate('NewsDetail', params);
  // 点击头像
  onClickAvatar = (userId) => {
    let params = {
      userld: userld,
    this.props.navigation.navigate('PersonInfo', params);
  };
  // 点击广告
  onClickAd = (item) => {
    if (item.href != null && item.href.length > 0) {
       let params = {
         url: item.href,
       this.props.navigation.navigate('WebPage', params);
```

软件名称: 叨叨 版本号: 1.0.0 页码: 13/60

```
}
// 下载具体新闻分类数据
fetchNewsListData = async () => {
  let params = {
     post_cate_id: 2,
  let res = await httpApi.getNewsList(params);
  if (res.status == 0) {
     this.setState({
       newsList: res.data.data.
       load: true
     });
  } else {
     alert("网络异常! 请检查网络! ");
}
render() {
  if (!this.state.load) {
     return <LoadingView/>;
  return(
     <View style={gViewStyles.rootViewContainer}>
       <MyStatusBar/>
       <MyNavigationBar
         title={'热点'}
         hiddenBack={true}
       ></MyNavigationBar>
       {/*新闻列表*/}
       <FlatList
         data={this.state.newsList}
         renderItem={this.newsListItemView}
         style={styles.newsList}
     </View>
  );
};
newsListItemView = (item) => {
  if (item.item.is_adv) {
     return(<BannerView
       onClickAd = {this.onClickAd}
       data={item.item.data}
     ></BannerView>);
  } else {
     return (
       <NewsView
         onClickAvatar = {this.onClickAvatar}
         data={item.item.data}
          onClickNews={this.onClickNews}
         isShowPersonInfo={true}
```

软件名称: 叨叨 版本号: 1.0.0 页码: 14/60

```
></NewsView>
  };
}
const {width, height, scale} = Dimensions.get('window');
const styles = StyleSheet.create({
  container: {
    flex: 1,
     backgroundColor: 'white'
  newsList: {
    backgroundColor: 'white'
});
Publish.js:
import React, {Component} from "react";
import (Text, View, StyleSheet, TextInput, Image, Dimensions, ScrollView, TouchableOpacity,
FlatList, Alert, DeviceEventEmitter, ActivityIndicator} from "react-native";
import ImagePicker from 'react-native-image-picker';
import MyNavigationBar from '../component/MyNavigationBar'
import MyStatusBar from "../component/MyStatusBar";
import {gViewStyles} from "../style/ViewStyles";
import httpApi from "../tools/Api";
export default class Publish extends Component {
  constructor(props) {
     super(props);
    this.state = {
       imageArr: □, // 动态图片
       post_content: null, // 动态内容
       post cate id: null, // 分类id
       phone_model: null, // 手机型号
       post_position: null, // 地点
       post_type: 1, // 帖子类型 1图片 2视频
       typeData: null, // 分类数据
       load: false
    this.emitter = null;
  componentDidMount(){
    this.emitter = DeviceEventEmitter.addListener('updateType', (type)=>{this.setState({
       post_cate_id: type.id, // 分类id
       typeData: type, // 分类数据
    })});
  };
```

软件名称: 叨叨 版本号: 1.0.0 页码: 15/60

```
//在组件销毁的时候要将其移除
  componentWillUnmount(){
    this.emitter.remove();
  };
  // 发布帖子
  onPublish = async () => {
    this.setState({
       load: true
    });
    let imageArrStr = ";
    for (let i = 0; i < this.state.imageArr.length; i++) {</pre>
       let subImgStr = 'image' + i + '=' + this.state.imageArr[i].uri + '&';
       imageArrStr+=subImgStr;
    let params = ";
    params+=imageArrStr;
    params+=("post_content=" + this.state.post_content + '&');
    params+=('post_cate_id=' + this.state.post_cate_id + '&');
    params+=('phone_model=' + this.state.phone_model + '&');
    params+=('post_position=' + this.state.post_position + '&');
    params+=('post_type=' + this.state.post_type + '&');
    let res = await httpApi.httpPostWithParamsStr("http://dd.shenruxiang.com/api/v1/
post_send", params);
    if (res.status == 0) {
       this.setState({
         load: false
       });
       WToast.show({data: '发布成功'});
    } else {
       alert("网络异常! 请检查网络! ");
  }
  // 删除照片
  deleteImg = (index) => {
    Alert.alert
       '提示', //提示标题
       '是否删除该照片', //提示内容
         { text: '取消', onPress: () => console.log('点击取消') },
           text: '确定', onPress: () => {
              let newImgArr = this.state.imageArr;
              newImgArr.splice(index, 1);
              this.setState({
                imageArr: newImgArr,
              });
```

软件名称: 叨叨 版本号: 1.0.0 页码: 16/60

```
]//按钮集合
}
// open album
onSelectImg = () => {
  const options = {
     title: '请选择图片来源',
     cancelButtonTitle:'取消',
     takePhotoButtonTitle:'拍照',
     chooseFromLibraryButtonTitle:'相册图片',
     mediaType: 'photo',
     maxWidth: 700,
     maxHeight: 700,
     storageOptions: {
       skipBackup: true,
       path: 'images',
  };
  ImagePicker.showImagePicker(options, (response) => {
     if (response.didCancel) {
    } else if (response.error) {
    } else {
       const source = {uri: 'data:image/jpeg;base64,'+ response.data};
       let newImgArr = this.state.imageArr;
       newImgArr.push(source);
       this.setState({
         imageArr: newImgArr,
       });
  });
// open type page
onClickType = () => \{
  this.props.navigation.navigate('Type');
render() {
  return (
     <View style={gViewStyles.rootViewContainer}>
       <MyStatusBar/>
       <MyNavigationBar
         title={'动态发布'}
         hiddenBack={true}
       ></MyNavigationBar>
       <ScrollView style={styles.scorllviewContainer}>
         <View style={styles.topContainer}>
            <TextInput
              placeholder={'输入你想说的话。。。'}
              placeholderTextColor={gColor.grayTextColor}
              underlineColorAndroid={'transparent'}
```

软件名称: 叨叨 版本号: 1.0.0 页码: 17/60

```
style={styles.textInput}
                underlineColorAndroid="transparent"
                multiline={true}
                onChangeText={(text) => this.setState({post_content:text})}
              <FlatList
                extraData={this.state}
                ListHeaderComponent={this.selectImgView}
                data={this state imageArr}
                renderItem={({item, index})=>(<TouchableOpacity
onPress={()=>this.deleteImg(index)}>
                   <Image source={item} style={styles.selectImg} />
                </TouchableOpacity>)}
                horizontal={true}
              </FlatList>
            </View>
            <View style={gViewStyles.line2}></View>
            {/*选择分类*/}
            <TouchableOpacity onPress={()=>this.onClickType()}>
              <View style={styles.subContainer}>
                 <lmage source={require('../source/fenlei.png')} style={styles.itemIcon}/>
                 <Text style={styles.itemText}>选择分类</Text>
                 {this.state.typeData != null ? (<Text style={styles.itemText1}
>{this.state.typeData.name}</Text>):(<Text style={styles.itemText1}>默认发布到最新板块</
Text>)}
                <lmage source={require('../source/youjiantou.png')} style={styles.itemArrow}/>
              </View>
            </TouchableOpacity>
            <View style={styles.line1}></View>
            {/*选择定位*/}
            <View style={styles.subContainer}>
              <lmage source={require('../source/dingwei.png')} style={styles.itemIcon}/>
              <Text style={styles.itemText}>选择定位</Text>
              <Text style={styles.itemText1}>确认定位已开启</Text>
              <Image source={require('../source/youjiantou.png')} style={styles.itemArrow}/>
            </View>
            <View style={styles.line1}></View>
            {/*确认发布*/}
            <View style={styles.subContainer1}>
              <TouchableOpacity onPress={()=>this.onPublish()}>
                 <View style={styles.backView}>
                   <Text style={styles.text7}>确认发布</Text>
                 </View>
              </TouchableOpacity>
            </View>
         </ScrollView>
```

软件名称: 叨叨 版本号: 1.0.0 页码: 18/60

```
{this.state.load == true ? (<ActivityIndicator size="large" color='#FB5442'
style={gViewStyles.loading}/>
          ): (<View></View>)}
        </View>
     );
  };
  selectImgView = ({}) => {
     return(
        <TouchableOpacity onPress={() => this.onSelectImg()}>
          <lmage source={require('../source/camera.jpg')} style={styles.selectImg}/>
        </TouchableOpacity>
     );
}
const {width, height, scale} = Dimensions.get('window');
const styles = StyleSheet.create({
  scorllviewContainer: {
     backgroundColor: '#F4F1F4',
     flex: 1,
  textInput: {
     textAlignVertical: 'top',
     padding: 5,
     margin: 5,
     height: 140,
     fontSize: 14,
  topContainer: {
     marginTop: 10,
     flex: 1,
     height: 250,
     backgroundColor: 'white',
  selectImg:
     margin: 5,
     height: 60,
     width: 60,
  line1: {
     marginLeft: 10,
     marginRight: 10,
     height: 1,
     backgroundColor: gColor.grayLineColor
  subContainer: {
     height: 50,
     flexDirection: 'row',
     alignItems: 'center',
     backgroundColor: 'white'
  itemIcon: {
     flex: 50,
     width: 18,
     marginLeft: 10,
  itemText: {
```

软件名称: 叨叨 版本号: 1.0.0 页码: 19/60

```
flex: 200.
     marginLeft: 10,
  itemText1: {
     flex: 200,
     marginLeft: 20,
     color: gColor.grayTextColor
  subContainer1: {
     marginTop: 30,
     height: 40,
     alignItems: 'center',
    justifyContent: 'center',
     width: gScreen.screen width,
     marginBottom: 40,
  confirmPublish: {
     width: 300,
    height: 40,
  backView: {
     alignItems: 'center',
    justifyContent: 'center',
     width: 200,
     height: 40,
     borderRadius: 5.
     backgroundColor: gColor.orangeBackColor,
  text7: {
    color: 'white',
    fontSize: 14,
});
Convenience.is:
import React, { Component } from "react";
import { Image, View, SafeAreaView, FlatList, TouchableWithoutFeedback } from "react-native";
import MyNavigationBar from '../component/MyNavigationBar'
import MyStatusBar from "../component/MyStatusBar";
import {glmageStyles} from "../style/ImageStyles";
import {gViewStyles} from "../style/ViewStyles";
export default class Convenience extends Component {
  render() {
     return(
       <View style={gViewStyles.rootViewContainer}>
          <MyStatusBar/>
          <SafeAreaView style={[gViewStyles.rootViewContainer, backgroundColor='#F4F1F4']}>
            <MyNavigationBar
              title={'便民'}
              hiddenBack={true}
            ></MyNavigationBar>
            <FlatList
               style={backgroundColor='#F4F1F4'}
               data={[require('../source/ad1.jpg'),
                 require('../source/ad2.jpg'),
                 require('../source/ad3.jpg'),
                 require('../source/ad4.jpg'),
```

软件名称: 叨叨 版本号: 1.0.0 页码: 20/60

```
require('../source/ad5.jpg'),
                 require('../source/ad6.jpg'),
                 require('../source/ad7.jpg'),
                 require('../source/splashAd.jpg'),
                 require('../source/splashAd1.png'),]}
               renderItem={({item})=>{
                 let imgW = Image.resolveAssetSource(item).width;
                 let imgH = Image.resolveAssetSource(item).height;
                 let showW = gScreen.screen width - 24;
                 let showH = showW / imgW * imgH;
                    return(<View style={gViewStyles.itemView1}>
                      <TouchableWithoutFeedback>
                        <View>
                           <Image source={item}</pre>
                               style={[glmageStyles.ad1, {height: showH}]}></lmage>
                           <View style={gViewStyles.segmentation}></View>
                        </TouchableWithoutFeedback>
                    </View>):
            </FlatList>
          </SafeAreaView>
       </View>
    );
  };
}
My.js:
import React, { Component } from "react";
import (Text, View, StyleSheet, Image, ImageBackground, FlatList, Dimensions, TouchableOpacity
} from "react-native";
import httpApi from "../tools/Api";
import LoadingView from "../component/LoadingView";
export default class My extends Component {
  constructor(props) {
     super(props);
    this.state = {
       optionData:
          {title: '我的动态', img: require('../source/dongtai.png')},
          {title: '我的相册', img: require('../source/xiangce.png')},
          {title: '实名认证', img: require('../source/shiming.png')},
          {title: '广告投放', img: require('../source/guanggao.png')},
          {title: '帮助中心', img: require('../source/bangzhu.png')},
          {title: '投诉反馈', img: require('../source/tousu.png')},
          {title: '在线客服', img: require('../source/kefu.png')},
          {title: '关于我们', img: require('../source/guanyu.png')},
          {title: '检查更新', img: require('../source/gengxin.png')},
          {title: '退出登录', img: require('../source/tuichu.png')},
       personalData: [],
```

软件名称: 叨叨 版本号: 1.0.0 页码: 21/60

```
load: false,
  };
componentDidMount() {
  this.fetchPersonalData();
// 请求个人数据
fetchPersonalData = async () => {
  let params = {};
  let res = await httpApi.getPersonalData(params);
  if (res.status == 0) {
     this.setState({
       personalData: res.data,
       load: true
     });
  } else {
     alert("网络异常! 请检查网络! ");
}
render() {
  if (this.state.load == false) {
     return <LoadingView></LoadingView>
  return(
     <View style={styles.container}>
       {this.topView()}
       <FlatList
          style={styles.list}
          renderItem={((item, index))=>(<TouchableOpacity onPress={()=>{
            if (item.title == '我的动态') {
               let params = {
                 userld: 2.
               this.props.navigation.navigate('PersonInfo', params);
            } else if (item.title == '我的相册') {
               let params = {
                 userld: 2.
               this.props.navigation.navigate('PersonInfo', params);
            } else if (item.title == '实名认证') {
            } else if (item.title == '广告投放') {
            } else if (item.title == '帮助中心') {
            } else if (item.title == '投诉反馈') {
            } else if (item.title == '在线客服') {
            } else if (item.title == '关于我们') {
```

软件名称: 叨叨 版本号: 1.0.0 页码: 22/60

```
} else if (item.title == '检查更新') {
               } else {
               }
            }}>
               <View style={styles.itemContainer}>
                 <View style={styles.itemInfoContainer}>
                    <Image source={item.img}</pre>
                        style={styles.itemIcon}/>
                    <Text style={styles.itemText}>{item.title}</Text>
                    <lmage source={require('../source/youjiantou.png')} style={styles.itemArrow}/>
                 </View>
                 <View style={styles.bottomLine}></View>
               </View>
            </TouchableOpacity>)}
            data={this.state.optionData}
       </View>
    );
  };
  topView = () => {
     return(
       <ImageBackground style={styles.topContainer} source={require('../source/</p>
wodebeijingtu.png')}>
          <lmage source={{uri: this.state.personalData.user_info.avatar}} style={styles.avatar}/>
          <View style={styles.personalInfoContainer}>
            <Text style={styles.nickName}>{this.state.personalData.user_info.nick_name}</Text>
            <Text style={styles.commonText}>ID: {this.state.personalData.user_info.id}</Text>
            <Text style={styles.commonText}>粉丝:{this.state.personalData.user_info.fan_num}
关注: {this.state.personalData.user info.follow num}</Text>
          <Image source={require('../source/xiugai.png')} style={styles.updateNickName}/>
       ImageBackground>
    );
}
const {width, height, scale} = Dimensions.get('window');
const styles = StyleSheet.create({
  container: {
     backgroundColor: 'white',
     flex: 1,
  topContainer: {
     height: 150,
    flexDirection: 'row',
     paddingTop: gScreen.statusBarHeight,
  avatar: {
     height: 60,
     width: 60,
     margin: 16,
     borderRadius: 30,
  },
```

```
personalInfoContainer: {
     marginTop: 15,
  nickName: {
     fontSize: 18,
     color: 'white'
  commonText: {
     color: 'white'
  updateNickName: {
     margin: 10,
  sectionHeader: {
     paddingTop: 2,
     paddingLeft: 10,
     paddingRight: 10,
     paddingBottom: 2,
  itemContainer: {
     padding: 10,
     fontSize: 18,
     height: 48,
  itemIcon: {
     flex: 20,
     marginTop: 10,
     width: 16,
  bottomLine: {
     marginTop: 13,
     height: 1,
     backgroundColor: gColor.grayLineColor
  itemInfoContainer: {
     flexDirection: 'row',
     alignItems: 'center'
  itemText: {
     flex: width - 200,
     marginTop: 11,
     marginLeft: 10,
  itemArrow: {
     height: 25,
     width: 25,
     marginTop: 10,
  list: {
     backgroundColor: 'white',
});
Chat.js:
import React, { Component } from "react";
import {
  Text,
  View,
  StyleSheet,
```

```
SafeAreaView.
  Image,
  TouchableOpacity,
  Dimensions,
  TextInput,
  FlatList,
  Keyboard
} from "react-native";
import MyNavigationBar from '../component/MyNavigationBar'
import MyStatusBar from "../component/MyStatusBar";
import {gViewStyles} from "../style/ViewStyles";
import {glmageStyles} from "../style/ImageStyles";
import {gTextStyles} from "../style/TextStyles";
import httpApi from "../tools/Api";
import LoadingView from "../component/LoadingView";
export default class Chat extends Component {
  constructor(props) {
     super(props);
    this.state = {
       data: null.
       load: false,
       keyboardHeight: 0,
    };
    this.keyboardWillShowListener = null;
    this.keyboardWillHideListener = null;
  componentDidMount() {
     this.fetchChatData();
     this.keyboardWillShowListener =
Keyboard.addListener('keyboardWillShow', this.keyboardDidShow);
     this.keyboardWillHideListener =
Keyboard.addListener('keyboardWillHide',this.keyboardDidHide);
  //注销监听
  componentWillUnmount () {
     this.keyboardWillShowListener && this.keyboardWillShowListener.remove();
    this.keyboardWillHideListener && this.keyboardWillHideListener.remove();
  //键盘弹起后执行
  keyboardDidShow = (event) => {
    this.setState({
       keyboardHeight: event.endCoordinates.height,
    });
  //键盘收起后执行
  keyboardDidHide = () => {
    this.setState({
       keyboardHeight: 0,
```

```
软件名称: 叨叨
                                        版本号: 1.0.0
                                                                                  页码: 25/60
    });
  onEndEditing = async (text) => {
     let params = ";
     params+=("to_user_id=" + this.props.route.params.userId + '&');
     params+=('content=' + text + '&');
     params+=('content type=' + 1 + '&');
     let res = await httpApi.httpPostWithParamsStr('http://dd.shenruxiang.com/api/v1/
user_send_message', params);
    if (res.status == 0) {
       this.fetchChatData();
       this.refs.textInput.clear();
       alert("网络异常! 请检查网络! ");
  }
  fetchChatData = async () => {
     let params = ";
     params+=("to_user_id=" + this.props.route.params.userId + '&');
     let res = await httpApi.httpPostWithParamsStr('http://dd.shenruxiang.com/api/v1/
user message history list', params);
    if (res.status == 0) {
       this.setState({
         data: res.data.
         load: true,
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  render() {
    if (!this.state.load) {
       return <LoadingView/>;
    return(
       <View style={gViewStyles.rootViewContainer}>
         <MyStatusBar></MyStatusBar>
         <SafeAreaView style={gViewStyles.grayRootViewContainer1}>
            <MyNavigationBar
              title={'私信'}
              onClickBack={()=>{this.props.navigation.goBack();}}
            ></MyNavigationBar>
            <View style={styles.chat}>
```

onContentSizeChange={()=> this.refs.flatList.scrollToEnd()}

<FlatList

></FlatList>

</View>

ref = "flatList"

data={this.state.data}

style={styles.chatList}

renderItem={this.chatItemView}

```
<View style={[styles.input, {marginBottom: this.state.keyboardHeight}]}>
            <TextInput underlineColorAndroid="transparent" placeholder="这里输入消息"
                   ref='textInput'
                   style={styles.searchTextInput}
                   onSubmitEditing={(event)=>this.onEndEditing(event.nativeEvent.text)}>
            </TextInput>
             {/*<View style={styles.input2}>*/}
             {/*<TouchableOpacity onPress={()=>{alert(1)}}>*/}
             {/*<Image source={require('../source/attention1.jpg')} style={styles.inputIcon}/>*/}
            {/*</TouchableOpacity>*/}
             {/*<TouchableOpacity onPress={()=>{alert(1)}}>*/}
             //*<Image source={require('../source/attention1.jpg')} style={styles.inputIcon}/>*/}
            {/*</TouchableOpacity>*/}
             {/*<TouchableOpacity onPress={()=>{alert(1)}}>*/}
             {/*<Image source={require('../source/attention1.jpg')} style={styles.inputIcon}/>*/}
            {/*</TouchableOpacity>*/}
             //*<TouchableOpacity onPress={()=>{alert(1)}}>*/}
             {/*<Image source={require('../source/attention1.jpg')} style={styles.inputIcon}/>*/}
            {/*</TouchableOpacity>*/}
             {/*<TouchableOpacity onPress={()=>{alert(1)}}>*/}
             {/*<Image source={require('../source/attention1.jpg')} style={styles.inputIcon}/>*/}
            {/*</TouchableOpacity>*/}
            {/*</View>*/}
          </View>
       </SafeAreaView>
     );
};
chatItemView = ({item}) => {
  if (item.user id == 2) {
     return(this.rightChatItemView({item}));
  } else {
     return(this.leftChatItemView({item}));
}
leftChatItemView = ({ item }) => {
  return(
     <View style={styles.chatItemView1}>
       <TouchableOpacity>
          <lmage source={{uri: item.user.avatar}} style={styles.avatar}/>
       </TouchableOpacity>
       <View style={styles.leftMes}>
          <Text style={styles.mes1}>{item.content}</Text>
       </View>
     </View>
  );
rightChatItemView = ({ item }) => {
  return(<View style={styles.chatltemView2}>
     <View style={styles.rightMes}>
       <Text style={styles.mes2}>{item.content}</Text>
     </View>
     <TouchableOpacity>
       <lmage source={{uri: item.user.avatar}} style={styles.avatar}/>
     </TouchableOpacity>
```

```
软件名称: 叨叨
                                          版本号: 1.0.0
     </View>);
}
const {width, height, scale} = Dimensions.get('window');
const styles = StyleSheet.create({
  container: {
     flex: 1,
  chat: {
     flex: height - 70
  input: {
     flex: 70,
  searchTextInput: {
     padding: 5,
     height: 35,
     margin: 10,
     backgroundColor: '#fff',
     borderRadius: 4,
  input2: {
     height: 30,
     flexDirection: 'row',
     justifyContent: 'space-around'
  inputIcon: {
     height: 30,
     width: 30,
  chatList: {
     margin: 5,
  chatItemView1: {
     flexDirection: 'row',
  chatItemView2: {
     flexDirection: 'row',
     justifyContent: 'flex-end',
  avatar: {
     height: 50,
     width: 50,
     margin: 5,
     borderRadius: 25,
  leftMes:
     marginTop: 10,
     width: width - 200,
     backgroundColor: 'white',
     borderRadius: 10,
  rightMes: {
     marginTop: 10,
     width: width - 200,
     backgroundColor: '#FB5442',
     borderRadius: 10,
```

页码: 27/60

```
软件名称: 叨叨
                                        版本号: 1.0.0
                                                                                  页码: 28/60
  mes1: {
    padding: 10,
    fontSize: 14,
    color: '#333333',
  mes2: {
    padding: 10,
    color: 'white',
    fontSize: 14,
});
Message.js:
import React, { Component } from "react";
import {Text, View, StyleSheet, SafeAreaView, Image, FlatList, TouchableOpacity, Dimensions}
from "react-native";
import httpApi from "../tools/Api";
import LoadingView from "../component/LoadingView";
import MyNavigationBar from '../component/MyNavigationBar'
import MyStatusBar from "../component/MyStatusBar";
import ScrollableTabView, {DefaultTabBar,ScrollableTabBar} from 'react-native-scrollable-tab-
view';
import {gViewStyles} from "../style/ViewStyles";
import {gTextStyles} from "../style/TextStyles";
export default class Message extends Component {
  constructor(props) {
     super(props);
    this.state = {
       data: [[], [], [], [], [],
       titleList: ['关注', '评论', '点赞', '私信', '通知'],
       load: false.
       showIndex: 0
    };
  componentDidMount() {
    this.fetchFansData();
  // 点击头像
  onClickAvatar = (item) => {
     let params = {
       userId: item.to_user.id,
    this.props.navigation.navigate('PersonInfo', params);
  };
  // 点击关注
  onClickAttention = (item) => {
    // 跳转个人详情
    let params = {
       userld: item.user.id,
```

};

软件名称: 叨叨 版本号: 1.0.0 页码: 29/60

```
this props navigation navigate ('PersonInfo', params);
  // 点击评论
  onClickComment = (item) => {
    // 跳转帖子详情
    let params = {
       userId: item.post_id,
    this.props.navigation.navigate('NewsDetail', params);
  // 点击关注
  onClickPraise = (item) => \{
    // 跳转帖子详情
    let params = {
       userId: item.post_id,
    this.props.navigation.navigate('NewsDetail', params);
  // 请求粉丝列表
  fetchFansData = async() => {
    let params = \{\};
    let res = await httpApi.httpPost("http://dd.shenruxiang.com/api/v1/user_fan_list", params);
    if (res.status == 0) {
       let newData = this.state.data;
       newData[0] = res.data;
       this.setState({
         data: newData,
         showIndex: 0,
         load: true
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  // 请求评论列表
  fetchCommentData = async() => {
    let params = {};
    let res = await httpApi.httpPost('http://dd.shenruxiang.com/api/v1/user_comment_list',
params);
    this.updateData(1, res);
  // 请求关注列表
  fetchAttentionData = async() => {
    let params = {};
    let res = await httpApi.httpPost('http://dd.shenruxiang.com/api/v1/user_follow_list', params);
    if (res.status == 0) {
       let newData = this.state.data;
       newData[2] = res.data;
       this.setState({
         data: newData,
```

软件名称: 叨叨 版本号: 1.0.0 页码: 30/60

```
showIndex: 2.
         load: true
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  // 请求私信列表
  fetchChatData = async() => {
    let params = {};
    let res = await httpApi.httpPost('http://dd.shenruxiang.com/api/v1/user_message_list',
params);
    if (res.status == 0) {
       let newData = this.state.data;
       newData[3] = res.data;
       this.setState({
         data: newData.
         showIndex: 3,
         load: true
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  // 请求通知列表
  fetchNoticeData = async () => {
    let params = {};
    let res = await httpApi.httpPost('http://dd.shenruxiang.com/api/v1/notice_list', params);
    this.updateData(4, res);
  updateData = (index, res) => {
    if (res.status == 0) {
       let newData = this.state.data;
       newData[index] = res.data.data;
       this.setState({
         data: newData,
         showIndex: index,
         load: true
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  // 切换tab
  onChangeTabs = (index) => {
    if (this.state.data!= null && this.state.data[index].length > 0) {
       // 有数据
       let newData = this.state.data;
       this.setState({
         data: newData.
         showIndex: index,
```

```
load: true
     });
  } else {
    // 无数据
     this.fetchData(index);
}
fetchData = (index) => {
  if (index == 0) {
     this.fetchFansData();
  } else if (index == 1) {
     this.fetchCommentData();
  } else if (index == 2) {
     this.fetchAttentionData();
  } else if (index == 3) {
     this.fetchChatData();
  } else if (index == 4) {
     this.fetchNoticeData();
}
onClickChat = (item) => {
  let params = {
     userId: item.to_user_id,
  this.props.navigation.navigate('Chat', params);
render() {
  if (this.state.load == false) {
     return <LoadingView></LoadingView>
  return (
     <View style={gViewStyles.rootViewContainer}>
       <MyStatusBar></MyStatusBar>
       <SafeAreaView style={styles.container}>
          <MyNavigationBar
            title={'消息记录'}
            onClickBack={()=>{this.props.navigation.goBack();}}
          ></MyNavigationBar>
          {this.headerItemView()}
          {this.listView()}
       </SafeAreaView>
     </View>
  );
listView = () => {
  return(
     <FlatList
       extraData={this.state}
       data={this.state.data[this.state.showIndex]}
```

软件名称: 叨叨 版本号: 1.0.0 页码: 32/60

```
renderItem={this.listItemView}
         style={qViewStyles.flatList}
    );
  headerItemView = () => {
    return(
       <View style={styles.topContainer}>
         <View style={styles.msglconContainer}>
            <TouchableOpacity onPress={()=>this.onChangeTabs(0)}>
              <lmage source={require('../source/guanzhu.png')} style={styles.msglcon}/>
            </TouchableOpacity>
            <Text style={styles.msgDes}>粉丝</Text>
            {this.state.showIndex == 0 ? (<View style={qViewStyles.scrollBarBottomLine1}></
View>): (<View></View>)}
         <View style={styles.msglconContainer}>
            <TouchableOpacity onPress={()=>this.onChangeTabs(1)}>
              <Image source={require('../source/pinglun.png')} style={styles.msglcon}/>
            </TouchableOpacity>
            <Text style={styles.msgDes}>评论</Text>
            {this.state.showIndex == 1 ? (<View style={gViewStyles.scrollBarBottomLine1}></
View>): (<View></View>)}
         </View>
         <View style={styles.msglconContainer}>
            <TouchableOpacity onPress={()=>this.onChangeTabs(2)}>
              <lmage source={require('../source/dianzan.png')} style={styles.msglcon}/>
            </TouchableOpacity>
            <Text style={styles.msgDes}>关注</Text>
            {this.state.showIndex == 2? (<View style={qViewStyles.scrollBarBottomLine1}></
View>): (<View></View>)}
         </View>
         <View style={styles.msglconContainer}>
            <TouchableOpacity onPress={()=>this.onChangeTabs(3)}>
              <Image source={require('../source/pinglun.png')} style={styles.msglcon}/>
            </TouchableOpacity>
            <Text style={styles.msqDes}>私信</Text>
            {this.state.showIndex == 3 ? (<View style={gViewStyles.scrollBarBottomLine1}></
View>): (<View></View>)}
         </View>
         <View style={styles.msglconContainer}>
            <TouchableOpacity onPress={()=>this.onChangeTabs(4)}>
              <lmage source={require('../source/tongzhi.png')} style={styles.msglcon}/>
            </TouchableOpacity>
            <Text style={styles.msgDes}>通知</Text>
            {this.state.showIndex == 4? (<View style={aViewStyles.scrollBarBottomLine1}></
View>): (<View></View>)}
         </View>
       </View>
    );
```

软件名称: 叨叨 版本号: 1.0.0 页码: 33/60

```
listItemView = ({item}) => {
  switch (this.state.showIndex) {
     case 0:
       return(this.fansItemView(item));
       break:
     case 1:
       return(this.commentItemView(item));
       break;
    case 2:
       return(this.attentionItemView(item));
       break:
     case 3:
       return(this.chatItemView(item));
       break:
     case 4:
       return(this.noticeItemView(item));
       break:
     default:
       return(<View></View>);
       break;
}
attentionItemView = (item) => {
  return(
     <View>
       <TouchableOpacity onPress={()=>this.onClickAttention(item)}>
          <View style={styles.line}></View>
          <View style={styles.msgContainer}>
            {/*<TouchableOpacity onPress={()=>this.onClickAvatar(item)}>*/}
               <lmage source={{uri: item.to_user.avatar}} style={styles.avatar}/>
               {/*<Image source={require('../source/未登陆.png')} style={styles.avatar}/>*/}
            {/*</TouchableOpacity>*/}
            <View style={styles.msgSubContainer}>
              <View style={styles.mesSubContainer}>
                 <Text style={styles.text1}>{item.to_user.nick_name}</Text>
              </View>
              <View style={styles.mesSubContainer1}>
                 <Text style={styles.text2}>你关注了Ta! </Text>
               </View>
            </View>
          </View>
       </TouchableOpacity>
     </View>
  );
```

软件名称: 叨叨 版本号: 1.0.0 页码: 34/60

```
fansItemView = (item) => {
  return(
     <View>
       <TouchableOpacity onPress={()=>this.onClickAttention(item)}>
         <View style={styles.line}></View>
         <View style={styles.msgContainer}>
            {/*<TouchableOpacity onPress={()=>this.onClickAvatar(item)}>*/}
            <lmage source={{uri: item.user.avatar}} style={styles.avatar}/>
            {/*<Image source={require('../source/未登陆.png')} style={styles.avatar}/>*/}
            {/*</TouchableOpacity>*/}
            <View style={styles.msgSubContainer}>
              <View style={styles.mesSubContainer}>
                 <Text style={styles.text1}>{item.user.nick_name}</Text>
              </View>
              <View style={styles.mesSubContainer1}>
                 <Text style={styles.text2}>Ta关注了你! </Text>
              </View>
            </View>
         </View>
       </TouchableOpacity>
     </View>
  );
commentItemView = (item) => {
  return(
     <View>
       <TouchableOpacity onPress={()=>this.onClickComment(item)}>
         <View style={styles.line}></View>
         <View style={styles.msgContainer}>
            <TouchableOpacity>
              {/*<Image source={require('../source/未登陆.png')} style={styles.avatar}/>*/}
              <lmage source={{uri: item.user.avatar}} style={styles.avatar}/>
            </TouchableOpacity>
            <View style={styles.msgSubContainer}>
              <View style={styles.mesSubContainer}>
                 <Text style={styles.text1}>{item.user.nick name}</Text>
                 <View style={styles.container1}>
                   <Text style={styles.text3}>1小时前</Text>
                   <Text style={styles.text2}> * </Text>
                 <View style={styles.mesSubContainer1}>
                 <Text style={styles.text2}>评论: </Text>
                 <Text style={styles.text3}>{item.content}</Text>
              </View>
            </View>
         </View>
       </TouchableOpacity>
     </View>
  );
praiseItemView = (item) => {
  return(<View><View>
     <TouchableOpacity onPress={()=>this.onClickPraise(item)}>
       <View style={styles.line}></View>
```

软件名称: 叨叨 版本号: 1.0.0 页码: 35/60

```
<View style={styles.msgContainer}>
         <TouchableOpacity onPress={()=>this.onClickAvatar(item)}>
            <Image source={{uri: item.to_user.avatar}} style={styles.avatar}/>
            {/*<Image source={require('../source/未登陆.png')} style={styles.avatar}/>*/}
         </TouchableOpacity>
         <View style={styles.msgSubContainer}>
            <View style={styles.mesSubContainer}>
              <Text style={styles.text1}>{item.to user.nick name}</Text>
            </View>
            <View style={styles.mesSubContainer1}>
              <Text style={styles.text2}>Ta给你点赞啦! </Text>
            </View>
         </View>
       </TouchableOpacity>
  View>;
chatItemView = (item) => {
  return(<View>
    <TouchableOpacity onPress={()=>this.onClickChat(item)}>
       <View style={styles.line}></View>
       <View style={styles.msgContainer}>
         <TouchableOpacity>
            {/*<Image source={require('../source/未登陆.png')} style={styles.avatar}/>*/}
            <lmage source={{uri: item.to user.avatar}} style={styles.avatar}/>
         </TouchableOpacity>
         <View style={styles.msgSubContainer}>
            <View style={styles.mesSubContainer}>
              <Text style={styles.text1}>{item.to_user.nick_name}</Text>
              <View style={styles.container1}>
                 <Text style={styles.text3}>1小时前</Text>
                 <Text style={styles.text2}> * </Text>
              </View>
            </View>
            <View style={styles.mesSubContainer1}>
              <Text style={styles.text2}>私信: </Text>
              <Text style={styles.text3}>{item.content}</Text>
            </View>
         </View>
       </View>
    </TouchableOpacity>
  </View>)
}
noticeItemView = (item) => {
  return(<View><View>
    <TouchableOpacity onPress={()=>{
       alert(item.content);
    }>
       <View style={styles.line}></View>
       <View style={styles.msgContainer}>
         <View style={styles.msgSubContainer}>
            <View style={styles.mesSubContainer}>
              <Text style={styles.text1}>消息通知</Text>
              <View style={styles.container1}>
```

软件名称: 叨叨 版本号: 1.0.0 页码: 36/60

```
<Text style={styles.text3}>{item.updated_at}</Text>
                 </View>
               </View>
               <View style={styles.mesSubContainer1}>
                 <Text style={styles.text2}>{item.content}</Text>
               </View>
            </View>
          </View>
       </TouchableOpacity>
     }
const {width, height, scale} = Dimensions.get('window');
const styles = StyleSheet.create({
  container: {
     flex: 1,
  topContainer: {
     paddingTop: 8,
     flexDirection: 'row',
     justifyContent: 'space-around',
     backgroundColor: 'white'
  msglcon: {
     width: 42,
     height: 42,
  msglconContainer: {
     alignItems: 'center'
     backgroundColor: 'white',
  msgDes: {
     marginTop: 5,
     fontSize: 12,
  msgContainer: {
     flexDirection: 'row',
     alignItems: 'center',
     height: 60,
  avatar: {
     borderRadius: 19,
     width: 38,
     height: 38,
     marginLeft: 10,
  line: {
     height: 0.5,
     marginLeft: 2,
     marginRight: 2,
     backgroundColor: gColor.grayLineColor,
  mesSubContainer: {
     height: 30,
     flexDirection: 'row',
     justifyContent: 'space-between',
     alignItems: 'center',
```

软件名称: 叨叨 版本号: 1.0.0 页码: 37/60 marginLeft: 10,

```
marginRight: 10,
  mesSubContainer1: {
     height: 14,
    flexDirection: 'row',
     alignItems: 'center',
     marginLeft: 10,
     marginRight: 10,
  msgSubContainer: {
    flex: width - 74,
    height: 56,
  container1: {
     flexDirection: 'row',
     alignItems: 'center',
     marginRight: 10,
  text1: {
    fontSize: 14,
  text2: {
     color: gColor.orangeTextColor,
  text3: {
     color: '#333333',
});
NewsDetail.is:
import React, { Component } from "react";
import {Text, View, StyleSheet, FlatList, TextInput, TouchableOpacity,
  Image, Dimensions, SectionList, SafeAreaView, Keyboard from "react-native";
import httpApi from "../tools/Api";
import BannerView from "../component/BannerView"
import LoadingView from "../component/LoadingView";
import {gViewStyles} from "../style/ViewStyles";
import MyNavigationBar from '../component/MyNavigationBar'
import MyStatusBar from "../component/MyStatusBar";
import {glmageStyles} from "../style/ImageStyles";
import {gTextStyles} from "../style/TextStyles";
export default class NewsDetail extends Component {
  constructor(props) {
     super(props);
     this.state =
       newsDetailData: [],
       commentList: [],
       load: false,
       toUserId: null,
       autoFocus: null,
       keyboardHeight: 0,
       commented: null,
     };
     this.keyboardWillShowListener = null;
```

软件名称: 叨叨 版本号: 1.0.0 页码: 38/60

```
this.keyboardWillHideListener = null;
  async componentDidMount() {
    this.setState({
       newsDetailData: [],
       commentList: [],
       load: false.
       toUserId: null,
       autoFocus: null,
       keyboardHeight: 0,
       commented: null,
     let newsld = this.props.route.params.newsld;
     await this.fetchNewsData(newsId);
     await this.fetchNewsCommentListData(newsId);
    this.keyboardWillShowListener =
Keyboard.addListener('keyboardWillShow', this.keyboardDidShow);
     this.keyboardWillHideListener =
Keyboard.addListener('keyboardWillHide',this.keyboardDidHide);
  //注销监听
  componentWillUnmount () {
    this.setState({
       newsDetailData: [],
       commentList: [],
       load: false,
       toUserId: null,
       autoFocus: null,
       keyboardHeight: 0,
       commented: null,
    });
    this.keyboardWillShowListener && this.keyboardWillShowListener.remove();
    this.keyboardWillHideListener && this.keyboardWillHideListener.remove();
  //键盘弹起后执行
  keyboardDidShow = (event) => {
     this.setState({
       keyboardHeight: event.endCoordinates.height
    });
  //键盘收起后执行
  keyboardDidHide = () => {
    this.setState({
       keyboardHeight: 0
    });
  // 点击广告
  onClickAd = (item) => {
    if (item.href!= null && item.href.length > 0) {
```

软件名称: 叨叨 版本号: 1.0.0 页码: 39/60

```
let params = {
         url: item.href.
       this.props.navigation.navigate('WebPage', params);
  }
  // 结束评论编辑
  onEndEditing = (text) => {
    this.uploadComment(text)
  // 上传评论
  uploadComment = async (text) => {
     let params = ";
     params+=("post_id=" + this.props.route.params.newsld + '&');
     params+=('comment_content=' + text + '&');
     params+=('to_user_id=' + this.state.toUserId + '&');
     params+=('comment_id=' + this.state.commentId + '&');
    let res = await httpApi.httpPostWithParamsStr("http://dd.shenruxiang.com/api/v1/
send_post_comment", params);
    if (res.status == 0) {
       this.refs.textInputRefer.clear();
       let newsld = this.props.route.params.newsld;
       this.fetchNewsCommentListData(newsld);
    } else {
       alert("网络异常! 请检查网络! ");
  }
  // 请求帖子详情
  fetchNewsData = async (newsld) => {
     let params = {
       post_id: newsld
    let res = await httpApi.getNewsData(params);
    if (res.status == 0) {
       this.setState({
         newsDetailData: res.data,
         toUserId: res.data.newsDetail.user.id,
       }):
    } else {
       alert("网络异常! 请检查网络! ");
  }
  onPraise = async (item) => {
    let params = ";
     params+=("post_id=" + this.props.route.params.newsld + '&');
     params+=('to_user_id=' + item.to_user_id + '&');
     params+=('comment_id=' + item.comment_id + '&');
```

软件名称: 叨叨 版本号: 1.0.0 页码: 40/60

```
let res = await httpApi.httpPostWithParamsStr('http://dd.shenruxiang.com/api/v1/
post_comment_praise', params);
    if (res.status == 0) {
       this.fetchNewsCommentListData(this.props.route.params.newsld);
       alert("网络异常! 请检查网络! ");
  }
  // 请求帖子评论列表数据
  fetchNewsCommentListData = async (newsld) => {
     let params = {
       post_id: newsld
    };
    let res = await httpApi.getNewsCommentListData(params);
    if (res.status == 0) {
       let newCommentList = [];
       for (let i = 0; i < res.data.length; i++) {
         newCommentList.push({title:res.data[i], data:(res.data[i].reply_list != null ?
res.data[i].reply_list : [])});
       this.setState({
         commentList: newCommentList.
         load: true
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  render() {
     if (!this.state.load) {
       return <LoadingView/>;
     return(
       <View style={qViewStyles.rootViewContainer}>
         <MyStatusBar/>
         <SafeAreaView style={styles.container}>
            <MyNavigationBar
              title={'帖子详情'}
              onClickBack={()=>{this.props.navigation.goBack();}}
            ></MyNavigationBar>
            <View style={styles.topContainer}>
              <SectionList
                 ListHeaderComponent={this.headerView}
                sections={this.state.commentList}
                renderItem={this.subCommentItemView}
                renderSectionHeader={this.commentItemView}
                 stickySectionHeadersEnabled={false}
                 keyExtractor={(item, index) => item + index}
              ></SectionList>
            </View>
            <View style={[styles.inputContainer, {marginBottom: this.state.keyboardHeight}]}>
              <TextInput underlineColorAndroid="transparent"
```

软件名称: 叨叨 版本号: 1.0.0 页码: 41/60

```
placeholder="输入评论内容"
                     ref='textInputRefer'
                     style={styles.input}
                     returnKeyType="send"
                     onSubmitEditing={(event)=>this.onEndEditing(event.nativeEvent.text)}>
              </TextInput>
              <TouchableOpacity>
                 <Image source={require('../source/xianggingfenxiang.png')}</pre>
style={styles.sharelcon}/>
              </TouchableOpacity>
            </View>
          </SafeAreaView>
       );
  };
  headerView = () => {
     return(
       <View style={styles.view2}>
          {this.userInfoltemView()}
         {this.newsInfoltemView()}
         <View style={styles.commentLine}></View>
         <BannerView
            onClickAd = {this.onClickAd}
            data={this.state.newsDetailData.adDetail.data}
         ></BannerView>
         {/*评论总数、点赞总数*/}
         <View style={styles.container7}>
            <Text style={[{color: '#666666'}, ]}>全部评论:
{this.state.newsDetailData.newsDetail.comment_num}</Text>
            <Text style={{color: '#666666'}, }}>点赞:
{this.state.newsDetailData.newsDetail.praise_num}</Text>
         </View>
         <View style={styles.bottomSegmentation}></View>
       </View>
    );
  userInfoltemView = () => {
     return(
       <View style={styles.userInfoContainer}>
         <TouchableOpacity>
            {/*<Image source={require('../source/未登陆.png')} style={styles.avatar}/>*/}
            <lmage source={{uri: this.state.newsDetailData.newsDetail.user.avatar}}</pre>
                style={styles.avatar}/>
          </TouchableOpacity>
         <View style={styles.userInfoContainer1}>
            <Text style={styles.userInfoText1}</pre>
>{this.state.newsDetailData.newsDetail.user.nick_name}</Text>
            <Text style={styles.userInfoText}
>{this.state.newsDetailData.newsDetail.user.created_at} 来自:
              {this.state.newsDetailData.newsDetail.user.phone model}</Text>
         </View>
         {this.state.newsDetailData.newsDetail.user_follow == null ? (<TouchableOpacity
onPress={async ()=>{
            let params = ('user id=' + this.state.newsDetailData.newsDetail.user.id + '&');
```

软件名称: 叨叨 版本号: 1.0.0 页码: 42/60

```
let res = await httpApi.httpPostWithParamsStr('http://dd.shenruxiang.com/api/v1/
user follow', params);
            if (res.status = 0) {
              let newsDetailData = this.state.newsDetailData;
              newsDetailData.newsDetail.user_follow = 1;
              this.setState({
                 newsDetailData: newsDetailData.
              });
              WToast.show({data: '关注成功!'});
            } else {
              alert("网络异常!请检查网络!");
         }}>
            < View style={[gTextStyles.textBack, {marginRight: 5}]}>
              <Text style={gTextStyles.text}> + 关注</Text>
            </View>
         </TouchableOpacity>) : (<View></View>)}
       </View>
    );
  };
  newsInfoItemView = () => {
     return(
       <View style={styles.newsInfoContainer}>
         <View style={styles.commentLine}></View>
         <Text style={styles.newsInfoText}
>{this.state.newsDetailData.newsDetail.user.post_content}</Text>
         {/*动态图片部分*/}
          <FlatList
            data={this.state.newsDetailData.newsDetail.source}
            renderItem={this.imgItemView}
            style={styles.newslmgList}
         <View style={styles.newsInfoContainer1}>
            <lmage source={require('../source/dingwei1.png')} style={styles.itemIcon}/>
            <Text>{this.state.newsDetailData.newsDetail.post_position}</Text>
          </View>
    );
  };
  imgltemView({ item }) {
    return (
       <View>
         <lmage source={{uri: item.src}} style={styles.newslmq}/>
         {/*<Image source={require('../source/banner.jpg')} style={gImageStyles.bannerImg}/>*/}
       </View>
    );
  commentItemView = ({ section: { title, data } }) => {
    let commentData = title;
     return(
       <View>
         <TouchableOpacity onPress={()=>{
```

软件名称: 叨叨 版本号: 1.0.0 页码: 43/60

```
this.setState({
              toUserId: commentData.user.id.
              commentId: commentData.id.
           this.refs.textInputRefer.focus();
            <View style={styles.commentContainer}>
              <Image source={{uri: commentData.user.avatar}} style={styles.img1}/>
                <View style={styles.commentContainer1}>
                   <View style={styles.commentContainer2}>
                     <Text style={styles.commentText}>{commentData.user.nick_name}</Text>
                     <TouchableOpacity onPress={() => this.onPraise(commentData)}>
                        <View style={gViewStyles.praiseView}>
                          {commentData.comment_priase != null ? (
                             <lmage source={require('../source/dianzanred.png')}</pre>
                                 style={styles.commentImg}/>
                          ): (<Image source={require('../source/dianzanblack.png')}
                                 style={styles.commentImg}/>
                          <Text style={styles.commentText2}>{commentData.praise_num}</
Text>
                        </TouchableOpacity>
                   </View>
                   <Text style={styles.commentText1}>{commentData.content}</Text>
                   <Text style={styles.commentText3}>{commentData.created_at}</Text>
                   <Text>回复Ta</Text>
                </View>
            </View>
            <View style={styles.commentLine}></View>
         </TouchableOpacity>
       </View>
    );
  };
  subCommentItemView = ({ item }) => {
    return(
       <View>
         <TouchableOpacity onPress={()=>{
           this.setState({
              toUserId: item.user.id.
              commentId: commentData.id,
           this.refs.textInputRefer.focus();
            <View style={styles.subCommentContainer}>
              <lmage source={{uri: item.user.avatar}} style={styles.img1}/>
                <View style={styles.commentContainer3}>
                   <View style={styles.commentContainer4}>
                     <Text style={styles.commentText}> {item.user.nick_name}</Text>
                     <TouchableOpacity onPress={() => this.onPraise(item)}>
                        <View style={gViewStyles.praiseView}>
                          {item.comment priase != null ? (
                             <lmage source={require('../source/dianzanred.png')}</pre>
                                 style={styles.commentImg}/>
                          ): (<lmage source={require('../source/dianzanblack.png')}
                                 style={styles.commentImg}/>
```

软件名称: 叨叨 版本号: 1.0.0 页码: 44/60

```
<Text style={styles.commentText2}>{item.praise_num}</Text>
                         </View>
                      </TouchableOpacity>
                    </View>
                    <Text style={styles.commentText1}>{item.user.nick_name} @
{item.to_user.nick_name}: {item.content}</Text>
                    <Text style={styles.commentText3}>{item.created_at}</Text>
                    <Text>回复Ta</Text>
                 </View>
            </View>
            <View style={styles.commentLine}></View>
          </TouchableOpacity>
     </View>);
}
const {width, height, scale} = Dimensions.get('window');
const styles = StyleSheet.create({
  container: {
     flex: 1,
     backgroundColor: 'white',
  topContainer: {
     flex: height - 40,
  newsInfoList: {
  },
  inputContainer:
     flexDirection: 'row',
     flex: 40,
     padding: 10,
     margin: 5,
     alignItems: 'center',
     backgroundColor: 'white',
  input: {
     flex: width - 70,
     height: 40,
     borderWidth: 1,
     borderColor: 'black',
     padding: 5,
     borderRadius: 10,
  sharelcon: {
     flex: 40,
     marginLeft: 10,
     color: 'white',
     width: 20,
     height: 20,
  avatar:
     flex: 60,
     height: 40.
     width: 40,
     margin: 5,
     borderRadius: 20,
```

```
userInfoContainer: {
  margin: 5,
  flexDirection: 'row',
  alignItems: 'center',
userInfoContainer1: {
  flex: width - 130,
userInfoText: {
  margin: 5,
  fontSize: 12,
  color: '#666666'
userInfoText1: {
  margin: 5,
userInfolmg: {
  flex: 60,
  width: 60,
  height: 40,
  margin: 5,
newsInfoContainer: {
},
newsInfoLine1: {
  height: 1,
  backgroundColor: '#C0C0C0',
adContainer: {
  margin: 5,
adlmg: {
  width: width - 10,
newsInfoLine: {
  height: 1,
  backgroundColor: "#C0C0C0",
newsInfoText: {
  margin: 10,
newsInfoContainer1: {
  margin: 5,
  flexDirection: 'row',
  alignItems: 'center',
commentLine: {
  margin: 5,
  height: 0.5,
  backgroundColor: "#D8D8D8",
commentContainer: {
  padding: 5,
  flexDirection: "row",
commentContainer1: {
  marginLeft: 5,
  marginRight: width - 70,
  justifyContent: 'center',
```

```
commentText: {
  color: '#1A1A1A'
commentText1: {
  margin: 5,
  flex: width - 150,
  color: '#333333'
commentContainer2: {
  width: width - 70,
  flexDirection: 'row',
  alignItems: 'center',
  justifyContent: 'space-between'
commentContainer3: {
  marginLeft: 5,
  marginRight: width - 70 - 44,
  justifyContent: 'center',
commentContainer4: {
  width: width - 70 - 44,
  flexDirection: 'row',
  alignItems: 'center',
  justifyContent: 'space-between'
commentImg: {
  width: 30,
commentText2: {
},
commentText3: {
  color: "#C0C0C0",
subCommentContainer: {
  padding: 5,
  flexDirection: "row",
  marginLeft: 44,
view2: {
  flex: 1,
line4: {
  height: 0.5.
  backgroundColor: '#D8D8D8'
img1: {
  height: 40,
  width: 40,
  margin: 5,
  borderRadius: 20,
bottomSegmentation: {
  height: 10,
  backgroundColor: gColor.grayLineColor
text10: {
  backgroundColor: '#FB5442',
  color: 'white',
  fontSize: 12,
  padding: 8,
```

```
软件名称: 叨叨
                                       版本号: 1.0.0
                                                                                页码: 47/60
    height: 30,
    width: 60,
    margin: 5,
  container7: {
    flexDirection: 'row',
    justifyContent: 'space-between',
    margin: 12,
});
PersonalInfo.is:
import React, { Component } from "react";
import {Text, View, StyleSheet, TouchableOpacity, Image, FlatList, Dimensions, SectionList,
SafeAreaView} from "react-native";
import httpApi from "../tools/Api";
import LoadingView from "../component/LoadingView";
import {gViewStyles} from "../style/ViewStyles";
import MyNavigationBar from '../component/MyNavigationBar'
import MyStatusBar from "../component/MyStatusBar";
import NewsView from "../component/news/NewsView"
// 个人详情页,注意与my页区分
// 需要传入userid
export default class PersonInfo extends Component {
  constructor(props) {
    super(props);
    this.state =
       personalData: [],
       albumData: [],
       attentionData: [],
       load: false.
       showType: 0, // 展示数据类型, 0: 资料部分, 1: 相册 2: 关注
       userld: null,
    };
  componentDidMount() {
    this.setState({
       userld: this.props.route.params.userld
    this.showNewsList();
  showNewsList = () => {
    this.setState({
       load: false,
       showType: 0,
    this.fetchPersonalData(this.state.userId);
  showalbum = () => {
    this.setState({
```

load: **false**, showType: 1,

软件名称: 叨叨 版本号: 1.0.0 页码: 48/60

```
});
  this.fetchAlbumData(this.state.userId);
showAttentioin = () => {
  this.fetchAttentionData();
// 点击关注
onClickAttention = (item) => {
  // 跳转个人详情
  this.setState({
     userId: item.to_user_id,
     personalData: [],
     albumData: [],
     attentionData: [],
  this.showNewsList();
// 请求个人数据
fetchPersonalData = async (userId) => {
  let params = {
     user_id: userId,
  let res = await httpApi.getPersonalData(params);
  if (res.status == 0) {
     this.setState({
       personalData: res.data,
       load: true
     });
  } else {
     alert("网络异常! 请检查网络! ");
}
// 请求相册数据
fetchAlbumData = async (userId) => {
  let params = {
     user_id: userId,
  let res = await httpApi.getAlbumData(params);
  if (res.status == 0) {
     let newAlbumArr = ∏;
     for (var key in res.data) {
       var value = res.data[key];
       let subAlbumArr = value;
       let dataArr = [{data:subAlbumArr}];
       newAlbumArr.push({title:key, data:dataArr});
     this.setState({
       albumData: newAlbumArr,
       load: true
     });
```

```
软件名称: 叨叨 版本号: 1.0.0 页码: 49/60
```

```
} else {
       alert("网络异常! 请检查网络! ");
  }
  // 请求关注列表
  fetchAttentionData = async() => {
     let params = {
    };
    let res = await httpApi.httpPost("http://dd.shenruxiang.com/api/v1/user follow list",
params);
    if (res.status == 0) {
       this.setState({
         attentionData: res.data,
         showType: 2,
         load: true
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  render() {
    if (this.state.load == false) {
       return <LoadingView></LoadingView>
     return(
       <View style={{ flex: 1, backgroundColor: 'white' }}>
         <MvStatusBar/>
         <SafeAreaView style={gViewStyles.rootViewContainer}>
            <MyNavigationBar
              title={'个人信息'}
              onClickBack={()=>{this.props.navigation.goBack();}}
            ></MyNavigationBar>
            <View style={styles.itemContainer1}>
              {/*有头像的部分*/}
              <View style={styles.container2}>
                 <Image source={{uri: this.state.personalData.user info.avatar}}</pre>
                     style={styles.img1}/>
                 <View style={styles.container3}>
                   <Text style={styles.text1}>{this.state.personalData.user_info.nick_name}</
Text>
                   <Text style={styles.text2}>签名: {this.state.personalData.user_info.desc}</
Text>
                   <Text style={styles.text3}>粉丝: {this.state.personalData.user_info.fan_num}
关注: {this.state.personalData.user info.follow num}</Text>
                 </View>
              </View>
              <View style={styles.container4}>
                 <TouchableOpacity onPress={this.showNewsList}>
                   <Text style={styles.text4}>资料</Text>
                   {this.state.showType == 0 ? (<View style={gViewStyles.scrollBarBottomLine2}
></View>) : (<View></View>)}
```

软件名称: 叨叨 版本号: 1.0.0 页码: 50/60

```
</TouchableOpacity>
                 <TouchableOpacity onPress={this.showalbum}>
                   <Text style={styles.text4}>相册</Text>
                   {this.state.showType == 1 ? (<View style={gViewStyles.scrollBarBottomLine2}
></View>): (<View></View>)}
                 </TouchableOpacity>
                 {/*<TouchableOpacity onPress={this.showAttentioin}>*/}
                   {/*<Text style={styles.text4}>关注</Text>*/}
                   {/*{this.state.showType == 2 ? (<View
style={gViewStyles.scrollBarBottomLine2}></View>): (<View></View>)}*/
                 {/*</TouchableOpacity>*/}
              </View>
              <View style={styles.line5}></View>
            </View>
            {this.listView()}
            <View style={styles.container6}>
              <Image source={require('../source/privateChat.jpg')} style={styles.img2}/>
              <Image source={require('../source/attention.jpg')} style={styles.img2}/>
            </View>
          </SafeAreaView>
       </View>
  };
  listView = () => {
    if (this.state.showType == 0) {
       // 资料
       return(
         <FlatList
            extraData={this.state}
            style={styles.container}
            data={this.state.personalData.post list}
            renderItem={({item})=>(<NewsView
               onClickNews={()=>{
                 let params = {
                    newsld: item.id,
                 this.props.navigation.navigate('NewsDetail', params);
               data={item}
             ></NewsView>)}
            ListHeaderComponent={this.topView}
    } else if (this.state.showType == 1) {
       // 相册
       return(<SectionList
         style={styles.sectionList1}
         stickySectionHeadersEnabled={false}
         ListHeaderComponent={this.topView}
         sections={this.state.albumData}
         renderItem={this.albumItemView}
         renderSectionHeader={this.albumHeaderItemView}
```

软件名称: 叨叨 版本号: 1.0.0 页码: 51/60

```
renderSectionFooter={()=><View style={styles.line3}></View>}
          ></SectionList>);
      } else {
          // 关注
          return(<FlatList
              extraData={this.state}
              data={this state attentionData}
              renderItem={this.attentionItemView}
              style={gViewStyles.flatList}
          />);
   }
   topView = () => {
       return(
          <View style={gViewStyles.viewContainer2}>
                  this.state.showType != 2 ? (<View style={styles.container5}>
                     <Text style={styles.text5}>性别: {this.state.personalData.user_info.sex}</Text>
                     <Text style={styles.text5}>星座: 摩羯座</Text>
                     <Text style={styles.text5}>感情状况: 单身</Text>
                     <Text style={styles.text5}>出生日期: 2000-01-01</Text>
                     <Text style={styles.text5}>职业: 互联网-电子工程</Text>
                     <Text style={styles.text5}>注册地点: {this.state.personalData.user_info.province}-
{this.state.personalData.user info.city}</Text>

    </
           </View>
      );
   attentionItemView = ({item}) => {
       return(
          <View>
              <TouchableOpacity onPress={()=>this.onClickAttention(item)}>
                  <View style={styles.line}></View>
                  <View style={styles.msgContainer}>
                      <lmage source={{uri: item.to_user.avatar}} style={styles.avatar}/>
                     <View style={styles.msgSubContainer}>
                         <View style={styles.mesSubContainer}>
                             <Text style={styles.attentionNickNametext}>{item.to_user.nick_name}</Text>
                         <View style={styles.mesSubContainer1}>
                             <Text style={styles.attentiontext1}>你关注了Ta! </Text>
                         </View>
                     </View>
                  </View>
              </TouchableOpacity>
          </View>
      );
   newsItemView = ({ item }) => {
       return(
```

软件名称: 叨叨 版本号: 1.0.0 页码: 52/60

```
<View style={styles.itemContainer2}>
         <Text style={styles.text5}>{item.created at}</Text>
         <View style={styles.line2}></View>
         <Text style={styles.text6}>{item.post_content}</Text>
         {/*<lmage source={{uri: item.src}} style={styles.newslmg}/>*/}
         {/*<Image source={require('../source/广告4.jpg')} style={styles.newslmg}/>*/}
         {/*动态图片部分*/}
         <FlatList
            data={item.source}
            renderItem={this.newsImgItemView}
            style={styles.newslmgList}
            numColumns={2}
         <View style={styles.bottomContainer}>
            <View style={styles.bottomTopContainer}>
              <lmage source={require('../source/dingwei1.png')} style={styles.itemIcon}/>
              <Text>{item.post_position}</Text>
            </View>
            <View style={styles.segmentation}></View>
            <View style={styles.bottomBottomContainer}>
              <View style={styles.bottomBottomSubContainer}>
                 <lmage source={require('../source/fenxiang.png')} style={styles.itemIcon}/>
                 <Text>{item.share num}</Text>
              </View>
              <View style={styles.bottomBottomSubContainer}>
                 <Image source={require('../source/pinglun1.png')} style={styles.itemIcon}/>
                 <Text>{item.comment num}</Text>
              </View>
              <TouchableOpacity onPress={()=>this.onPraise(item)}>
                 <View style={styles.bottomBottomSubContainer}>
                   <lmage source={require('../source/dianzanblack.png')} style={styles.itemIcon}/</pre>
>
                   <Text>{item.praise num}</Text>
                 </View>
              </TouchableOpacity>
            </View>
         </View>
       </View>
    );
  }:
  albumItemView = ({item}) => {
     return (
       <View style={styles.view1}>
         <FlatList
            data={item.data}
            renderItem={this.imgItemView}
            numColumns={3}
         </FlatList>
       );
  imgltemView = ({item}) => {
     return(
       <View>
```

```
<lmage source={{uri: item.src}} style={styles.albumlmg}/>
        </View>
     );
  albumHeaderItemView = ({section}) => {
     return(
        <View>
          <Text style={styles.text8}>{section.title}</Text>
        </View>
     );
  newsImgItemView({ item }) {
     return (
        <View>
          <lmage source={{uri: item.src}} style={styles.newslmgs}/>
        </View>
     );
}
const {width, height, scale} = Dimensions.get('window');
const styles = StyleSheet.create({
  superContainer: {
     flex: 1,
  container: {
     // backgroundColor: '#FB5442',
  itemContainer1: {
     backgroundColor: '#FB5442',
  container2: {
     flexDirection: 'row',
     alignItems: 'center',
  img1: {
     height: 50,
     width: 50,
     margin: 10.
     borderRadius: 25,
  container3: {
     margin: 10,
  text1: {
     color: 'white',
     fontSize: 18,
  text2: {
     color: 'white',
     marginTop: 5,
     marginBottom: 5,
  text3: {
     color: 'white',
  container4: {
```

```
padding: 5,
  flexDirection: 'row',
  backgroundColor: 'white',
  alignItems: 'center',
text4: {
  margin: 5,
  fontSize: 17,
container5: {
  marginTop: 1,
  backgroundColor: 'white',
  padding: 10,
itemContainer2: {
  marginTop: 5,
  backgroundColor: 'white',
text6: {
  padding: 10,
line2: {
  height: 1,
  backgroundColor: gColor.grayLineColor,
bottomTopContainer: {
  marginTop: 5,
  height: 30,
  marginLeft: 5,
  flexDirection: 'row',
  alignItems: 'center'
segmentation: {
  marginTop: 5,
  marginLeft: 10,
  marginRight: 10,
  height: 1,
  backgroundColor: gColor.grayLineColor
bottomBottomContainer: {
  height: 40,
  marginLeft: 10,
  marginRight: 10,
  marginTop: 5,
  marginBottom: 5,
  flexDirection: 'row',
  alignItems: 'center',
  justifyContent: 'space-between'
itemIcon: {
  marginTop: 2,
  marginBottom: 2,
  marginLeft: 2,
  marginRight: 2,
  height: 30,
  width: 30,
bottomBottomSubContainer: {
  flexDirection: 'row',
  alignItems: 'center',
```

```
img2: {
  height: 30,
  width: width/2 - 100,
container6: {
  padding: 10,
  backgroundColor: 'white',
  height: 40,
  flexDirection: 'row',
  justifyContent: 'space-around',
  alignItems: 'center',
line3: {
  height: 10,
  backgroundColor: '#F2F2F2'
line5: {
  height: 0.5,
  backgroundColor: '#F2F2F2',
sectionList1: {
},
text8: {
  color: '#333333',
  fontSize: 11.5,
  marginTop: 10,
  marginLeft: 11,
view1: {
  flex: 1,
newslmg: {
  width: (gScreen.screen_width - 20) / 2,
  height: (gScreen.screen_width - 20) / 2,
  margin: 5,
  borderRadius: 5,
albumlmg: {
  width: (gScreen.screen_width - 30) / 3,
  height: (gScreen.screen_width - 30) / 3,
  margin: 5,
  borderRadius: 5,
attentionNickNametext: {
  fontSize: 17,
attentiontext1: {
  color: gColor.orangeTextColor,
msgContainer: {
  flexDirection: 'row',
  alignItems: 'center',
  height: 60,
avatar: {
  borderRadius: 27,
  width: 54,
  height: 54,
  marginLeft: 10,
```

```
软件名称: 叨叨
                                         版本号: 1.0.0
                                                                                   页码: 56/60
  msgSubContainer: {
     width: width - 100,
     marginLeft: 7,
  newslmgs: {
     marginTop: 2,
     marginBottom: 2,
     marginLeft: 2,
     marginRight: 2,
     width: width/2 - 5.
     height: width/2 - 5,
});
Search.js:
import React, { Component } from "react";
import { FlatList, View, TouchableOpacity, Image, TextInput, SafeAreaView } from "react-native";
import {glmageStyles} from "../style/ImageStyles";
import {gViewStyles} from "../style/ViewStyles";
import MyStatusBar from "../component/MyStatusBar";
import {gTextStyles} from "../style/TextStyles";
import BannerView from "../component/BannerView"
import NewsView from "../component/news/NewsView"
import httpApi from "../tools/Api";
import LoadingView from "../component/LoadingView";
export default class Search extends Component {
  constructor(props) {
     super(props);
    this.state = {
       searchList: \(\Pi\).
       load: false
    };
  componentDidMount() {
     this.fetchSearchData(this.props.route.params.search)
  }
  onEndEditing = (text) => {
     this.fetchSearchData(text)
  }
  // 搜索接口
  fetchSearchData = async (text) => {
     let params = {
       search: text,
    let res = await httpApi.getNewsList(null);
    if (res.status == 0) {
       this.setState({
          searchList: res.data.data,
          load: true
```

```
软件名称: 叨叨
                                       版本号: 1.0.0
                                                                                 页码: 57/60
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  render() {
    if (!this.state.load) {
       return <LoadingView/>;
    return (
       <View style={qViewStyles.rootViewContainer}>
         <MyStatusBar></MyStatusBar>
         <SafeAreaView style={gViewStyles.rootViewContainer}>
           <View style={gViewStyles.view3}>
              {/*返回*/}
              <TouchableOpacity onPress={()=>{this.props.navigation.goBack();}}>
                <View style={gViewStyles.backView}>
                   <lmage source={require('../source/fanhui.png')}</pre>
style={glmageStyles.leftArrow}/>
                </View>
              </TouchableOpacity>
              {/*搜索框*/}
              <View style={gViewStyles.searchView}>
                <Image source={require('../source/sousuo.png')} style={glmageStyles.avatar}/>
                <TextInput underlineColorAndroid="transparent" placeholder="搜索你想要的内
容" placeholderTextColor={'#999999'}
                       style={gTextStyles.searchTextInput}
                       onSubmitEditing={(event)=>this.onEndEditing(event.nativeEvent.text)}>
                   {this.props.route.params.search}
                </TextInput>
              </View>
           </View>
           {/*搜索结果列表*/}
           <FlatList
              data={this.state.searchList}
              renderItem={this.newsListItemView}
         </SafeAreaView>
       </View>
    );
  newsListItemView = (item) => {
    if (item.item.is_adv) {
       return(<BannerView
         onClickAd = {this.onClickAd}
         data={item.item.data}
       ></BannerView>);
    } else {
       return (
```

<NewsView

onClickAvatar = {this.onClickAvatar}

onClickNews={this.onClickNews}

data={item.item.data}

软件名称: 叨叨 版本号: 1.0.0 页码: 58/60

```
isShowPersonInfo={true}
         ></NewsView>
       );
  };
Type.js:
import React, { Component } from "react";
import { Text, View, SafeAreaView, FlatList, TouchableOpacity, DeviceEventEmitter } from "react-
native";
import MyStatusBar from '../component/MyStatusBar'
import MyNavigationBar from '../component/MyNavigationBar'
import {gViewStyles} from "../style/ViewStyles";
import httpApi from "../tools/Api";
import {gTextStyles} from "../style/TextStyles";
export default class Type extends Component {
  constructor(props) {
     super(props);
    this.state = {
       data: [], // 动态分类数据
    };
  componentDidMount() {
     this.fetchTypeData();
  fetchTypeData = async () => {
     let res = await httpApi.httpPostWithParamsStr("http://dd.shenruxiang.com/api/v1/
post_cate_list", null);
    if (res.status == 0) {
       this.setState({
         data: res.data,
       });
    } else {
       alert("网络异常! 请检查网络! ");
  }
  onClickItem = (item) => {
    //调用事件通知 param是指传递的相应参数
    DeviceEventEmitter.emit('updateType', item);
    this.props.navigation.goBack();
  render() {
     return (
       <View style={gViewStyles.rootViewContainer}>
         <MyStatusBar></MyStatusBar>
         <SafeAreaView>
            <MyNavigationBar
              title={'动态分类'}
```

软件名称: 叨叨 版本号: 1.0.0 页码: 59/60

```
onClickBack={()=>{this.props.navigation.goBack();}}
            ></MyNavigationBar>
            <FlatList
              extraData={this.state}
              data={this.state.data}
              renderItem={({item})=>(
                 <TouchableOpacity onPress={()=>this.onClickItem(item)}>
                   <View style={gViewStyles.line}></View>
                   <View style={gViewStyles.itemView}>
                      <Text style={gTextStyles.nickNameText}>{item.name}</Text>
                   </View>
                   <View style={gViewStyles.segmentation}></View>
                 </TouchableOpacity>
              style={gViewStyles.flatList}
         </SafeAreaView>
       </View>
    );
}
WebPage.js:
import React, { Component } from "react";
import { Text, View, SafeAreaView } from "react-native";
import MyStatusBar from '../component/MyStatusBar'
export default class WebPage extends Component {
  render() {
     return (
       <View>
         <MyStatusBar></MyStatusBar>
         <SafeAreaView>
            <WebView
              source={{uri: this.props.route.params.url}}
         </SafeAreaView>
       </View>
    );
}
Api.js:
import http from './Http';
// promise的封装操作
function to(promise){
  return promise
     .then(data => {
       return [null, data];
    })
     .catch(err => [err]);
}
```

软件名称: 叨叨 版本号: 1.0.0 页码: 60/60

```
const httpApi={
  async httpPost(url, params) {
     const [err, res] = await to(http.post(url, params));
    if (err) {
       //请求失败
       return Object.assign(err, {
         status: "406",
         description: err.errMsg
       }, true);
    //请求成功
    return res;
  },
  async httpPostWithParamsStr(url, paramsStr) {
     const [err, res] = await to(http.postWithStr(url, paramsStr));
    if (err) {
       //请求失败
       return Object.assign(err, {
         status: "406",
         description: err.errMsg
       }, true);
    //请求成功
     return res;
  },
  // 获取新闻分类列表
  async getNewsTypeList(params) {
     const url = 'http://dd.shenruxiang.com/api/v1/post_cate_list';
     const [err, res] = await to(http.post(url, params));
    if (err) {
       //请求失败
       return Object.assign(err, {
         status: "406",
         description: err.errMsg
       }, true);
    //请求成功
    return res;
  },
export default httpApi;
```