




Title			
Size A4	Number		Revision
Date:	2015/8/30	Sheet of	
File:	G:\	\\.\EEPROM.SchDoc	Drawn By:




Title			
Size	Number		Revision
A4			
Date:	2015/8/30		Sheet of
File:	G:\ \.LED.SchDoc		Drawn By:




Title			
V0.0.1			
Size	Number		Revision
A4			
Date:	2015/8/30		Sheet of
File:	G:\MAIN.SchDoc		Drawn By:











Title			
Size	Number		Revision
A4			
Date:	2015/8/30		Sheet of
File:	G:\ \MS5611.SchDoc		Drawn By:




Title		
Size	Number	Revision
A4		
Date:	2015/8/30	Sheet of
File:	G:\	Drawn By:




Title			
Size	Number		Revision
A4			
Date:	2015/8/30		Sheet of
File:	G:\ \RT9193.SchDoc		Drawn By:




Title		
Size	Number	Revision
A4		
Date:	2015/8/30	Sheet of
File:	G:\	\\STM32 PWM.SchDoc Drawn By:







Title			
Size	Number		Revision
A4			
Date:	2015/8/30	Sheet of	
File:	G:\	\\STM32 USB.SchDoc	Drawn By:




Title			Revision
STM32F4			V0.0.1
Size	Number		
A3			
Date:	2015/8/30	Sheet of	
File:	G:\STM32F407.SchDoc	Drawn By:	





Title		
Size	Number	Revision
A4		
Date:	2015/8/30	Sheet of
File:	G:\\\USART1.SchDoc	Drawn By:







Title		
Size	Number	Revision
A4		
Date:	2015/8/30	Sheet of
File:	G:\\\USART2.SchDoc	Drawn By:











Comment	Description	Designator	Footprint	LibRef	Quantity
2.2uF/ 0603	无极性贴片电容	C1, C2	C0603	CAP	2
10uF/ 0805	无极性贴片电容	C3	C0805	CAP	1
0.1uF/ 0603	无极性贴片电容	C4, C5	C0603	CAP	2
104/ 0603	无极性贴片电容	C6, C7, C8, C9, C10, C11, C18, C24	C0603	CAP	8
22p/ 0603	无极性贴片电容	C12, C13	C0603	CAP	2
0.1uF	无极性贴片电容	C14, C16	C0603	CAP	2
10nF	无极性贴片电容	C15	C0603	CAP	1
10uF/ 0603	无极性贴片电容	C17	C0603	CAP	1
22uF/ 1206	无极性贴片电容	C19, C21	C1206	CAP	2
104/ 0603	无极性贴片电容	C20, C22, C23	C1206	CAP	3
LED		D1, D2, D3, D4, D5, D6, D7, D8, D9	LED0805	LED	9
NSMD050	Ferrite Beads Inductors Impedance:120Ω± 25% Rated Current:1500mA DC Resistance:0.095Ω	FB1	R1206	FB	1
SW-PB		K1	SW-PB-A1	SW-PB	1
Header 4H	Header, 4-Pin, Right Angle	P1	HDR1X4H	Header 4H	1
Header 2X2H	Header, 2-Pin, Dual row, Right Angle	P2	HDR2X2H	Header 2X2H	1
Header 8	Header, 8-Pin	P3, P5	HDR1X8	Header 8	2
Header 8X2	Header, 8-Pin, Dual row	P4, P6	HDR2X8	Header 8X2	2
Header 4	Header, 4-Pin	P11, P12	HDR1X4	Header 4	2
Header 4X2	Header, 4-Pin, Dual row	P13	HDR2X4	Header 4X2	1
排阻		PR1, PR2, PR3, PR4, PR5, PR6	8P4R-0603	RES*4	6
S8550		Q1	SOT-23	S8550	1
10R/0603		R1	R0603	RES	1
10K/ 0603		R2, R4, R7, R8, R9, R10, R12, R16	R0603	RES	8
1M/ 0603		R3	R0603	RES	1
0R/0603		R5	R0603	RES	1
0R/0603		R6	R0402	RES	1
RES		R11	R0603	RES	1
1.5K/ 0603		R13	R0603	RES	1
22R/ 0603		R14, R15	R0603	RES	2
STM32F407	STM32F407VGT6	U1	LQFP100-N	STM32F4	1
MPU9250		U2	QFN24	MPU9250	1
MS5611	barometer	U3	MS5611	MS5611	1
RT9193	RT9193-1.2, RT9193-1.8, RT9193-3.3	U4	SOT-23-5	RT9193	1
EEPROM	EEPROM	U5	SOP8	24CXX	1
USB-Mini		USB1	USB-Mini	USB-Mini	1
XTAL		Y1	XTAL-3225	XTAL	1