

JJumboFX Time-Based Ranges

Findings, upgrades, and operating rules distilled from @JJumboFX posts, replies, chart screenshots, and public TradingView pages.

This document does **not** reproduce the two manuals you already have. Those stay separate. What follows is everything that lives in the public stream — including the things he draws and never names — plus a tighter version of the same machine.

*Not financial advice. Stats below are **his published numbers** unless marked as an inference from a screenshot. P-zone internals and some lookbacks remain unpublished.*

Compiled 2 September 2026 · Account @JJumboFX · NQ-first, portable to ES / YM / RTY / GC / CL / SI

Contents

1. What the public record actually says
2. The portable machine (not just 6–9)
3. Core sequence — the only diagram that matters
4. Range catalog from posts and charts
5. Classification layer (the 2026 edge)
6. Levels he actually trades
7. P-zones, rebuilt without the black box
8. Profiles: VP, delta profile, range profile, footprint
9. Prints, absorption, and what the bubbles are
10. Session rotation and unfinished business
11. Instruments and open times
12. Time windows and the 9:40 cluster
13. Entries, flips, and management leaks
14. What to discard (old / weak / cargo-cult)
15. Upgraded daily brief and checklist
16. Replication spec (no paid script required)
17. Source map — which posts built which rule
18. Still unpublished / do not invent

1. What the public record actually says

JJumbo presents as an NQ futures day trader who productized a time-based range. The bio is the thesis: “Time-Based Ranges | 6-9 range ideator.” The 6–9 box is the SKU. The operating system underneath is larger.

Three sentences from him do more work than most threads:

“Context — location — confirmation.” (28 Aug 2026 recap)

“Same principles, same logic, different times of action.” (13 Oct 2025, London range week)

“Almost any time window between 5am and 9am will behave similarly, that’s not a wheel rediscovery.” (27 Aug 2026)

He is a reversal trader first. Continuation is allowed only after the overnight (or the prior session) has already done the stop-hunt work. He ends most A+ NY days in the first 20 minutes. He posts both +140 and –60 sessions. Management, not level selection, is the leak he names on losing days (“diabolical BEs”).

Public tools named on X / TradingView: SDRange+ (later SDRange+²), SessionStat+, Absorption Zone+, PD RTH Range+, P-zones, 3-day liquidity map. Execution screenshots in 2026 are mostly NinjaTrader: RTH-scoped volume profile, delta profile, footprint, BigTrades bubbles.

2. The portable machine (not just 6–9)

Treat every session as the same four-step loop.

- 1. Build.** A clock window prints a high, low, open, mid, 25/75.
- 2. Classify.** Size, balance vs imbalance, which edge is still clean, where the next session opens versus prior-day value, whether sister indices already hunted the same side.
- 3. Trade the next clock.** Either fade a sweep (Judas / double) or participate in a single break from mid / open / quadrant. The “open analog” is 09:30 for NY, ~03:00 for London, 08:20 for gold, 09:00 for crude.
- 4. Confirm at location.** Wick / 3-candle reclaim, absorption or delta taper, VP shelf, P-zone, leftover session high/low, SessionStat envelope. One of these alone is not a trade.

If you only run 06:00–09:00 into 09:30 NY, you are running one costume. Weeks exist where he says London is the cleaner move and NY AM is leftover draw. Weeks exist where he is in gold on Sunday using RTH range + 18:00 P-zones. The machine does not change.

3. Core sequence — the only diagram that matters

3 Oct 2025 post: “easiest sequence to spot when trading ranges” / follow-up “look it up on your chart — #NQ #ES #YM.” The cartoon is the model. It is index-agnostic.




Figure. Core sequences — single break (left) vs sweep-then-reverse (right). Red = untouched edge. Blue = swept edge. Green OP = range open.

Left — single break. One edge taken, opposite edge still red/clean. Price breaks, returns to range open (OP), continues in the break direction. Open is an entry magnet, not a fade. Mid of the range is the other common entry (27 Jul 2026: “single break behaviour through A period, range mid provided the entry area”).

Right — Judas / double. One edge swept (blue), opposite edge still clean (red) = the draw. Sweep extends to exhaustion (−0.5 / mean-reversal / P-zone), then reverses through mid toward the untouched edge.

Upgrade: decide which cartoon you are in before 09:30 (or 03:00), from overnight size + balance + whether Asia/London edges still exist. Do not decide from the first 3-minute candle.

4. Range catalog from posts and charts

4.1 NY 06:00–09:00 into cash open

The productized box. Build 06:00–09:00 ET. Trade 09:30 with a statistical cluster at 09:40–09:50. He flattens A+ days by ~10:00 unless the day is expansive. 30 Jan 2025 stats post coordinates “based on the 06:00–09:00 range and its levels.”

4.2 London TBR into 03:00

13 Oct 2025: “past couple of weeks London range... cycle where London gives cleaner moves in relation to NY AM.” Charts mark a full high/low/EQ/25/75 box finishing into 03:00, a dashed line at 03:00 (London open analog), and a second dashed line at 06:00 (handoff to the 6–9 build). 5 Jun 2026: “London range exhaustion (1.33–1.66) longs.” 23 May 2025: “London H4 stats + absorption zone at the reversal.” Someone asked if he uses time models or the stat session for London — he uses both the London TBR and a 4-hour / London SessionStat overlay.



Figure. London TBR with 03:00 and 06:00 dashed lines — same internals as 6–9.

Exact London build start is never pinned the way 6–9 is. Charts are consistent with a box that ends at 03:00, not with only a 03:00–03:30 micro opening range.

4.3 Asia / midnight as live liquidity, then as the NY draw

SDRange “does Asia, London, New York, plus any custom time” (4 Nov 2025 reply). NY recaps treat leftover Asia/London highs and lows as the target after a 09:40 reverse: “textbook longs after 9:40 to London/Asia highs” (30 Dec 2025); “unfinished business at London highs” (18 Nov 2025); “10 am p-zone > london low” (2 Jan 2026). Lines stay until purged, then they are done.

4.4 09:00–12:00 statistical envelope (SessionStat)

Not a trade clock. A target map. 6 Jul 2026: “range exhaustion levels and 9–12 statistical session boundaries both meeting up nicely.” A+ when today’s $-0.5 / 1.33$ sits on the 9–12 average/median extreme. SessionStat public page: custom sessions (up to four), or fixed 15m / 1H / 4H / Daily / Weekly; lookback configurable; simple or weighted average; expected high/low plus expansion. “London H4 stats” is this overlay on a 4-hour / London window.

4.5 15-minute (sometimes 5-minute) opening range — mid only

He said he does not really use classic ORs. 16 Jul 2026: “two retracement-to-mid stats at play from the lows, 6–9 range and 15m OR” — and he still went one-and-done without taking the mid long. 19 May 2026: “don’t really use ORs that much, i sometime use the 5m OR for reference or the 15m... in that chart is a time based range.”

4.6 Prior-day RTH and “in value / in range”

28 Jul 2026 reply: “RTH open location in relation to previous day value/range and the current day 6–9.” 10 Jul 2026: “expected mean reversion day... RTH open inside previous day value/range, scalping territory, continuation trades got rekt.” 28 Aug 2026 A+ list: “range double break expectancy (in value/in range).” This is Dalton-style location, not a holy premium/discount box. The PD RTH product later grew a premium/discount feature; treat that as optional paint, not the edge. Location vs prior-day value is the part that keeps showing up in recaps.

4.7 Lunch / PM / MOC

Lunch is a documented leak. 12 Jun 2026: caught the morning shorts range-high to range-low, “gave it all back during lunch trying to reach a daily target,” then next London session 3/3 for 354. AM expansion days often become PM consolidation.

Compressed AM can become PM expansion. 1.33–1.66 of the morning range is the fork he watches for that decision. He does not treat lunch as an A+ clock.

4.8 Metals / energy clocks

26 Aug 2026 reply: “GC open: 8:20am / CL open: 9:00am.” 16 Nov 2025: “Gold on Sunday open — RTH range and 6pm P-zones +23.” Do not clone 09:30 onto gold.




Figure. Gold Sunday — grey P-zone boxes at distance bands, EQ, RTH range. This is what a P-zone looks like when he does not name it.

5. Classification layer (the 2026 edge)

The naive read of early 2025 posts is “always fade 6–9 at 09:40.” Later posts are a filter on that idea.

5.1 Range size

8 Jun 2026, with VP + footprint attached: at ~1.2% range size, very low chance of double break; combined single-break (only high or only low) > 74% across his sample; retrace to midpoint still ~60.4%. 27 Aug 2026: small ranges that print a high double-break percentage are usually skewed samples — “most of it isn’t applicable as edge.” Base rate he published: “~45% of pre market ranges do in fact single break during AM. Don’t be surprised if your breakout isn’t failing.”

5.2 Balance vs imbalance

27 Aug 2026: “Balanced — imbalanced overnight matters.” 7 Jul 2026: “simple notion taken from Dalton’s book on market profiling... identifying range break behaviour (single/double) with a pretty good probabilistic %.” Balanced overnight + open inside prior-day value → mean-reversion / failed-break bias. Imbalanced / already-purged overnight + open outside value → discard mean reversion. 28 Jul 2026: “discard mean reversion and range double breaks when these things align. +138.”

5.3 IB-stat cargo cult

26 Aug 2026: “IB stats have been performing poorly recently. There was never sustainable edge... curve fit or not enough data sample. Don’t be fooled by it.” Use *this* day’s 6–9 size + balance + prior-day location, not a generic “IB always fades.”

Upgrade: a one-line classifier before the open.

Input	Toward Judas / fade	Toward single break / trend
Range size	Mid-sized, not tiny, not already extended	~1.2%+ of price or already stretched overnight
Overnight shape	Balanced, both edges still meaningful	Already hunted / single-print / RS divergence done
RTH open vs PD value	Inside prior-day value/range	Outside value, accepting
Sister indices	Same side still live on ES/YM	One index already purged, others lag
Double-break expectancy	In-value + in-range print supports fade	Table says single-break dominates
9:40–9:50 job	Reversal window	Continuation / add, not a fade

6. Levels he actually trades

From charts and captions, not from a settings dump.

Level	Job on a fade day	Job on a single-break day
TBR high / low	Sweep magnet, then invalidation	First target; often enough
Range open (OP)	Reclaim after sweep = confirmation	Pullback entry after the break
EQ / mid	Pass-through toward clean edge	Primary entry (absorption often sits here)
25 / 75	Inner structure	Expansion entries after overnight already purged
–0.5 / mean-reversal	A+ fade location (86.46% of his 9–12 reversals tagged here)	Usually off the table
1.0 projection	Extension if fade becomes trend the other way	First stretch target
1.33–1.66 band	AM/PM fork: continue AM or reverse the whole morning	PT / flatten area (“just math”)
SessionStat 9–12 H/L	Confluence if it sits on –0.5 / P-zone	Expected AM vol cap
Asia / London H/L	Draw after NY fade	Already gone if overnight purged
P-zone	Location filter on the above	Location filter on the above
15m OR mid	Optional second mid-retrace stat	Optional add
Daily high/low	Cycle-2 target after 10:00 continuation	Stretch target on trend days
VP LVN / HVN shelf	Unspoken box — level must sit on one	Absorption at mid HVN, taper at extreme

On 1.33–1.66 he is blunt (25 Nov 2025): “some will look to the left across all time-frames trying to justify why... it’s not random, just math.” A later reply called someone else’s running fibs “another form of fibs but dynamic tho not projected from a static time based range — good confluence.” Static TBR projections stay primary.

Public TradingView note on SDRange: 1.33–1.66 comes from a “rule of thirds” idea about fund flatten zones. Retrace to range open after a sweep is described there as a high-hit-percentage event. That is a vendor page claim, not a table he posted.

7. P-zones, rebuilt without the black box

28 Dec 2025, answering “what are P-zones?”:

“P-Zone is just the name i gave it. It’s a number of things that define areas of support/resistance based on distances that are filtered by volume and volatility. Each ticker has its own zone.”

TradingView changelog (public): fixed distance; volatility and volume filtered; multi-ticker; auto-learning lookback on previous N sessions; custom session times; used as exhaustion and as S/R for reversals.

How he points at them on X, never lectured: “9:30 pzone,” “10am pzone,” “10 am p-zone > london low,” “9am p-zones,” gold “6pm P-zones,” “one and done on the early fade... P-zone + low > range open. Full reversal during 9:40–9:50.”

Upgrade — approximate engine you can actually run:

Anchor a session (6–9, London into 03:00, RTH, 18:00). Measure distance bands from open and from mid that kept reacting over the last N similar-vol sessions. Keep a band only if realized range and session volume of those lookback days sit near today (drop the band on a holiday tape). Overlay session VP: keep the band if it sits on an HVN or on the shelf next to an LVN. That stack — distance + vol regime + volume node — is the public definition. The unpublished part is only the exact auto-learn weights.

A lone P-zone in air, with no TBR level and no node, is not his trade. On 2 Jan 2026 the fade was P-zone and 6–9 low above range open.

8. Profiles: VP, delta profile, range profile, footprint

16 Jul 2026, asked what the right-side profile is:

“Just RTH session VP and delta profile.”

He scopes profiles to the session under study. For NY execution that is RTH, not a full ETH composite. A separate reply corrected “volume profile” to “range profile*” — profile of the range, not a generic day blob.

Screenshot grammar:

Right-side histogram = session VP. Fat node = HVN / balance. Thin slot = LVN. He draws a rectangle on the thin slot or on the shelf beside the fat node and parks a TBR level there. He almost never types “LVN.”

Delta profile = aggressive buy vs sell leftover at that price. Midpoint absorption = two-sided delta, price not leaving.

Taper at the low = selling dries up into the TBR low / -0.5.

Footprint: “only highlighting top 35% of transactions.” Yellow boxes on stacked prints at a level = the OF confirmation.

POC migrates by timeframe. 26 Mar 2026: “surely cause of time frames, on M2 the poc is on the upper side. trading view OF tools are dog water.” Use a real OF platform if you are going to lean on POC.




Figure. 8 Jun 2026 — boxed node / absorption at range mid, VP on the right. Caption talked about 1.2% range size and 74% single-break.




Figure. Same day footprint — stacked prints boxed at the level, top-print filter on.

9. Prints, absorption, and what the bubbles are

19 May 2026, two replies:

“Those are not absorption bubbles. It’s bigtrades indicator, it highlights large executed trades bid/ask.”

“I use a 100 threshold on NQ during NY and 75 during London. Anything below 100 during NY is noise to me. Some people uses lower thresholds.” He also said that is “participants intentions.”

Absorption Zone+ is a different tool. Public update 27 Jun 2025: bull/bear color on absorption candles; isolation; absorption imbalances; custom multi-timeframe imbalance selection. 23 May 2025: “Used the imbalance in the absorption candle.” So confirmation can be the imbalance *inside* the absorption bar, not just “high volume doji.”

9 Jan 2026 recap: “note the absorption happening at the key levels of the 6–9.” That is the intended stack: TBR level + absorption/delta, not absorption in the middle of nowhere.

10. Session rotation and unfinished business

Ranges talk to each other. That is how NY stops looking random.

Fade 6–9 at -0.5 toward leftover Asia/London high or low.

If London already purged both sides, NY often will not Judas. That is the “discard mean reversion” alignment.

Relative strength overnight between NQ and ES (and YM) is a model selector. He rarely writes SMT; the charts and the 6–9 single-break scenario describe the same thing.

Which session is clean this week is a real input. London-clean weeks: trade 03:00–06:00 as A+, use NY as management or as the draw. NY-clean weeks: ignore the urge to invent a London home run after 09:30.

Unfinished business is a target, not an entry by itself.

11. Instruments and open times

Tags he uses when showing the same geometry: NQ, ES, YM, RTY, GC, CL, SI. 3 Oct 2025 cartoon is explicitly multi-index. What changes is the clock and the zone, not the cartoon.

Product	Open analog he has named	Notes from posts
NQ / ES / YM / RTY	09:30 ET cash	NQ is the home chart; 80–120 pt A+ talk is NQ
GC	08:20 ET; also Sunday open	RTH range + 18:00 P-zones on Sunday example
CL	09:00 ET	Do not use 09:30
SI	tagged on SDRange+2 update	same paint, unpublished threshold

P-zones and BigTrades thresholds are per ticker. Only NQ NY=100 / London=75 is public.

12. Time windows and the 9:40 cluster

30 Jan 2025 (the 108k-view post), 15 years NQ, 4,537 days in the later writeup of the same study:

Highest reversal-time count inside the 09:00–12:00 window sits between 09:40 and 09:50.

Average reversal time printed on the chart ~09:47.

86.46% of those reversals occur off the -0.5 / extended-range exhaustion of 06:00–09:00.

“Does this mean i have a 100% win rate? no.”




Figure. The 15-year histogram post — 09:40 cluster and 86.46% at -0.5 . This is a location stat, not $P(\text{win})$.

Upgrade: treat 09:40–09:50 as the default NY Cycle-2 window. 10:00 news delays Cycle 2 — he has live days where the “real” reverse is after the release. London’s analog cluster is not published as a histogram; he still trades London off 03:00 structure rather than waiting for 09:40.

A-period (09:30–10:00) can finish the whole day on a single-break morning (27 Jul 2026 +124, done at the open). That is a feature, not a missed second trade.

13. Entries, flips, and management leaks

He does not preach one candle pattern on X the way a course would. What shows up:

Reclaim after a sweep at -0.5 / P-zone / overnight high-low, often 2–5 minute structure.

Pullback to range mid or range open on single-break days.

Absorption / imbalance candle on the level (May 2025).

Flip when the first idea dies. 1 Sep 2026: morning went -60 with “diabolical BEs,” then “too good to pass / flipped long at that spot / simple pullback long.”

One-and-done is the preferred outcome. Adding the OR-mid long is optional and often skipped.

Front-running a target: 9 Jan 2026 video caption — “Front runned my target killed the position manually at clear rejection at the midpoint of the range.” Mid rejection can be an exit even if the fib is further.

Greed at lunch is the named leak. Hitting BE because the clock hit 09:50 while location is still valid is the other named leak.

He runs prop accounts (Topstep mentioned) and will take a clean 50–70 point series on mean-reversion days rather than hunt a home run (“not chasing home runs or continuations,” 21 Jul 2026, from the road).

Language: “walking the dog” appears as a reply — manipulation of the box, then the real move. Same as Judas then reverse.

14. What to discard (old / weak / cargo-cult)

You flagged premium/discount and similar as possibly stale. Agreed, with a split:

Keep: prior-day RTH high/low as location. “Open inside yesterday’s value/range” keeps printing as a mean-reversion tell. That is Dalton location, still live in 2026 recaps.

Downgrade: a painted premium/discount box as a standalone signal. It was added to PD RTH Range+ in a 2025 update. 2026 recaps do not talk about “I shorted because we were in premium.” They talk about in-value / in-range, range size, and leftover session highs.

Discard: generic IB fade stats as an edge. He said so.

Discard: “always fade 6–9.” He spent 2026 posting the 45% single-break base rate so people would stop doing that.

Discard: ETH stop-runs as NY signals when you are using an RTH-only frame. He greys premarket and colors cash for a reason.

Discard: TradingView order-flow POC as confirmation.

Discard: BigTrades bubbles below his threshold, and bubbles-as-absorption.

Discard: treating 86.46% as a win rate.

Be careful with: lunch OR, MOC, and “daily target” grind. Documented as how a green morning dies.

15. Upgraded daily brief and checklist

Before the open analog (03:00 London / 08:20 GC / 09:30 NY)

Which session is the clean one this week? Build that TBR, not every TBR.

Write range size in points and in percent. Mark 1.2% as a single-break warning.

Balanced or already hunted? Which Asia/London/midnight edges still exist?

Sister indices: same hunt or divergence?

Where will the open analog print versus prior-day RTH value/range?

SessionStat envelope for the upcoming window (9–12 for NY, H4 for London).

P-zone / VP node overlap with -0.5, open, mid, leftover session extreme.

News: does Cycle-2 get delayed? If yes, do not force 09:40.

Write Model A (fade) or Model B (single break) in one line. Stop.

During the window

Location first. If price is not at the pre-written level, there is no trade.

Confirmation: reclaim, absorption/imbalance, delta taper, large prints $\geq$ threshold.

Fade days: flatten the Judas rider before the reversal window; take the reverse at -0.5 / P-zone toward the clean edge or leftover London/Asia.

Single-break days: enter mid / open / quadrant. 09:40 is an add, not a fade.

One-and-done is allowed to win the day.

After

Default flat after the A+ window. Lunch is not a second A+. 1.33–1.66 decides whether PM is continuation or a full AM reverse. If the first idea dies at the level, flipping is in-model; grinding a daily target is not.

16. Replication spec (no paid script required)

His paint	Rebuild
TBR box	Session rectangle + fib 0 / 0.25 / 0.5 / 0.75 / 1, then 1.5 and 1.33 / 1.66
-0.5	Half the range projected beyond the broken side
Range open	First print of the build window
Asia / London H/L	Separate boxes; delete when swept
SessionStat envelope	Last 60 (or your N) sessions of that clock: mean and median of high, low, range
P-zones	Distance bands from open/mid kept only on similar-vol days, snapped to VP nodes
RTH VP + delta	Scope the profile to RTH (or to the traded session), not ETH
Footprint filter	Top ~35% of transactions
BigTrades	NQ NY ≥ 100 , London ≥ 75 ; ignore the rest
Absorption	Small body + volume spike at a mapped level; optional imbalance inside the bar
RTH-only candles	Color from the open analog; grey the build

The script is convenience. The classifier plus the cartoon plus session-scoped profiles is the thing.

17. Source map — which posts built which rule

Included so you can audit me. IDs are the public post IDs.

Rule	Primary public source
86.46% at -0.5 ; 09:40–09:50 cluster	1884942410901319800 (30 Jan 2025) + chart GiinQYMX
Context / location / confirmation stack	2093335135789719861 (28 Aug 2026)
In-value double-break + overnight H/L + AM vol	same recap
~45% single-break; size; balance; 5–9 interchangeability	2093020177696755878 (27 Aug 2026)
IB stats have no edge	2092662643232268473 (26 Aug 2026)
1.2% size $\rightarrow$ 74% single-break; mid 60.4%; VP + OF	2064008375751311653 (8 Jun 2026)
Dalton single/double classification	2074569053239226627 (7 Jul 2026)

Rule	Primary public source
Discard MR when alignment prints	2082104746077245851 (28 Jul 2026)
Single-break + mid entry, done at open	2081737561265893419 (27 Jul 2026)
6–9 + 15m OR mid stats; one-and-done	2077772706544496943 (16 Jul 2026)
RTH-only VP + delta profile	reply 2077828415923581206
BigTrades 100 NY / 75 London; not absorption	2056792694878314750 / 2056794762049421618
P-zone definition	2005418003593363762 (28 Dec 2025)
P-zone + low > open, 09:40 reverse	2007108825904460106 (2 Jan 2026)
London/Asia as NY draw	2006019084345819535 / 1990858695702442275
London TBR week; same logic other clock	1977848592091033789 (13 Oct 2025)
Core sequence cartoon NQ/ES/YM	1974149966609400120 / 1974141763389419915
GC 08:20 / CL 09:00	2092661939507802258
Gold Sunday + 18:00 P-zones	1990196152936096162
1.33–1.66 “just math”	1993371273934606757
Open vs prior-day value	2082205480877781167 / 2075602926215561312
Flip after bad BE morning	2094812641197777367
Lunch gave the morning back	2065371458461725165
OR mid is reference only	2056797248604815569
Asia/London/NY + custom times in the tool	1985728485621457223
9–12 stat boundaries + exhaustion	2074192880776647082
Front-run exit at range mid	2009669116102426817
Absorption at 6–9 levels	2009649655953383553
London 1.33–1.66 longs	2062826544381215027
London H4 stats + absorption	1925814512130691494

18. Still unpublished / do not invent

Exact P-zone auto-learn weights and distance function.

Exact London build-window start time.

Delta-profile row size / tick vs volume settings.

BigTrades thresholds for ES, YM, GC, CL.

Why SessionStat default lookback is 60.

A clean published histogram for London’s reversal clock analogous to 09:40.

Win rate or expectancy table. He has point examples, not a ledger.

If a rule cannot be pointed at a post, a reply, a public vendor paragraph, or a specific screenshot, it does not belong in this file. That is the contract for this PDF.

Companion file: JJumboFX_Raw_X_Archive.pdf — the posts, replies, and images this reconstruction was built from.