


Lumatree

Solidwood Collection

INDLEDS

Lumatree Collection















Lumatree Pendant



Finishes

-  Oak
-  Walnut
-  Black Ash

General

2700K,3000K,1800~4000K,2700~6500K,UGR9,CRI92,
Beam Angle:64° down/160° up, 5 years warranty.

Power

0.86m,28.2W(9down/19.2up),3936lm(1440down/2496up),2.4kg
1.2m,43.3W(13.5down/28.8up),5910lm(2160down/3750up),2.6kg
1.5m,51.7W(16.5down/35.2up),6390lm(2640down/3750up),2.8kg

Control Option


Gesture Control,On/Off, Dim-to-Warm,TRIAC leading edge,
DALI,Casambi,Matter

    IP20 FSC® Certified Wood










Lumatree Floor Task



Finishes

-  Oak
-  Walnut
-  Black Ash

General

2700K,3000K,4000K,1800~4000K,CRI92,Beam Angle 160°
2.9kg,5 years warranty.

Power

8W/1040lm

Control Option

Touch Dimmer, Dim-to-Warm,DALI





IP20

FSC® Certified Wood










Lumatree Floor Wash



Finishes



General

2700K,3000K,4000K,1800~4000K,CRI92,220V~240V, Beam Angle 160°,5.6kg,5 years warranty.

Power

26W/3380lm

Control Option

Touch Dimmer, Dim-to-Warm,DALI










Lumatree Table Task



Finishes



Oak



Walnut



Black Ash

General

2700K,3000K,4000K,1800~4000K,CRI92,Beam Angle 160°
1.8kg,5 years warranty.

Power

8W/1040lm

Control Option

Touch Dimmer, Dim-to-Warm,DALI



IP20 FSC® Certified Wood










Lumatree Table Wash



Finishes

-  Oak
-  Walnut
-  Black Ash

General

2700K,3000K,4000K,1800~4000K,CRI92,Beam Angle 160°
1.7kg,5 years warranty.

Power

8W/1040lm

Control Option

Touch Dimmer, Dim-to-Warm,DALI



 IP20 FSC® Certified Wood










Lumatree Wall



Finishes



General

2700K,3000K,1800~4000K,2700~6500K,UGR9,CRI92,
Beam Angle 64° down/160° up, 0.85kg,5 years warranty.

Power

12W(6down/6up),1740lm(960down/780up)

Control Option

On/Off, Dim-To-Warm, Triac leading edge,DALI,Casambi,Matter

