

# Reno PPH Scenario and Sensitivity Report

**Model lock:** Expanded HHVBP, CY2025 performance / CY2027 payment, measure set CY2025 (version locked).

**Validation boundary:** Public-data-only, expert-configured, semi-synthetic, simulation-based, and not outcome-validated.

These results describe configured model scenarios. They do not establish real-world clinical effects, payment effects, or a uniquely best assignment policy.

## Scope and controls

Every geographic comparison fixes age\_group=age\_70\_80, health status at moderate, housing at single\_home, and driving at good\_summer. Configured house-price category, area type, and distance category may vary by ZIP scenario.

The ZIP below is a profiling label used to select configured scenario attributes. It is not a patient assignment ZIP, no clinician ZIP-history pool is built here, and assignment\_zip\_routing\_applied=false for every row. Assignment-time ZIP routing is a separate operational rule described in the current-model report.

The displayed PPH values are analytic model distributions under configured assumptions, not empirical patient-level Reno estimates. Because PPH is lower-is-better, distance wording is "points above best" and "points below worst."

## Controlled geographic scenarios

| Profiling ZIP | Area         | House-price group | Distance | Mean (%) | Q10  | Q90   | Distance to anchors                                           | rho raw | u percentile |
|---------------|--------------|-------------------|----------|----------|------|-------|---------------------------------------------------------------|---------|--------------|
| 89501         | metropolitan | average           | near     | 10.28    | 8.79 | 11.78 | 10.28% is 3.52 points above best and 5.95 points below worst. | 0.358   | 0.299        |
| 89502         | metropolitan | low               | near     | 11.07    | 9.60 | 12.54 | 11.07% is 4.30 points above best and 5.17 points below worst. | 0.420   | 0.453        |
| 89503         | metropolitan | average           | near     | 10.28    | 8.79 | 11.78 | 10.28% is 3.52 points above best and 5.95 points below worst. | 0.358   | 0.299        |
| 89506         | metropolitan | average           | near     | 10.28    | 8.79 | 11.78 | 10.28% is 3.52 points above best and 5.95 points below worst. | 0.358   | 0.299        |
| 89509         | metropolitan | high              | near     | 9.50     | 8.03 | 10.97 | 9.50% is 2.73 points above best and 6.74 points below worst.  | 0.295   | 0.168        |
| 89523         | metropolitan | high              | near     | 9.50     | 8.03 | 10.97 | 9.50% is 2.73 points above best and 6.74 points below worst.  | 0.295   | 0.168        |
| 89431         | metropolitan | low               | near     | 11.07    | 9.60 | 12.54 | 11.07% is 4.30 points above best and 5.17 points below worst. | 0.420   | 0.453        |
| 89433         | metropolitan | average           | near     | 10.28    | 8.79 | 11.78 | 10.28% is 3.52 points above best and 5.95 points below worst. | 0.358   | 0.299        |
| 89434         | metropolitan | average           | near     | 10.28    | 8.79 | 11.78 | 10.28% is 3.52 points above best and 5.95 points below worst. | 0.358   | 0.299        |
| 89436         | micropolitan | average           | medium   | 10.45    | 8.96 | 11.94 | 10.45% is 3.69 points above best and 5.79 points below worst. | 0.391   | 0.380        |

## Interpretation boundary

risk\_score\_rho\_raw is a weighted modeled-need index. risk\_percentile\_u is its relative position against the checked-in 10,000-profile public-only semi-synthetic reference. Neither is a calibrated clinical event probability. The strict pilot classification is above 0.75; a value equal to 0.75 remains at or below threshold.

Scenario inputs come from the checked-in offline demo market table. Blank public source fields are not interpreted as downloaded observations.

Source: reno\_pph\_report.md. Public-only, expert-configured, semi-synthetic, simulation-based, and not outcome-validated.