25-11-2021

Program 1:

Create a Simple Calculator for demonstrating the basic arithmetic operations (+ , - , * , /)

activity main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout
   xmlns:android="http://schemas.android.com/apk/res/android"
   android:orientation="vertical"
   android:layout_width="fill_parent"
   android:layout_height="fill_parent"
    android:weightSum="1">
    <LinearLayout
      android:layout width="match parent"
      android:layout_height="wrap_content"
      android:id="@+id/linearLayout1"
      android:layout_marginLeft="10pt"
      android:layout_marginRight="10pt"
      android:layout marginTop="3pt">
      <EditText
        android:layout_weight="1"
        android:layout_height="wrap_content"
        android:layout_marginRight="5pt"
        android:id="@+id/etNum1"
        android:layout width="match parent"
        android:inputType="numberDecimal">
      </EditText>
      <EditText
        android:layout_height="wrap_content"
```

```
android:layout_weight="1"
   android:layout_marginLeft="5pt"
    android:id="@+id/etNum2"
   android:layout_width="match_parent"
   android:inputType="numberDecimal">
  </EditText>
</LinearLayout>
<LinearLayout
 android:layout_width="match_parent"
 android:layout_height="wrap_content"
 android:id="@+id/linearLayout2"
 android:layout_marginTop="3pt"
 android:layout_marginLeft="5pt"
 android:layout_marginRight="5pt">
 <Button
   android:layout_height="wrap_content"
   android:layout_width="match_parent"
   android:layout_weight="1"
    android:text="+"
   android:textSize="8pt"
    android:id="@+id/btnAdd">
  </Button>
  <Button
   android:layout_height="wrap_content"
   android:layout_width="match_parent"
   android:layout weight="1"
    android:text="-"
   android:textSize="8pt"
    android:id="@+id/btnSub">
```

```
</Button>
  <Button
   android:layout_height="wrap_content"
   android:layout_width="match_parent"
   android:layout_weight="1"
   android:text="*"
   android:textSize="8pt"
   android:id="@+id/btnMult">
 </Button>
 <Button
   android:layout_height="wrap_content"
   android:layout_width="match_parent"
   android:layout_weight="1"
   android:text="/"
   android:textSize="8pt"
   android:id="@+id/btnDiv">
  </Button>
</LinearLayout>
<TextView
 android:layout_height="wrap_content"
 android:layout_width="match_parent"
 android:layout_marginLeft="5pt"
 android:layout_marginRight="5pt"
 android:textSize="12pt"
 android:layout_marginTop="3pt"
 android:id="@+id/tvResult"
 android:gravity="center_horizontal"
 android:layout_weight="0.07">
</TextView>
```

```
</LinearLayout>
```

Main activity.java

```
package com.example.calculator13;
import android.os.Bundle;
import android.text.TextUtils;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
import androidx.appcompat.app.AppCompatActivity;
public class MainActivity extends AppCompatActivity implements View.OnClickListener
{
  EditText etNum1;
  EditText etNum2;
  Button btnAdd;
  Button btnSub;
  Button btnMult;
  Button btnDiv;
  TextView tvResult;
  String oper = "";
  @Override
  public void onCreate(Bundle savedInstanceState)
  {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    etNum1 = (EditText) findViewById(R.id.etNum1);
    etNum2 = (EditText) findViewById(R.id.etNum2);
```

```
btnSub = (Button) findViewById(R.id.btnSub);
  btnMult = (Button) findViewById(R.id.btnMult);
  btnDiv = (Button) findViewById(R.id.btnDiv);
  tvResult = (TextView) findViewById(R.id.tvResult);
  // set a listener
  btnAdd.setOnClickListener(this);
  btnSub.setOnClickListener(this);
  btnMult.setOnClickListener(this);
  btnDiv.setOnClickListener(this);
}
@Override
public void onClick(View v) {
  // TODO Auto-generated method stub
  float num1 = 0;
  float num2 = 0;
  float result = 0;
  // check if the fields are empty
  if (TextUtils.isEmpty(etNum1.getText().toString())
       | | TextUtils.isEmpty(etNum2.getText().toString())) {
    return;
  }
  // read EditText and fill variables with numbers
  num1 = Float.parseFloat(etNum1.getText().toString());
  num2 = Float.parseFloat(etNum2.getText().toString());
  // defines the button that has been clicked and performs the corresponding operation
```

btnAdd = (Button) findViewById(R.id.btnAdd);

```
// write operation into oper, we will use it later for output
  switch (v.getId()) {
    case R.id.btnAdd:
      oper = "+";
      result = num1 + num2;
      break;
    case R.id.btnSub:
      oper = "-";
      result = num1 - num2;
      break;
    case R.id.btnMult:
      oper = "*";
      result = num1 * num2;
       break;
    case R.id.btnDiv:
      oper = "/";
      result = num1 / num2;
      break;
    default:
      break;
  }
  // form the output line
  tvResult.setText(num1 + " " + oper + " " + num2 + " = " + result);
}
```

}

Output:



