Workstream Test Execution Report

Project: Workstream (Jira-style issue tracking app) · Prepared for: Development Team

OVERALL RESULT: PASS | 6 of 6 tests passed | 0 failed | 0 skipped | No open application defects

Report Details

Project	Workstream (Jira-style issue tracking app)	**Report Date**	October 13, 2026
Prepared By	Software Test Engineering Team (QA Lead)	**Prepared For**	Development Team
Tracking System	Markdown defect tracker	**Overall Result**	PASS

Test Environment

Item	Configuration
Operating system	Windows
Runtime	Node.js 24.19.0 (project minimum: 22.13)
Browser automation	Cypress 16.1.1, headless Electron 146
Application	Node.js backend and frontend served together on localhost
Database	Isolated temporary SQLite database for Cypress runs

Test Execution Summary

Test Layer	Command	Total	Passed	Failed	Result
Backend/API and persistence	npm test	3	3	0	PASS
Frontend/end-to-end (Cypress)	npm run test:frontend	3	3	0	PASS
Combined regression	npm run test:all	**6**	**6**	**0**	PASS
Syntax and patch formatting	node --check (changed JS); git diff --check	-	-	-	PASS

Test Results by Area

Backend and API (npm test)

Area	What was verified	Result
GET /api/health, GET /api/issues	Health endpoint reports the service is running; starter issues returned and a working frontend served.	PASS
POST, PUT, DELETE /api/issues	Issue creation (generated key), update, and deletion work; invalid input rejected; missing records return not found.	PASS
SQLite persistence	Data retained after closing and reopening the backend.	PASS
JSON migration	Legacy JSON issue data migrated into SQLite.	PASS

Frontend and Integration (npm run test:frontend)

#	Verified behaviour	Result
1	Board loads issues from the backend API	PASS
2	Search and priority filtering	PASS
3	"My issues" assignee filtering	PASS
4	Create and edit issue through the frontend and API	PASS
5	Updated issue remains visible after a page reload	PASS
6	Delete issue from frontend and confirm it is absent from the API	PASS

How to Re-run the Tests

Command	Purpose
npm test	Backend/API checks (Node built-in test runner, backend/server.test.js)
npm run test:frontend	Browser checks (Cypress, cypress/e2e/workstream.cy.js). Starts the real Node server on an isolated temporary SQLite database, waits for the health endpoint, runs the tests, then stops the server and removes the database. Test issues are removed after each run.
npm run test:all	Runs both layers (6 tests)

Defects, Observations & Follow-up

Defect Summary

Bug ID	Summary / Title	Severity	Priority	Status	Component
-	No product defects found during this test run	-	-	NO OPEN DEFECTS	Frontend / Backend

No open application defects were identified in the executed test scope.

Observations & Action Items for the Development Team

Item	Observation	Suggested action
Cypress browser	Cypress printed a warning that its bundled Electron browser is deprecated for future Cypress releases. It did not affect this run.	Configure Chrome or another supported browser before upgrading Cypress beyond versions that support Electron.
Not covered by automated tests	Responsive layouts, detailed keyboard-only accessibility, drag-and-drop interactions, and production backup/restore or concurrent-user behaviour. Not included in the passing test count.	Remain as future manual checks.
Out of scope	Sharing, multiple projects, and list view are documented product placeholders.	No testing done; revisit when implemented.

Defect Life Cycle (for reference)

NEW / CREATED > ASSIGNED > FIXED / RESOLVED > VERIFIED BY QA > CLOSED

If an issue persists after a fix, the defect moves to **Reopened** and returns to the developer.

Conclusion

All 6 automated tests passed and no open application defects were found in the executed scope. Test result: PASS.

Report generated by Software Test Engineering Team — 13-Oct-2026