Real-Time Video Generation with MiniMax H3

8× RTX PRO 5000 · vLLM-Omni + ComfyUI

Shunyang Li | Public Technical Brief | October 2026



Agenda

01 Toward Real-Time H3 Generation
02 vLLM-Omni + ComfyUI Applications




01 · Real-Time H3 Generation



Real-Time 768p Raises the Systems Bar

For 362 frames at 24 FPS, real time requires end-to-end latency < 15.1 s (RTF < 1.0)



GENERATIVE BACKBONE · FULL PARAMETERS (B)

RTF = latency / media duration. The real-time deadline here is 15.1 s. H3 is the largest dense backbone in this peer set; Wan2.2 = 27B total / 14B active.



OPEN H3-BASE · NATIVE 768P · 33B DENSE

32B encoder → 33B dense Omni Transformer → Visual/Audio VAE. 50 blocks × 50 denoising steps; full attention. ≈130 GB raw BF16; ~13B AdaLN cacheable.

Sources: MiniMax H3, Wan2.2, LTX-2.5 and HunyuanVideo-1.5 official releases · author 362-frame workload

Frontier Models · The Cards

SM120 compute is strong; PCIe-only scaling and sustained clocks set the eight-GPU envelope

SKU	CC / SMs	Memory	Power	Interconnect
RTX PRO 5000 Blackwell	12.0 110 SMs	72 GB GDDR7 ECC 48 GB variant	300 W public TBP 350 W local*	PCIe Gen5 ×16 No GPU NVLink
RTX PRO 6000 WS / Server	12.0 188 SMs	96 GB GDDR7 ECC	600 W	PCIe Gen5 ×16 No GPU NVLink
GeForce RTX 5090	12.0 170 SMs	32 GB GDDR7	575 W	PCIe Gen5 ×16 No NVLink
DGX Spark · GB10	12.1 48 SMs	128 GB unified LPDDR5X	140 W SoC 240 W system	NVLink-C2C in SoC 200 Gb/s ConnectX-7


Sources: NVIDIA specs + CUDA GPU table · local clock study: SwPowerCap 94.8–100%; −6.78%

02 · vLLM-Omni ComfyUI Apps




vLLM-Omni Connects ComfyUI to Multi-GPU H3 Serving

Open PR #9194: character replacement, continuation-aware references, and chainable LoRA controls



Official vLLM-Omni Architecture

ComfyUI remains the visual frontend; vLLM-Omni owns model execution, scheduling, and multi-GPU deployment



ComfyUI Workflow · PR #9194

Single- and multi-character replacement, source-derived duration, long-video continuation, and LoRA controls

Sources: vLLM-Omni v0.26 public deck, slide 22 · vLLM-Omni PR #9194 (open)