




PARTE B. PRÁCTICA

1. Instale Docker Desktop, o bien Podman si prefiere una alternativa sin demonio privilegiado.



Integrante 2:



```
PS C:\Users\Dell Latitude\Downloads\BASES> docker-compose up -d
time="2026-09-18T18:26:00-06:00" level=warning msg="C:\\Users\\Dell Latitude\\Downloads\\BASES\\docker-compose.yml:17: 'postgres' is deprecated. Please remove it to avoid potential confusion"
[+] up 14/17
[+] up 14/17 tgres:17 [#####] 38.59MB / 167MB Pulling
[+] up 19/19 tgres:17 [#####] 41.74MB / 167MB Pulling
✓ Image postgres:17 Pulled
✓ Network bases_default Created
✓ Container postgres173CV5 Created
PS C:\Users\Dell Latitude\Downloads\BASES> |
```

```
C:\Windows\System32\cmd.exe
docker: Error response from daemon: pull access denied for bases, repository does not exist or may require 'docker login'

Run 'docker run --help' for more information

C:\Users\marqu\Downloads\BASES>echo FROM postgres:17 > Dockerfile

C:\Users\marqu\Downloads\BASES>docker build -t bases .
[+] Building 0.8s (6/6) FINISHED
=> [internal] load build definition from Dockerfile
=> transferring dockerfile: 568B
=> [internal] load metadata for docker.io/library/postgres:17
[auth] library/postgres:pull token for registry-1.docker.io
=> [internal] load .dockerignore
=> transferring context: 2B
=> CACHED [1/1] FROM docker.io/library/postgres:17@sha256:67f41722b7a8cbdb868a44a4995c846eddfdc2973bccb291ce937d
=> resolve docker.io/library/postgres:17@sha256:67f41722b7a8cbdb868a44a4995c846eddfdc2973bccb291ce937dce88ad5
=> exporting to image
=> exporting layers
=> exporting manifest sha256:f3efb12e3e3736bd74c578744dea3373039a40274776cbe380c62a2a084f73cd
=> exporting config sha256:7296f210ae81031ec955dbad9a67a84fe958572a2153b8d0826a647522984dcl
=> exporting attestation manifest sha256:b175593b22fc0fe57e1630dd71b4baa2ba83281bbc0f0af5d71069d202c27d63
=> exporting manifest list sha256:54b6aalcl9e349efal9bf3a8235bb7d7b5d29843dbe349efff180f6bdc9268e3
=> naming to docker.io/library/bases:latest
=> unpacking to docker.io/library/bases:latest

C:\Users\marqu\Downloads\BASES>docker run --name mi_contenedor_bases -d bases
48a682ff507e4b0157b9dde612351668fd1bd20f1aa94e5ab4a816a47892a671

C:\Users\marqu\Downloads\BASES>docker run --name mi_contenedor_bases -e POSTGRES_PASSWORD=mysecretpassword -p 5432:5432
```

Integrante 3

```
C:\Windows\System32\cmd.exe X + -
docker: Error response from daemon: pull access denied for bases, repository does not exist or may require 'docker login'

Run 'docker run --help' for more information


C:\Users\marqu\Downloads\BASES>echo FROM postgres:17 > Dockerfile

C:\Users\marqu\Downloads\BASES>docker build -t bases .
[*] Building 0.8s (6/6) FINISHED
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 568
=> [internal] load metadata for docker.io/library/postgres:17
=> [auth] library/postgres:pull token for registry-1.docker.io
=> [internal] load .dockerignore
=> => transferring context: 28
=> CACHED [1/1] FROM docker.io/library/postgres:17@sha256:67f41722b7a8cddb868a44a4995c846eddfdc2973bccb291ce937d
=> => resolve docker.io/library/postgres:17@sha256:67f41722b7a8cddb868a44a4995c846eddfdc2973bccb291ce937dce88ad5
=> => exporting to image
=> => exporting layers
=> => exporting manifest sha256:f3efb12e3e3736bd74c578744dea3373039a40274776cbe380c62a2a084f73cd
=> => exporting config sha256:7296f210ae81031ec955dbad9a67a84fe958572a2153b8d0826a647522904dc1
=> => exporting attestation manifest sha256:b175593b22fc0fe57e1630dd71b4baa2ba83281bbc0f0af5d71069d202c27d63
=> => exporting manifest list sha256:54b6aa1c19e349efa19bf3a8235bb7d7b5d29843dbe349efff180f6bdc9268e3
=> => naming to docker.io/library/bases:latest
=> => unpacking to docker.io/library/bases:latest

C:\Users\marqu\Downloads\BASES>docker run --name mi_contenedor_bases -d bases
48a682ff507e4b0157b9dde612351668fd1bd20f1aa94eSab4a816a47892a671

C:\Users\marqu\Downloads\BASES>docker run --name mi_contenedor_bases -e POSTGRES_PASSWORD=mysecretpassword -p 5432:5432
```

2. Levante el gestor de su elección en un contenedor. Se recomienda PostgreSQL por ser el que se usará en el curso.



3. Declare la configuración en un archivo `compose.yml` y versionelo en el repositorio. No basta con haber escrito el comando una vez en la terminal.

```
compose.yml
1 services:
2   postgres:
3     image: postgres:18
4     container_name: practica1
5
6     environment:
7       POSTGRES_USER: lis
8       POSTGRES_PASSWORD: 262607
9       POSTGRES_DB: escuela
10
11   ports:
12     - "5432:5432"
13
14   volumes:
15     - postgres_data:/var/lib/postgresql
16
17 volumes:
18   postgres_data:
```

```
C:\Windows\System32\cmd.exe X + v
Microsoft Windows [Versión 10.0.26200.9457]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->git status
On branch practica_1_modelo_entidad_relación
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        compose.yml

nothing added to commit but untracked files present (use "git add" to track)

C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->
```

```
C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->git add .
warning: in the working copy of 'compose.yml', LF will be replaced by CRLF the next time Git touches it

C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->git commit -m "Se agrega la configuracion Docker Compose para PostgreSQL"
[practica_1_modelo_entidad_relación e801599] Se agrega la configuracion Docker Compose para PostgreSQL
1 file changed, 18 insertions(+)
 create mode 100644 compose.yml

C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->git status
On branch practica_1_modelo_entidad_relación
nothing to commit, working tree clean

C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->git push
fatal: The current branch practica_1_modelo_entidad_relación has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin practica_1_modelo_entidad_relación


To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->git push --set-upstream origin practica_1_modelo_entidad_relación
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 1.51 KiB | 1.51 MiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'practica_1_modelo_entidad_relación' on GitHub by visiting:
remote: https://github.com/lisie02/Practica-1-Modelo-entidad-relaci-n-/pull/new/practica_1_modelo_entidad_relación
remote:
* [new branch] practica_1_modelo_entidad_relación -> practica_1_modelo_entidad_relación
branch 'practica_1_modelo_entidad_relación' set up to track 'origin/practica_1_modelo_entidad_relación'.


C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->
```

```
C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->git log --oneline
e801599 (HEAD -> practica_1_modelo_entidad_relación, origin/practica_1_modelo_entidad_relación) Se agrega la configuracion Docker Compose para PostgreSQL
0dab4f1 readme anadido2



C:\practica 1 MER\Practica 1 Modelo Entidad Relación\Practica-1-Modelo-entidad-relaci-n->
```



4. Conéctese con un cliente (psql, DBeaver o pgAdmin) y cree una base de datos vacía llamada practica1.



5. Demuestre la persistencia: detenga y elimine el contenedor, vuelva a levantarlo con el mismo volumen y compruebe que la base de datos sigue existiendo.



```
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\Lis\Documents\Practical>dir
El volumen de la unidad C no tiene etiqueta.
El número de serie del volumen es: 8C62-71B1

Directorio de C:\Users\Lis\Documents\Practical
18/09/2026  08:10 p. m.    <DIR>          .
18/09/2026  08:17 p. m.    <DIR>          ..
18/09/2026  08:10 p. m.             291 compose.yml
                  1 archivos      291 bytes
                  2 dirs    159,235,039,232 bytes libres

C:\Users\Lis\Documents\Practical>docker compose config
name: practical
services:
  postgres:
    container_name: practical
    environment:
      POSTGRES_DB: escuela
      POSTGRES_PASSWORD: "262607"
      POSTGRES_USER: lis
    image: postgres:18
    networks:
      default: null
    ports:
      - mode: ingress
        target: 5432
        published: "5432"
        protocol: tcp
    volumes:
      - type: volume
        source: postgres_data
        target: /var/lib/postgresql
        volume: {}
networks:
  default:
    name: practical_default
volumes:
  postgres_data:
    name: practical_postgres_data

C:\Users\Lis\Documents\Practical>cocker compose up -d
"cocker" no se reconoce como un comando interno o externo,
programa o archivo por lotes ejecutable.

C:\Users\Lis\Documents\Practical>docker compose up -d
[*] up 3/3
✓Network practical_default          Created      0.1s
✓Volume practical_postgres_data    Created      0.5s
✓Container practical                Started      0.7s

C:\Users\Lis\Documents\Practical>docker ps
CONTAINER ID   IMAGE          COMMAND                  CREATED        STATUS        PORTS                               NAMES
48a7658729fc   postgres:18   "docker-entrypoint.s..." 6 seconds ago  Up 6 seconds  0.0.0.0:5432->5432/tcp, [::]:5432->5432/tcp  practical
```

```
C:\Users\lis\Documents\Practical>docker compose down
[+] down 2/2
✓Container practical Removed 0.7s
✓Network practical_default Removed 0.2s
C:\Users\lis\Documents\Practical>docker compose up -d
[+] up 2/2
✓Network practical_default Created 0.1s
✓Container practical Started 0.6s
C:\Users\lis\Documents\Practical>
```

Gordon

Containers

Images

Logs

Volumes

Kubernetes

Builds

Models

Docker Hub

MCP Toolkit

Extensions

PERSONAL

Search

Ctrl+K

1

Sign in

Containers

Give feedback

Container CPU usage 0.05% / 800% (8 CPUs available)

Container memory usage 25.03MB / 3.61GB

Show charts

Search

Only show running containers

	Name	Container ID	Image	Port(s)	CPU (%)	Last	Actions
☐	practica1	-	-	-	0.05%	0 se	
☐	practica1	48a7658729fc	postgres:1	5432:5432	0.05%	0 se	

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

Servers (3)

PostgreSQL 18

lisie

practica 1

Databases (2)

escuela

postgres

Login/Group Roles

Tablespaces

Dashboard

Properties

SQL

Statistics

Dependencies

Dependents

Search

Database	Owner	Comment
escuela	lis	
postgres	lis	default administrative conn...