For Education


AI Remote Air Mouse

Gemini









Product Specifications	
Connectivity	2.4G Wireless / Bluetooth 5.0
Gyroscope	6-axis Gyroscope
Number of Buttons	80 Keys
Operating Distance	Up to 8–10m
Operating Current	<5mA
Standby Current	<15μA
Housing Material	ABS Plastic + Silicone Buttons
Battery Capacity	300mAh
Charging Port	Type-C
Charging Power	5V / 1A
AI Voice	Gemini / Google Assistant
Receiver	USB Plug-and-Play Receiver (Nano Receiver)
Compatible Systems	Android、Windows
Input Method	Air Mouse, Keyboard, Touchpad, Voice

Shenzhen Etto Technology Co., Ltd. WhatsApp: +852 4487 8704 Email: wanda@ettotech.cn Web: www.ettotech.cn

For Education

Video Conference Camera







- Optional Optical Zoom Lenses
- AI Human Shape Recognition & Tracking
- Sound Source Localization & Tracking
- 5-Meter Pickup Range
- OSD Menu Function
- USB Plug-and-Play (No Driver Required)

Product Specifications	
Color	Silver / Black
Sensor	Close-up: 1/3-inch CMOS, effective pixels: 4MP
Optical Zoom	3x wide-angle / 10x
Lens Focal Length	f=3.35～10.05mm / f=3.35～10.05mm
Lens Aperture	F1.7-F3.0 / F1.8-F2.5
Horizontal Field of View	29.8~83.4°（±5%）/ 7.2~57.2°（±5%）
Digital Zoom	16x（max.）
Shutter	1/25 – 1/10,000 sec
Digital Noise Reduction	2D / 3D NR
AI Intelligence	AI tracking supported
Microphone Array	2 digital silicon microphones
Signal-to-Noise Ratio (SNR)	65Db(A)
Supported Operating Systems	Windows 7 / 8 / 10 / 11, MacOS X, Linux 2.4.6+, Android (with UVC driver support)
Color Space	YUY2 H.264/H.265
Input Voltage	DC12V
Input Current	1A（max.）
Power Consumption	<12W
Operating Environment	Temperature: 0–50°C, Humidity: 10%–95%
Dimensions	250 x 150 x 160mm
Unit Weight	600g

Shenzhen Etto Technology Co., Ltd. WhatsApp: +852 4487 8704 Email: wanda@ettotech.cn Web: www.ettotech.cn

For Education

Speakerphone-

ETTOSPEAKER01







Ultra-Long Battery Life

8-Mic · 6m Pickup

Palm Mute Function

Dual-Unit Cascading

NFC Quick Connect

Product Specifications	
Microphone Array	8-microphone steerable array
Pickup Range	6m radius
Coverage (Single Unit)	5m × 6m
Coverage (Dual Cascading)	8m × 10m
Speaker Output	5W Full-Range Speaker
Speaker Frequency Response	75Hz ~ 20kHz
Microphone Freq Response (USB)	100Hz ~ 15kHz
Microphone Freq Response (Bluetooth)	100Hz ~ 7.5kHz
Audio Technology	Full-duplex with echo & noise cancellation
AI Noise Reduction	Supported
Bluetooth Version	5.3
Bluetooth Protocols	A2DP, AVRCP, HFP, HSP, BLE
Platform Compatibility	Teams, Zoom & other major platforms
Dual Bluetooth	Supports simultaneous connections
NFC	Quick tap-to-pair (Android)
Wireless Cascading	Dual-unit cascade supported
Connectivity	Bluetooth 5.3 / USB-C / USB Dongle (optional)
Battery	3.7V / 4400mAh lithium-ion
Talk Time / Music Time	13hrs / 8hrs
Dimensions	126×126×34mm
Weight	385g

Shenzhen Etto Technology Co., Ltd. WhatsApp: +852 4487 8704 Email: wanda@ettotech.cn Web: www.ettotech.cn

For Education

Speakerphone-

ETTOSPEAKER02





Plug & Play

8-Mic · 5m Pickup

AI Noise Cancellation

Dual-Unit Cascading

13H Talk Time

Product Specifications	
Max. number of wireless cascading units	2 units
Recommended pickup distance	3m radius
Maximum pickup distance	5m radius
Number of microphone elements	8
Microphone array type	Omnidirectional MEMS
Microphone SNR	65dBA
Impedance	4ohm
Speaker power output	5W Max
Speaker max SPL	82dBSPL@1m
Speaker frequency response	120Hz~18kHz
Bluetooth version	BT5.3+BLE
Bluetooth operating distance	10m
USB Dongle operating distance	10m
USB Dongle audio bandwidth	Bidirectional 16kHz
Power supply voltage / Current	5V / 2A
Power input interface	USB Type-C
Operating temperature range	0℃~40℃
Unit dimensions (L×W×H)	125 × 125 × 33mm
Net weight	340g
Ring Indicator Light	Supports (battery, volume, microphone, incoming call, and other notifications)

Shenzhen Etto Technology Co., Ltd. WhatsApp: +852 4487 8704 Email: wanda@ettotech.cn Web: www.ettotech.cn

For Education

OPS-I7 13620H





Product Specifications	
CPU	I7 13620H
RAM	8GB (expandable up to 32G)
ROM	128 / 256GB (expandable up to 512G)
Base Frequency	2.4GHz
Graphics Card	Intel®Iris®XeGraphics/Intel®UHDGraphics(5K supported)
Wireless Networking	1 x M.2 2230 PCIe / USB Interface
I/O Interfaces	4 x USB 3.0 Interfaces
	1 x USB Type-C Interface
	1x MIC IN Interface
	1 x LINE OUT Interface
	1 x HDMI OUT Interface
	1 x RJ45 Interface
	1 x DP Interface
	1 x Power Indicator Light
	1 x Power On / Off Button
	2 x Antenna
	1 x One-Key Recovery Button
Power Input	12~19V DC Input: Maximum Power Consumption 80.7W
Physical Dimensions	202 × 132 × 30mm
Environmental Conditions	Operation Temperature: -10℃~50℃
	Operation Humidity: 10%~90%, Non-Condensing
	Storage Humidity: -20℃~70℃

Shenzhen Etto Technology Co., Ltd. WhatsApp: +852 4487 8704 Email: wanda@ettotech.cn Web: www.ettotech.cn

For Education

Mobile Rolling Stand





Product Specifications	
Color	Gray / Black
VESA Hole Spacing	400 × (400 / 500 / 600 / 800 / 1000) mm
Product Dimensions (W×D×H)	1150 × 635 × 1560 mm
Packaging Dimensions (W×D×H)	1570 × 695 × 165 mm
Net Weight	15 kg
Gross Weight	20 kg
Load Capacity	≤ 150 kg
Compatible Screen Size	65–98 inches
Tilt Angle	±1°
Casters	4 × 3-inch braked silent casters
Steel Grade	Eco-friendly iron

Shenzhen Etto Technology Co., Ltd. WhatsApp: +852 4487 8704 Email: wanda@ettotech.cn Web: www.ettotech.cn