


Host Metrics


The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)
























- Committed_AS Amount of memory presently allocated on the system
- CommitLimit Amount of memory currently available to be allocated on the sy






- Inactive_anon Anonymous and swap cache on inactive LRU list, including tm;
- Active_file File-backed memory on active LRU list
- Active_anon Anonymous and swap cache on active least-recently-used (LRU)



- Writeback Memory which is actively being written back to disk
- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk





Mapped - Used memory in mapped pages files which have been mmaped, such


- Shmem Used shared memory (shared between several processes, thus includ
- ShmemHugePages Memory used by shared memory (shmem) and tmpfs allc

ShmemPmdMapped - Ammount of shared (shmem/tmpfs) memory backed by

Memory Slab


4.00

60



SUnreclaim - Part of Slab, that cannot be reclaimed on memory pressure

SReclaimable - Part of Slab, that might be reclaimed, such as caches







VmallocTotal - Total size of vmalloc memory area





32.0




Bounce - Memory used for block device bounce buffers 0 B 0 B 0 B
 Memory Kernel / CPU










PerCPU - Per CPU memory allocated dynamically by loadable modules


66.1




HugePages_Free - Huge pages in the pool that are not yet allocated


HugePages_Rsvd - Huge pages for which a commitment to allocate from the p


HugePages_Surp - Huge pages in the pool above the value in /proc/sys/vm/nr.








Unevictable - Amount of unevictable memory that can't be swapped out for a v
 MLocked - Size of pages locked to memory using the mlock() system call























































System Load 40 30 counter 20 10 0 18:55 19:00 19:05 19:10 19:15 19:20 19:25 min avg current Load 1m 0.980 38.9 13.4 14.5 Load 5m 1.35 27.1 10.9 22.2 Load 15m 3.09 17.4 7.90 16.4



















































- InErrs Segments received in error (e.g., bad TCP checksums)
- RetransSegs Segments retransmitted that is, the number of TCP segments tr
- TCPSynRetrans SYN-SYN/ACK retransmits to break down retransmissions in




CurrEstab - TCP connections for which the current state is either ESTABLISHED

TCP SynCookie




	min ma	x av	g curre	nt ~
 SyncookiesSent - SYN cookies sent 	0	0	0	0
 SyncookiesRecv - SYN cookies received 	0	0	0	0
 SyncookiesFailed - Invalid SYN cookies received 	0	0	0	0

TCP Direct Transition



ActiveOpens - TCP connections that have made a direct transition to the SYN-S
 PassiveOpens - TCP connections that have made a direct transition to the SYN

Node Exporter Scrape Time



netdev - Scrape duration


25.1 ms

3.95 ms

2.39

1.27 ms

Node Exporter Scrape



_	arp - Scrape success	1	1	1	1
_	bcache - Scrape success	1	1	1	1
-	bonding - Scrape success	0	0	0	0
_	btrfs - Scrape success	1	1	1	1