



### Host Metrics


The dashboard visualizes host metrics collected by node\_exporter. (based on: https://grafana.com/grafana/dashboards/1860)











2.74 kb/s

0 b/s

24.9 Mb/s

21.2 kb/s

393 kb/s

2.38 kb/s

8.30 k

444

CPU

100%


80%

60%

ens4 - Receive


Io - Receive













**Memory Commited** 


Committed\_AS - Amount of memory presently allocated on the system


CommitLimit - Amount of memory currently available to be allocated on the sy






- Inactive\_an on Anonymous and swap cache on inactive LRU list, including tmp
- Active\_file File-backed memory on active LRU list
- Active\_anon Anonymous and swap cache on active least-recently-used (LRU)





- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk






Mapped - Used memory in mapped pages files which have been mmaped, such

Shmem - Used shared memory (shared between several processes, thus includ

ShmemHugePages - Memory used by shared memory (shmem) and tmpfs allc ShmemPmdMapped - Ammount of shared (shmem/tmpfs) memory backed by

#### Memory Slab




SUnreclaim - Part of Slab, that cannot be reclaimed on memory pressure


SReclaimable - Part of Slab, that might be reclaimed, such as caches

20 35


12.0










Unevictable - Amount of unevictable memory that can't be swapped out for a v
MLocked - Size of pages locked to memory using the mlock() system call








NFS Unstable - Memory in NFS pages sent to the server, but not yet committed to
































































13:10

13:10

1.15 MiB

155 KiB

0 B

15

max

3.21 MiB

160 KiB

0 B

12 KiB

0 B

min max

0 0

29 40 38.7


avg current


0

3

39

0







InErrs - Segments received in error (e.g., bad TCP checksums)

RetransSegs - Segments retransmitted - that is, the number of TCP segments tr

TCPSynRetrans - SYN-SYN/ACK retransmits to break down retransmissions in


## 500 400 300 connections 200 100 0 13:00 13:05 13:10

**TCP Connections** 

CurrEstab - TCP connections for which the current state is either ESTABLISHED

#### TCP SynCookie 0.500 counter out (-) / in (+) -0.50 13:00 13:05 13:10 min max avg current ~ SyncookiesSent - SYN cookies sent 0 0 0





### **TCP Direct Transition** 20 15 connections 10 5 0 13:00 13:05 13:10

ActiveOpens - TCP connections that have made a direct transition to the SYN-S PassiveOpens - TCP connections that have made a direct transition to the SYN

# **Node Exporter Scrape** 40 30 counter 20 10 13:00 13:05 13:10 max avg current

	arp - Scrape success	1	1	1	1
_	bcache - Scrape success	1	1	1	1
_	bonding - Scrape success	0	0	0	0
_	btrfs - Scrape success	1	1	1	1