

Host Metrics


The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)

Fri Nov 4 17:06:28 UTC 2022 to Fri Nov 4 17:22:32 UTC 2022













CPU









- Inactive Memory which has been less recently used. It is more eligible to be re
- Active Memory that has been used more recently and usually not reclaimed u



Memory Commited


- Committed_AS Amount of memory presently allocated on the system
- CommitLimit Amount of memory currently available to be allocated on the sy






- Inactive_file File-backed memory on inactive LRU list
- Inactive_anon Anonymous and swap cache on inactive LRU list, including tmp
- Active_file File-backed memory on active LRU list
- Active_anon Anonymous and swap cache on active least-recently-used (LRU)

Memory Writeback and Dirty




- Writeback Memory which is actively being written back to disk
- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk

Memory Shared and Mapped



- Mapped Used memory in mapped pages files which have been mmaped, such
- Shmem Used shared memory (shared between several processes, thus includ
- ShmemHugePages Memory used by shared memory (shmem) and tmpfs alic
- ShmemPmdMapped Ammount of shared (shmem/tmpfs) memory backed by


Memory Slab





- SUnreclaim Part of Slab, that cannot be reclaimed on memory pressure
- SReclaimable Part of Slab, that might be reclaimed, such as caches


10 14


340.



















KernelStack - Kernel memory stack. This is not reclaimable


PerCPU - Per CPU memory allocated dynamically by loadable modules

16.9

16.3










 Unevictable - Amount of unevictable memory that can't be swapped out for a v MLocked - Size of pages locked to memory using the mlock() system call

Memory Pages In / Out











0 0 0

Pswpout - Pages swapped out













Phase-locked loop time adjust














Processes Status



















Threads Number and Limit












































RAW_inuse - Raw sockets currently in use















- InErrs Segments received in error (e.g., bad TCP checksums)
- RetransSegs Segments retransmitted that is, the number of TCP segments tr
- TCPSynRetrans SYN-SYN/ACK retransmits to break down retransmissions in


300 100 17:08 17:10 17:12 17:14 17:16 17:18 17:20 17:22

TCP Connections

CurrEstab - TCP connections for which the current state is either ESTABLISHED







ActiveOpens - TCP connections that have made a direct transition to the SYN-S
PassiveOpens - TCP connections that have made a direct transition to the SYN

Node Exporter Scrape 40 30 counter 20 10 17:10 17:14 17:16 arp - Scrape success bcache - Scrape success 0 bonding - Scrape success 0 0 0 btrfs - Scrape success