

Host Metrics

The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)

Thu Mar 3 11:30:38 UTC 2022 to Thu Mar 3 12:25:58 UTC 2022







100%

80%

60%

40%

20%

0%

11:40

System - Processes executing in kernel mode

11:50


12:00


12:10

12:20

percentage


CPU













- Committed_AS Amount of memory presently allocated on the system
- CommitLimit Amount of memory currently available to be allocated on the sy




- Inactive_file File-backed memory on inactive LRU list
- Inactive_anon Anonymous and swap cache on inactive LRU list, including tm;
- Active_file File-backed memory on active LRU list
- Active_anon Anonymous and swap cache on active least-recently-used (LRU)



- Writeback Memory which is actively being written back to disk
- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk







- Mapped Used memory in mapped pages files which have been mmaped, such
- Shmem Used shared memory (shared between several processes, thus includ
- ShmemHugePages Memory used by shared memory (shmem) and tmpfs allc
- ShmemPmdMapped Ammount of shared (shmem/tmpfs) memory backed by


Memory Slab


276.



- SUnreclaim Part of Slab, that cannot be reclaimed on memory pressure
- SReclaimable Part of Slab, that might be reclaimed, such as caches










NFS Unstable - Memory in NFS pages sent to the server, but not yet committed to








Unevictable - Amount of unevictable memory that can't be swapped out for a v
MLocked - Size of pages locked to memory using the mlock() system call

















Processes virtual memory size in bytes

Maximum amount of virtual memory available in bytes










0 B 0 B


0 B 0 B


0 B


























































InErrs - Segments received in error (e.g., bad TCP checksums)

RetransSegs - Segments retransmitted - that is, the number of TCP segments tr


TCPSynRetrans - SYN-SYN/ACK retransmits to break down retransmissions in



CurrEstab - TCP connections for which the current state is either ESTABLISHED







ActiveOpens - TCP connections that have made a direct transition to the SYN-S
PassiveOpens - TCP connections that have made a direct transition to the SYN

