Host Metrics

The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)

Fri May 6 05:02:04 UTC 2022
to
Fri May 6 08:58:25 UTC 2022



Disk Space Used Basic



CPU



- System - Processes executing in kernel mode
- User - Normal processes executing in user mode
- Nice - Niced processes executing in user mode
- Idle - Waiting for something to happen
- Iowait - Waiting for I/O to complete

Memory Stack



- Apps - Memory used by user-space applications
- PageTables - Memory used to map between virtual and physical memory addr
- SwapCache - Memory that keeps track of pages that have been fetched from s
- Slab - Memory used by the kernel to cache data structures for its own use (cacl
- Cache - Parked file data (file content) cache

Network Traffic



	min	max	avg	curre
br-3bee41ce9340 - Receive	0 b/s	0 b/s	0 b/s	0
br-7098de4b671c - Receive	37.4 kb/s	382 Mb/s	262 Mb/s	215 M
br-b5d82a87db58 - Receive	0 b/s	0 b/s	0 b/s	0
br-bc23f242cfdc - Receive	15.6 kb/s	1.79 Mb/s	593 kb/s	299 k
br-e80c0fa915ee - Receive	0 b/s	0 b/s	0 b/s	0

Disk Space Used



	min	max	avg	current ^
/run/lock	0 B	0 B	0 B	0 B
/run/user/0	0 B	0 B	0 B	0 B
/run/user/1001	0 B	0 B	0 B	0 B
/run	2.258 MiB	3.723 MiB	3.716 MiB	3.719 MiB
/run/snapd/ns	2.258 MiB	3.723 MiB	3.716 MiB	3.719 MiB

Disk IOps



	min	max	avg	current
vda - Reads completed	0 io/s	44.5 io/s	0.387 io/s	0 io/s
vda - Writes completed	27.6 io/s	562 io/s	260 io/s	162 io/s

I/O Usage Read / Write



	min	max	avg
vda - Successfully read bytes	0 B/s	2.707 MB/s	9.197 kB/s
vdb - Successfully read bytes	0 B/s	0 B/s	0 B/s
vdc - Successfully read bytes	0 B/s	0 B/s	0 B/s
vdd - Successfully read bytes	0 B/s	0 B/s	0 B/s
vda - Successfully written bytes	1.196 MB/s	9.514 MB/s	4.007 MB/s

I/O Utilization



	min	max	avg	current
vda	7.330%	83.076%	33.357%	15.218%
vdb	0%	0%	0%	0%
vdc	0%	0%	0%	0%
vdd	0%	0%	0%	0%

Memory Active / Inactive



Inactive - Memory which has been less recently used. It is more eligible to be re

Active - Memory that has been used more recently and usually not reclaimed u

Memory Commited



Committed_AS - Amount of memory presently allocated on the system

CommitLimit - Amount of memory currently available to be allocated on the sy

Memory Active / Inactive Detail



Inactive_file - File-backed memory on inactive LRU list

Inactive_anon - Anonymous and swap cache on inactive LRU list, including tmp

Active_file - File-backed memory on active LRU list

Active_anon - Anonymous and swap cache on active least-recently-used (LRU)

Memory Writeback and Dirty



Writeback - Memory which is actively being written back to disk

WritebackTmp - Memory used by FUSE for temporary writeback buffers

Dirty - Memory which is waiting to get written back to the disk 1.90

Memory Shared and Mapped



Mapped - Used memory in mapped pages files which have been mmaped, such

Shmem - Used shared memory (shared between several processes, thus includ

ShmemHugePages - Memory used by shared memory (shmem) and tmpfs allc

ShmemPmdMapped - Ammount of shared (shmem/tmpfs) memory backed by

Memory Slab



SUnreclaim - Part of Slab, that cannot be reclaimed on memory pressure 50

SReclaimable - Part of Slab, that might be reclaimed, such as caches 53

Memory Vmalloc



VmallocChunk - Largest contigious block of vmalloc area which is free		
VmallocTotal - Total size of vmalloc memory area		32.0
VmallocUsed - Amount of vmalloc area which is used		32.5

Memory Bounce



	min	max	avg	curr
Bounce - Memory used for block device bounce buffers	0 B	0 B	0 B	

Memory Anonymous



	min	m
AnonHugePages - Memory in anonymous huge pages	34.00 MiB	128.00
AnonPages - Memory in user pages not backed by files	1.87 GiB	5.89

Memory Kernel / CPU



KernelStack - Kernel memory stack. This is not reclaimable	21.6
PerCPU - Per CPU memory allocated dynamically by loadable modules	78.3

Memory HugePages Counter



HugePages_Free - Huge pages in the pool that are not yet allocated
HugePages_Rsvd - Huge pages for which a commitment to allocate from the p
HugePages_Surp - Huge pages in the pool above the value in /proc/sys/vm/nr

Memory HugePages Size



	min	max	cu
HugePages - Total size of the pool of huge pages	0 B	0 B	
Hugepagesize - Huge Page size	2.00 MiB	2.00 MiB	2.0

Memory DirectMap



	min	max
DirectMap1G - Amount of pages mapped as this size	4.00 GiB	4.00 GiB
DirectMap2M - Amount of pages mapped as this size	60.35 GiB	60.36 GiB
DirectMap4K - Amount of pages mapped as this size	1.64 GiB	1.65 GiB

Memory Unevictable and MLocked



- Unevictable - Amount of unevictable memory that can't be swapped out for a v
- MLocked - Size of pages locked to memory using the mlock() system call

Memory NFS



- NFS Unstable - Memory in NFS pages sent to the server, but not yet commited t

Memory Pages In / Out



	min	max	avg	current
Pagesin - Page in operations	0	2.64 K	8.98	0
Pagesout - Page out operations	1.05 K	9.29 K	3.91 K	2.05 K

Memory Pages Swap In / Out



	min	max	avg	current
Pswpin - Pages swapped in	0	0	0	0
Pswpout - Pages swapped out	0	0	0	0

Memory Page Faults



	min	max	avg
Pgfault - Page major and minor fault operations	8.25 K	74.95 K	22.49
Pgmajfault - Major page fault operations	0	13.25	0.0
Pgminfault - Minor page fault operations	8.24 K	74.94 K	22.49

OOM Killer



	min	max	avg	current
oom killer invocations	0	0	0	0

Time Syncronized Drift



	min	max
Estimated error in seconds	0 s	0 s
Time offset in between local system and reference clock	-125 µs	102 µs
Maximum error in seconds	1 ms	1.02 s

Time PLL Adjust



	min	max	avg	current
Phase-locked loop time adjust	7	7	7	7

Time Syncronized Status



	min	max	avg
Is clock synchronized to a reliable server (1 = yes, 0 = no)	1	1	
Local clock frequency adjustment	1.00	1.00	1.0

Time Misc



	min	max	avg	current
Seconds between clock ticks	10 ms	10 ms	10.00 ms	10 ms
International Atomic Time (TAI) offset	0 s	0 s	0 s	0 s

Processes Status



	min	max	avg	current
Processes blocked waiting for I/O to complete	0	8	0.173	0
Processes in runnable state	11	38	20.2	24

Processes State



Processes Forks



Processes Memory

PIDs Number and Limit



Process schedule stats Running / Waiting



Threads Number and Limit



Context Switches / Interrupts



	min	max	avg	current
Context switches	8.47 K	81.7 K	54.2 K	43.1 K
Interrupts	5.00 K	45.9 K	30.8 K	25.1 K

System Load



	min	max	avg	current
Load 1m	4.53	17.8	12.3	12.6
Load 5m	6.06	16.5	12.3	12.3
Load 15m	7.56	14.7	12.2	12.1

Interrupts Detail



	min	max	avg	current

Schedule timeslices executed by each cpu



	min	max	avg	current
CPU 0	325	3.03 K	1.84 K	1.25 K
CPU 1	71.4	2.94 K	1.83 K	1.28 K
CPU 10	419	2.90 K	1.84 K	1.54 K
CPU 11	101	2.96 K	1.84 K	1.45 K

Entropy



	min	max	avg
Entropy available to random number generators	3.20 K	3.75 K	3.50 K

CPU time spent in user and system contexts



	min	max	avg	current
Time spent	4.67 ms	8.44 ms	6.42 ms	5.11 ms

File Descriptors



	min	max	avg	current
Maximum open file descriptors	1.02 K	1.02 K	1.02 K	1.02 K
Open file descriptors	9	9	9	9

Hardware temperature monitor



Throttle cooling device



	min	max	avg	current
Current 0 in Processor	0	0	0	0
Current 1 in Processor	0	0	0	0
Current 10 in Processor	0	0	0	0
Current 11 in Processor	0	0	0	0

Power supply



Systemd Sockets



Systemd Units State



Disk IOps Completed



	min	max	avg	current
vda - Reads completed	0 io/s	44.5 io/s	0.387 io/s	0 io/s
vda - Writes completed	27.6 io/s	562 io/s	260 io/s	162 io/s

Disk R/W Data



	min	max	avg	current
vda - Read bytes	0 B/s	1.20 MB/s	10.4 kB/s	0 B/s
vda - Written bytes	1.20 MB/s	9.51 MB/s	4.01 MB/s	2.09 MB/s

Disk Average Wait Time



	min	max	avg	current
vda - Write wait time avg	1.56 ms	69.4 ms	4.26 ms	4.07 ms
vda - Read wait time avg	0 s	1.50 ms	371 µs	

Average Queue Size



	min	max	avg	current
vda	0.0140	5.38	0.641	0.413

Disk R/W Merged



	min	max	avg	current
vda - Write merged	31.7 io/s	403 io/s	139 io/s	64.1 io/s
vda - Read merged	0 io/s	29.0 io/s	0.0961 io/s	0 io/s

Time Spent Doing I/Os



	min	max	avg	current
vda - IO	3.26%	77.1%	33.2%	17.1%

Instantaneous Queue Size



Disk IOps Discards completed / merged



Filesystem space available



	min	max	avg	cu
/ - Available	68.445 GiB	71.291 GiB	69.239 GiB	68.4
/boot/efi - Available	99.157 MiB	99.157 MiB	99.157 MiB	99.15
/run - Available	6.278 GiB	6.279 GiB	6.278 GiB	6.2
/run/lock - Available	5.000 MiB	5.000 MiB	5.000 MiB	5.00

File Nodes Free



	min	max	avg	current
/ - Free file nodes	12.5 Mil	12.5 Mil	12.5 Mil	12.5 Mil
/run - Free file nodes	8.23 Mil	8.23 Mil	8.23 Mil	8.23 Mil
/run/lock - Free file nodes	8.23 Mil	8.23 Mil	8.23 Mil	8.23 Mil
/run/snapd/ns - Free file nodes	8.23 Mil	8.23 Mil	8.23 Mil	8.23 Mil

File Descriptor



	min	max	avg	current
Max open files	9.22 Quint	9.22 Quint	9.22 Quint	9.22 Quint
Open files	5.15 K	13.1 K	11.7 K	11.8 K

File Nodes Size



	min	max	avg	current
/ - File nodes total	12.9 Mil	12.9 Mil	12.9 Mil	12.9 Mil
/run - File nodes total	8.23 Mil	8.23 Mil	8.23 Mil	8.23 Mil
/run/lock - File nodes total	8.23 Mil	8.23 Mil	8.23 Mil	8.23 Mil
/run/snapd/ns - File nodes total	8.23 Mil	8.23 Mil	8.23 Mil	8.23 Mil

Filesystem in ReadOnly / Error



Network Traffic by Packets



	min	max	avg	curr
br-3bee41ce9340 - Receive	0 p/s	0 p/s	0 p/s	0
br-7098de4b671c - Receive	38.9 p/s	16.9 kp/s	10.3 kp/s	7.51
br-b5d82a87db58 - Receive	0 p/s	0 p/s	0 p/s	0
br-bc23f242cfdc - Receive	9.79 p/s	264 p/s	122 p/s	74.9

Network Traffic Errors



	min	max	avg	current
vethfa46735 - Rransmit errors	0 p/s	0 p/s	0 p/s	0 p/s
vethf5c3429 - Rransmit errors	0 p/s	0 p/s	0 p/s	0 p/s
vethf590b6a - Rransmit errors	0 p/s	0 p/s	0 p/s	0 p/s
vethf2b5f91 - Rransmit errors	0 p/s	0 p/s	0 p/s	0 p/s

Network Traffic Drop



	min	max	avg	current
vethfa46735 - Transmit drop	0 p/s	0 p/s	0 p/s	0 p/s
vethf5c3429 - Transmit drop	0 p/s	0 p/s	0 p/s	0 p/s
vethf590b6a - Transmit drop	0 p/s	0 p/s	0 p/s	0 p/s
vethf2b5f91 - Transmit drop	0 p/s	0 p/s	0 p/s	0 p/s

Network Traffic Compressed



	min	max	avg	current
vethfa46735 - Transmit compressed	0 p/s	0 p/s	0 p/s	0 p/s
vethf5c3429 - Transmit compressed	0 p/s	0 p/s	0 p/s	0 p/s
vethf590b6a - Transmit compressed	0 p/s	0 p/s	0 p/s	0 p/s
vethf2b5f91 - Transmit compressed	0 p/s	0 p/s	0 p/s	0 p/s

Network Traffic Multicast



	min	max	avg	current
vethfa46735 - Receive multicast	0 p/s	0 p/s	0 p/s	0 p/s
vethf5c3429 - Receive multicast	0 p/s	0 p/s	0 p/s	0 p/s
vethf590b6a - Receive multicast	0 p/s	0 p/s	0 p/s	0 p/s
vethf2b5f91 - Receive multicast	0 p/s	0 p/s	0 p/s	0 p/s

Network Traffic Fifo



	min	max	avg	current
vethfa46735 - Transmit fifo	0 p/s	0 p/s	0 p/s	0 p/s
vethf5c3429 - Transmit fifo	0 p/s	0 p/s	0 p/s	0 p/s
vethf590b6a - Transmit fifo	0 p/s	0 p/s	0 p/s	0 p/s
vethf2b5f91 - Transmit fifo	0 p/s	0 p/s	0 p/s	0 p/s

Network Traffic Frame



	min	max	avg	current
vethfa46735 - Receive frame	0 p/s	0 p/s	0 p/s	0 p/s
vethf5c3429 - Receive frame	0 p/s	0 p/s	0 p/s	0 p/s
vethf590b6a - Receive frame	0 p/s	0 p/s	0 p/s	0 p/s
vethf2b5f91 - Receive frame	0 p/s	0 p/s	0 p/s	0 p/s

Network Traffic Carrier



	min	max	avg	current
vethfa46735 - Statistic transmit_carrier	0	0	0	0
vethf5c3429 - Statistic transmit_carrier	0	0	0	0
vethf590b6a - Statistic transmit_carrier	0	0	0	0
vethf2b5f91 - Statistic transmit_carrier	0	0	0	0

Network Traffic Colls



	min	max	avg	current
vethfa46735 - Transmit colls	0	0	0	0
vethf5c3429 - Transmit colls	0	0	0	0
vethf590b6a - Transmit colls	0	0	0	0
vethf2b5f91 - Transmit colls	0	0	0	0

NF Contrack



	min	max	avg	current
NF conntrack entries	131	7.83 K	4.28 K	2.67 K
NF conntrack limit	262 K	262 K	262 K	262 K

ARP Entries



	min	max	avg	current
br-7098de4b671c - ARP entries	24	29	25.1	25
br-bc23f242cfdc - ARP entries	4	5	4.64	5
ens3 - ARP entries	1	1	1	1

MTU



	min	max	avg	current
br-3bee41ce9340 - Bytes	1.5 KiB	1.5 KiB	1.5 KiB	1.5 KiB
br-7098de4b671c - Bytes	1.5 KiB	1.5 KiB	1.5 KiB	1.5 KiB
br-b5d82a87db58 - Bytes	1.5 KiB	1.5 KiB	1.5 KiB	1.5 KiB
br-bc23f242cfdc - Bytes	1.5 KiB	1.5 KiB	1.5 KiB	1.5 KiB

Speed



	min	max	avg	current
ens3 - Speed	-122.1 KiB	-122.1 KiB	-122.1 KiB	-122.1 KiB
veth03ebecf - Speed	1.2 GiB	1.2 GiB	1.2 GiB	1.2 GiB
veth076bd2f - Speed	1.2 GiB	1.2 GiB	1.2 GiB	1.2 GiB
veth07ba655 - Speed	1.2 GiB	1.2 GiB	1.2 GiB	1.2 GiB

Queue Length



	min	max	a
br-3bee41ce9340 - Interface transmit queue length	0	0	
br-7098de4b671c - Interface transmit queue length	0	0	
br-b5d82a87db58 - Interface transmit queue length	0	0	
br-bc23f242cfdc - Interface transmit queue length	0	0	

Softnet Packets



	min	max	avg	current
CPU 14 - Processed	13.2	3.50 K	2.02 K	1.84 K
CPU 12 - Processed	6.00	3.50 K	2.07 K	1.78 K
CPU 2 - Processed	7.97	3.44 K	2.05 K	1.77 K
CPU 13 - Processed	4.39	3.42 K	1.99 K	1.67 K

Softnet Out of Quota



	min	max	avg	current
CPU 9 - Squeezed	0	0.0222	0.0000474	0
CPU 8 - Squeezed	0	0.0222	0.0000948	0
CPU 7 - Squeezed	0	0.0222	0.0000948	0
CPU 6 - Squeezed	0	0.0222	0.000142	0

Network Operational Status



	min	max	avg	current
vethfa46735 - Physical link state	1	1	1	1
vethf5c3429 - Physical link state	1	1	1	1
vethf590b6a - Physical link state	1	1	1	1
vethf2b5f91 - Physical link state	1	1	1	1

Sockstat TCP



	min	max	avg	current
TCP_alloc - Allocated sockets	182	1.57 K	1.17 K	983
TCP_inuse - Tcp sockets currently in use	72	425	313	261
TCP_orphan - Orphan sockets	0	3	0.141	0
TCP_tw - Sockets wating close	27	867	474	307

Sockstat UDP



	min	max	avg	current
UDPLITE_inuse - Udplite sockets currently in use	0	0	0	0
UDP_inuse - Udp sockets currently in use	3	3	3	3
UDP_mem - Used memory for udp	8	32	29.9	30

Sockstat FRAG / RAW



	min	max	avg	current
FRAG_inuse - Frag sockets currently in use	0	0	0	0
RAW_inuse - Raw sockets currently in use	0	0	0	0

Sockstat Memory Size



	min	max	avg	curr
mem_bytes - TCP sockets in that state	40 KiB	4.63 MiB	1.37 MiB	92(
mem_bytes - UDP sockets in that state	32 KiB	128 KiB	120 KiB	12(
FRAG_memory - Used memory for frag	0 B	0 B	0 B	

Sockstat Used



	min	max	avg	current
Sockets_used - Sockets currently in use	406	870	758	706

Netstat IP In / Out Octets



	min	max	avg	current
OutOctets - Sent octets	8.00 K	47.9 Mil	32.8 Mil	27.0 Mil
InOctets - Received octets	7.08 K	47.9 Mil	32.8 Mil	27.0 Mil

Netstat IP Forwarding



ICMP In / Out

ICMP Errors

UDP In / Out



UDP Errors



TCP In / Out



TCP Errors



OutRsts - Segments sent with RST flag

InErrs - Segments received in error (e.g., bad TCP checksums)

RetransSegs - Segments retransmitted - that is, the number of TCP segments tr

TCPSynRetrans - SYN-SYN/ACK retransmits to break down retransmissions in

TCP Connections



CurrEstab - TCP connections for which the current state is either ESTABLISHED

TCP SynCookie



	min	max	avg	current
SyncookiesSent - SYN cookies sent	0	0	0	0
SyncookiesRecv - SYN cookies received	0	0	0	0
SyncookiesFailed - Invalid SYN cookies received	0	0	0	0

TCP Direct Transition



ActiveOpens - TCP connections that have made a direct transition to the SYN-S

PassiveOpens - TCP connections that have made a direct transition to the SYN

Node Exporter Scrape Time



	min	max	avg	current
netclass - Scrape duration	13.6 ms	49.9 ms	31.3 ms	34.6
netdev - Scrape duration	1.04 ms	14.0 ms	3.86 ms	2.66
cpu - Scrape duration	839 µs	13.8 ms	2.61 ms	1.44
filesystem - Scrape duration	864 µs	12.3 ms	2.69 ms	1.25

Node Exporter Scrape



	min	max	avg	current
arp - Scrape success	1	1	1	1
bcache - Scrape success	1	1	1	1
bonding - Scrape success	0	0	0	0
btrfs - Scrape success	1	1	1	1