

Host Metrics


The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)

Fri Oct 21 07:12:47 UTC 2022 to Fri Oct 21 07:25:02 UTC 2022










CPU

100%



0 b/s


124 kb/s

17.1 kb/s

862 b


Io - Receive






- Inactive Memory which has been less recently used. It is more eligible to be re
- Active Memory that has been used more recently and usually not reclaimed u






- Inactive_file File-backed memory on inactive LRU list
- Inactive_anon Anonymous and swap cache on inactive LRU list, including tmp
- Active_file File-backed memory on active LRU list
- Active_anon Anonymous and swap cache on active least-recently-used (LRU)

Memory Shared and Mapped



- Mapped Used memory in mapped pages files which have been mmaped, such
- Shmem Used shared memory (shared between several processes, thus includ
- ShmemHugePages Memory used by shared memory (shmem) and tmpfs allo
- ShmemPmdMapped Ammount of shared (shmem/tmpfs) memory backed by

Memory Commited




- Committed_AS Amount of memory presently allocated on the system
- CommitLimit Amount of memory currently available to be allocated on the sy

Memory Writeback and Dirty



- Writeback Memory which is actively being written back to disk
- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk


Memory Slab




- SUnreclaim Part of Slab, that cannot be reclaimed on memory pressure
- SReclaimable Part of Slab, that might be reclaimed, such as caches


12 25


408.





























































































































0 0





RAW_inuse - Raw sockets currently in use















InErrs - Segments received in error (e.g., bad TCP checksums)


RetransSegs - Segments retransmitted - that is, the number of TCP segments tr


TCPSynRetrans - SYN-SYN/ACK retransmits to break down retransmissions in



CurrEstab - TCP connections for which the current state is either ESTABLISHED







ActiveOpens - TCP connections that have made a direct transition to the SYN-S PassiveOpens - TCP connections that have made a direct transition to the SYN

Node Exporter Scrape 40 30 counter 20 10 0 07:14 07:16 07:18 07:20 07:22 07:24 max avg current arp - Scrape success bcache - Scrape success 0 bonding - Scrape success 0 0 0 btrfs - Scrape success