

Host Metrics

The dashboard visualizes host metrics collected by node_exporter. (based on: https://grafana.com/grafana/dashboards/1860)

Fri Oct 21 10:06:41 UTC 2022 to Fri Oct 21 10:27:45 UTC 2022







100%

80%

60%

40%

20%

0%

10:10

percentage


CPU

10:15

10:20


10:25












Memory Commited

- Committed_AS Amount of memory presently allocated on the system
- CommitLimit Amount of memory currently available to be allocated on the sy




- Inactive_file File-backed memory on inactive LRU list
- Inactive_anon Anonymous and swap cache on inactive LRU list, including tm;
- Active_file File-backed memory on active LRU list
- Active_anon Anonymous and swap cache on active least-recently-used (LRU)




- Writeback Memory which is actively being written back to disk
- WritebackTmp Memory used by FUSE for temporary writeback buffers
- Dirty Memory which is waiting to get written back to the disk






- Mapped Used memory in mapped pages files which have been mmaped, such
- Shmem Used shared memory (shared between several processes, thus includ
- ShmemHugePages Memory used by shared memory (shmem) and tmpfs allo
- ShmemPmdMapped Ammount of shared (shmem/tmpfs) memory backed by


Memory Slab





- SUnreclaim Part of Slab, that cannot be reclaimed on memory pressure
- SReclaimable Part of Slab, that might be reclaimed, such as caches
- 13 26


624.
















KernelStack - Kernel memory stack. This is not reclaimable


PerCPU - Per CPU memory allocated dynamically by loadable modules

30.4


20.1










Unevictable - Amount of unevictable memory that can't be swapped out for a v
MLocked - Size of pages locked to memory using the mlock() system call








NFS Unstable - Memory in NFS pages sent to the server, but not yet committed 1


































































InErrs - Segments received in error (e.g., bad TCP checksums)


RetransSegs - Segments retransmitted - that is, the number of TCP segments tr

TCPSynRetrans - SYN-SYN/ACK retransmits to break down retransmissions in



CurrEstab - TCP connections for which the current state is either ESTABLISHED





1.34 ms

9.30 ms

1.38 ms 8.51 ms

3.99 ms


3.74 ms

5.20

3.78

netdev - Scrape duration

cpu - Scrape duration



ActiveOpens - TCP connections that have made a direct transition to the SYN-S
PassiveOpens - TCP connections that have made a direct transition to the SYN

