















# FRENOS

LEVAS Y COMPONENTES, PULMONES DE FRENO  
PATINES, CINTAS, REGISTROS Y MAS





# CAMION FIAT-VW-FORD

| TIPO    | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|---------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| DFW983  | 3000/3 | 18,0 mm            | 6                   |    |    |
|         | 3001/3 | 19,6 mm            |                     |                                                                                      |                                                                                       |
|         | 3002/3 | 21,0 mm            |                     |                                                                                      |                                                                                       |
| DFW984  | 3003/3 | 19 mm              | 6                   |    |    |
|         | 3004/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|         | 3005/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DFW 986 | 3006/3 | 19 mm              | 6                   |  |   |
|         | 3007/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|         | 3008/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DFW 987 | 3009/3 | 19 mm              | 6                   |  |  |
|         | 3010/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|         | 3011/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DFW 988 | 3012/3 | 19 mm              | 6                   |  |  |
|         | 3013/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|         | 3014/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |

# CAMION FIAT-VW-FORD







| TIPO     | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|----------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 4514     | 4103/4 | 18 mm              | 6                   |    |    |
|          | 4104/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 4105/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| 4514RA   | 4121/4 | 18 mm              | 8                   |    |    |
|          | 4122/4 | 19 mm              |                     |                                                                                      |                                                                                       |
|          | 4123/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 4127/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DFI 619D | 4095/4 | 12 mm              | 8                   |  |   |
|          | 4096/4 | 13 mm              |                     |                                                                                      |                                                                                       |
|          | 4097/4 | 14 mm              |                     |                                                                                      |                                                                                       |
|          | 4098/4 | 15 mm              |                     |                                                                                      |                                                                                       |
| DFI 619T | 4099/4 | 12 mm              | 8                   |  |  |
|          | 4100/4 | 13 mm              |                     |                                                                                      |                                                                                       |
|          | 4101/4 | 14 mm              |                     |                                                                                      |                                                                                       |
|          | 4102/4 | 15,2 mm            |                     |                                                                                      |                                                                                       |
| 3595     | 4088/7 | 12,7 mm            | 6                   |  |  |
|          | 4089/4 | 14,3 mm            |                     |                                                                                      |                                                                                       |
|          | 4090/4 | 15,8 mm            |                     |                                                                                      |                                                                                       |
|          | 4091/4 | 17,5 mm            |                     |                                                                                      |                                                                                       |

# CAMION FIAT-VW-FORD








| TIPO  | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|-------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| FD-85 | 3055/3 | 19 mm              | 8                   |    |    |
| 4564A | 4092/4 | 12,7 mm            | 6                   |   |   |
|       | 4093/4 | 14,3 mm            |                     |                                                                                      |                                                                                       |
|       | 4094/4 | 15,8 mm            |                     |                                                                                      |                                                                                       |
| 4596A | 4069/4 | 12,7 mm            | 6                   |  |  |
|       | 4068/4 | 14,3 mm            |                     |                                                                                      |                                                                                       |
|       | 4067/4 | 15,8 mm            |                     |                                                                                      |                                                                                       |
| 4596B | 4072/4 | 12,7 mm            | 6                   |  |  |
|       | 4071/4 | 14,3 mm            |                     |                                                                                      |                                                                                       |
|       | 4070/4 | 15,8 mm            |                     |                                                                                      |                                                                                       |







# CAMION MERCEDEZ BENZ

| TIPO       | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|------------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| MB912      | 4021/4 | 16 mm              | 8                   |    |    |
|            | 4022/4 | 17 mm              |                     |                                                                                      |                                                                                       |
| 10148      | 3054/3 | 16 mm              | 6                   |    |    |
| 2140       | 3057/3 | 14 mm              | 6                   |  |  |
| 1487       | 3056/3 | 20,6 mm            | 6                   |  |  |
|            | 3056/3 | 19 mm              | 8                   |                                                                                      |                                                                                       |
|            | 3058/3 | 18 mm              | 8                   |                                                                                      |                                                                                       |
| 8125A-/STD | 3060/3 | 18 mm              | 8                   |  |  |





# CAMION MERCEDEZ BENZ






| TIPO  | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|-------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| MB183 | 4143/4 | 17 mm              | 8                   |    |    |
|       | 4142/4 | 18 mm              |                     |                                                                                      |                                                                                       |
|       | 4141/4 | 19 mm              |                     |                                                                                      |                                                                                       |
|       | 4140/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
| MB184 | 4150/4 | 17 mm              | 8                   |    |    |
|       | 4149/4 | 18 mm              |                     |                                                                                      |                                                                                       |
|       | 4151/4 | 19 mm              |                     |                                                                                      |                                                                                       |
|       | 4148/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
| MB185 | 4147/4 | 17 mm              | 8                   |  |   |
|       | 4146/4 | 18mm               |                     |                                                                                      |                                                                                       |
|       | 4145/4 | 19 mm              |                     |                                                                                      |                                                                                       |
|       | 4144/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
| MB188 | 4136/4 | 17 mm              | 8                   |  |  |
|       | 4137/4 | 18 mm              |                     |                                                                                      |                                                                                       |
|       | 4138/4 | 19 mm              |                     |                                                                                      |                                                                                       |
|       | 4139/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
| MB191 | 3036/3 | 17 mm              | 8                   |  |  |
|       | 3037/3 | 18 mm              |                     |                                                                                      |                                                                                       |
|       | 3038/3 | 19 mm              |                     |                                                                                      |                                                                                       |
|       | 3039/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |

# CAMION MERCEDEZ BENZ

| TIPO  | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|-------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| MB140 | 4128/4 | 15 mm              | 8                   |    |    |
|       | 4129/4 | 16 mm              |                     |                                                                                      |                                                                                       |
|       | 4130/4 | 17 mm              |                     |                                                                                      |                                                                                       |
|       | 4131/4 | 18 mm              |                     |                                                                                      |                                                                                       |
|       | 4013/4 | 19 mm              |                     |                                                                                      |                                                                                       |
| MB145 | 4014/4 | 17 mm              | 8                   |   |   |
|       | 4015/4 | 18,2 mm            |                     |                                                                                      |                                                                                       |
|       | 4016/4 | 19 mm              |                     |                                                                                      |                                                                                       |
|       | 3287/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| MB146 | 4132/4 | 17 mm              | 8                   |  |  |
|       | 4133/4 | 18 mm              |                     |                                                                                      |                                                                                       |
|       | 4134/4 | 19mm               |                     |                                                                                      |                                                                                       |
|       | 4135/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
| MB180 | 4017/4 | 15 mm              | 8                   |  |  |
|       | 4018/4 | 16 mm              |                     |                                                                                      |                                                                                       |
|       | 4019/4 | 17 mm              |                     |                                                                                      |                                                                                       |
|       | 4020/4 | 19 mm              |                     |                                                                                      |                                                                                       |

# CAMION MERCEDEZ BENZ







| TIPO   | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|--------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| MB1621 | 4023/4 | 22,2 mm            | 6                   |    |    |
|        | 4024/4 | 23,8 mm            |                     |                                                                                      |                                                                                       |
|        | 4025/4 | 25,4 mm            |                     |                                                                                      |                                                                                       |
|        | 4026/4 | 27 mm              |                     |                                                                                      |                                                                                       |
|        | 4027/4 | 28 mm              |                     |                                                                                      |                                                                                       |
| MB1621 | 4028/4 | 22,2 mm            | 8                   |  |   |
|        | 4029/4 | 23,8 mm            |                     |                                                                                      |                                                                                       |
|        | 4030/4 | 25,4 mm            |                     |                                                                                      |                                                                                       |
|        | 4031/4 | 27 mm              |                     |                                                                                      |                                                                                       |
| 0143T  | 4118/4 | 22,2 mm            | 6                   |  |  |




| TIPO     | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                              |
|----------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 0143T    | 4119/4 | 22,2 mm            | 8                   |    |   |
|          | 4117/4 | 23,8 mm            |                     |                                                                                      |                                                                                      |
|          | 4152/4 | 25,3 mm            |                     |                                                                                      |                                                                                      |
| MB181    | 4121/4 | 18 mm              | 6                   |  |  |
|          | 4122/4 | 22,2 mm            |                     |                                                                                      |                                                                                      |
| MB181-RA | 4123/4 | 17 mm              | 8                   |  |  |
|          | 4124/4 | 18 mm              |                     |                                                                                      |                                                                                      |
|          | 4125/4 | 19 mm              |                     |                                                                                      |                                                                                      |
|          | 4126/4 | 20,6 mm            |                     |                                                                                      |                                                                                      |
|          | 4127/4 | 22,2 mm            |                     |                                                                                      |                                                                                      |








PROXIMAMENTE MAS








| TIPO     | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|----------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| DS 723   | 3018/3 | 19 mm              | 6                   |    |    |
|          | 3019/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 3020/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 723RA | 3021/3 | 19 mm              | 8                   |    |    |
|          | 3022/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 3023/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 724   | 3024/3 | 19 mm              | 6                   |  |   |
|          | 3025/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 3026/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 724RA | 3027/3 | 19 mm              | 8                   |  |   |
|          | 3028/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 3029/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 726   | 3030/3 | 19 mm              | 6                   |  |  |
|          | 3031/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 3032/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 726RA | 3033/3 | 19 mm              | 8                   |  |  |
|          | 3034/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 3035/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |

| TIPO     | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|----------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| DS 727   | 4191/4 | 19 mm              | 6                   |    |    |
|          | 4192/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 4193/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 727RA | 4194/3 | 19 mm              | 8                   |                                                                                      |                                                                                       |
|          | 4195/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 4196/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 728   | 4197/4 | 19 mm              | 6                   |  |   |
|          | 4198/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 4199/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 728RA | 4200/4 | 19 mm              | 8                   |                                                                                      |                                                                                       |
|          | 4201/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 4202/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 729   | 3040/3 | 19 mm              | 6                   |  |  |
|          | 3041/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 3042/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DS 729RA | 3043/3 | 19 mm              | 8                   |                                                                                      |                                                                                       |
|          | 3044/3 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|          | 3045/3 | 22,2 mm            |                     |                                                                                      |                                                                                       |






| TIPO     | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                              |
|----------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| DS 730   | 3046/3 | 19 mm              | 6                   |    |   |
|          | 3047/3 | 20,6 mm            |                     |                                                                                      |                                                                                      |
|          | 3048/3 | 22,2 mm            |                     |                                                                                      |                                                                                      |
| DS 730RA | 3049/3 | 19 mm              | 8                   |    |   |
|          | 3050/3 | 20,6 mm            |                     |                                                                                      |                                                                                      |
|          | 3051/3 | 22,2 mm            |                     |                                                                                      |                                                                                      |
| DS 731   | 3245/3 | 19 mm              | 6                   |   |  |
|          | 3246/3 | 20,6 mm            |                     |                                                                                      |                                                                                      |
|          | 3247/3 | 22,2 mm            |                     |                                                                                      |                                                                                      |
| DS 731RA | 3248/3 | 19 mm              | 8                   |  |  |
|          | 3249/3 | 20,6 mm            |                     |                                                                                      |                                                                                      |
|          | 3250/3 | 22,2 mm            |                     |                                                                                      |                                                                                      |

PROXIMAMENTE MAS

| TIPO   | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|--------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| DV 888 | 4051/4 | 19 mm              | 6                   |    |    |
|        | 4052/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|        | 4053/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DV 889 | 4167/4 | 19 mm              | 6                   |   |   |
|        | 4168/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|        | 4169/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DV 890 | 4170/4 | 19 mm              | 6                   |  |  |
|        | 4171/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|        | 4172/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |



PROXIMAMENTE MAS

| TIPO   | CÓDIGO | MEDIDA-<br>ESPESOR | DIÁMETRO<br>AGUJERO | IMAGEN                                                                               | DISPOSICIÓN DE AGUJEROS                                                               |
|--------|--------|--------------------|---------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| DV 898 | 4073/4 | 19 mm              | 6                   |    |    |
|        | 4074/4 | 20,6 mm            |                     |                                                                                      |                                                                                       |
|        | 4075/4 | 22,2 mm            |                     |                                                                                      |                                                                                       |
| DV 899 | 4173/4 | 18 mm              | 6                   |   |   |
|        | 4174/4 | 19 mm              |                     |                                                                                      |                                                                                       |
|        | 4175/4 | 21 mm              |                     |                                                                                      |                                                                                       |
| DV900  | 4078/4 | 18 mm              | 6                   |  |  |
|        | 4077/4 | 19,5 mm            |                     |                                                                                      |                                                                                       |
|        | 4076/4 | 21 mm              |                     |                                                                                      |                                                                                       |



PROXIMAMENTE MAS