



Auto Generated PDF



Example Page

CopyRight: Belongs to no-one

Author: Listenzcc

Address: Some building, some road

Location: Some city, some state

Document

Part 1

万艘龙舸绿丝间，载到扬州尽不还。

应是天教开汴水，一千余里地无山。

尽道隋亡为此河，至今千里赖通波。

若无水殿龙舟事，共禹论功不较多。

Part 2

In ReportLab, you can dynamically switch page templates using the `onPage` callback within a `PageTemplate`. The `handle_nextPageTemplate` method is employed for this purpose. Page templates are identified by an `id` attribute, allowing for runtime switching, such as using `id='FirstPage'` or `id='TwoColumns'`. The `<pageTemplate>` tag also enables overriding page size and rotation. This approach provides flexibility in designing documents with varying layouts.

Styles (样式集)	BodyText
<p>Normal</p> <p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Normal'>>, defaults: {fontName: 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 10, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 12, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Normal'>>, name: Normal, parent: None, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Normal'>>, rightIndent: 0, spaceAfter: 0, spaceBefore: 0, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>	<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'BodyText'>>, defaults: {fontName: 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 10, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 12, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'BodyText'>>, name: BodyText, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'BodyText'>>, rightIndent: 0, spaceAfter: 0, spaceBefore: 6, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>

Italic	Heading1
<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Italic'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 10, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 12, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Italic'>>, name: Italic, parent: <ParagraphStyle 'BodyText'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Italic'>>, rightIndent: 0, spaceAfter: 0, spaceBefore: 6, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>	<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Heading1'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 18, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 22, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Heading1'>>, name: Heading1, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Heading1'>>, rightIndent: 0, spaceAfter: 6, spaceBefore: 0, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>

Title	Heading2
<p>{alignment: 1, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Title'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0.0,0.0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 18, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 22, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Title'>>, name: Title, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Title'>>, rightIndent: 0, spaceAfter: 6, spaceBefore: 0, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0.0,0.0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>	<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Heading2'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0.0,0.0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 14, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 18, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Heading2'>>, name: Heading2, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Heading2'>>, rightIndent: 0, spaceAfter: 6, spaceBefore: 12, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0.0,0.0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>

Heading3	Heading4
<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Heading3'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 12, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 14, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Heading3'>>, name: Heading3, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Heading3'>>, rightIndent: 0, spaceAfter: 6, spaceBefore: 12, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>	<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Heading4'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 10, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 12, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Heading4'>>, name: Heading4, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Heading4'>>, rightIndent: 0, spaceAfter: 4, spaceBefore: 10, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>

Heading5	Heading6
<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Heading5'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 9, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 10.8, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Heading5'>>, name: Heading5, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Heading5'>>, rightIndent: 0, spaceAfter: 4, spaceBefore: 8, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>	<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Heading6'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 7, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 8.4, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Heading6'>>, name: Heading6, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Heading6'>>, rightIndent: 0, spaceAfter: 2, spaceBefore: 6, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>

Bullet	Definition
<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Bullet'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 10, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 12, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Bullet'>>, name: Bullet, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Bullet'>>, rightIndent: 0, spaceAfter: 0, spaceBefore: 3, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>	<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica-BoldOblique, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Definition'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 10, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 12, leftIndent: 36, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Definition'>>, name: Definition, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Definition'>>, rightIndent: 0, spaceAfter: 0, spaceBefore: 6, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>

Code	UnorderedList
<pre>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'Code'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 8, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 8.8, leftIndent: 36, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'Code'>>, name: Code, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'Code'>>, rightIndent: 0, spaceAfter: 0, spaceBefore: 0, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</pre>	<pre>{bulletAlign: left, bulletColor: Color(0,0,0,1), bulletDedent: auto, bulletDir: ltr, bulletFontName: Helvetica, bulletFontSize: 12, bulletFormat: None, bulletOffsetY: 0, bulletType: 1, clone: <bound method PropertySet.clone of <ListStyle 'UnorderedList'>>, defaults: {'leftIndent': 18, 'rightIndent': 0, 'bulletAlign': 'left', 'bulletType': '1', 'bulletColor': Color(0,0,0,1), 'bulletFontName': 'Helvetica', 'bulletFontSize': 12, 'bulletOffsetY': 0, 'bulletDedent': 'auto', 'bulletDir': 'ltr', 'bulletFormat': None, 'start': None}, fontName: STXINWEI, leftIndent: 18, listAttrs: <bound method PropertySet.listAttrs of <ListStyle 'UnorderedList'>>, name: UnorderedList, parent: None, refresh: <bound method PropertySet.refresh of <ListStyle 'UnorderedList'>>, rightIndent: 0, start: None}</pre>

OrderedList	cTitle
<div><p>{bulletAlign: left, bulletColor: Color(0,0,0,1), bulletDedent: auto, bulletDir: ltr, bulletFontName: Helvetica, bulletFontSize: 12, bulletFormat: None, bulletOffsetY: 0, bulletType: 1, clone: <bound method PropertySet.clone of <ListStyle 'OrderedList'>>, defaults: {'leftIndent': 18, 'rightIndent': 0, 'bulletAlign': 'left', 'bulletType': '1', 'bulletColor': Color(0,0,0,1), 'bulletFontName': 'Helvetica', 'bulletFontSize': 12, 'bulletOffsetY': 0, 'bulletDedent': 'auto', 'bulletDir': 'ltr', 'bulletFormat': None, 'start': None}, fontName: STXINWEI, leftIndent: 18, listAttrs: <bound method PropertySet.listAttrs of <ListStyle 'OrderedList'>>, name: OrderedList, parent: None, refresh: <bound method PropertySet.refresh of <ListStyle 'OrderedList'>>, rightIndent: 0, start: None}</p></div>	<div><p>{alignment: 1, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'cTitle'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 24, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 28, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'cTitle'>>, name: cTitle, parent: <ParagraphStyle 'Heading1'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'cTitle'>>, rightIndent: 0, spaceAfter: 20, spaceBefore: 0, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,.545098,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p></div>

cSubTitle	cBodyText
<p>{alignment: 1, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'cSubTitle'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 14, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 18, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'cSubTitle'>>, name: cSubTitle, parent: <ParagraphStyle 'Heading2'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'cSubTitle'>>, rightIndent: 0, spaceAfter: 15, spaceBefore: 12, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,.545098,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>	<p>{alignment: 0, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'cBodyText'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 12, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 15, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'cBodyText'>>, name: cBodyText, parent: <ParagraphStyle 'BodyText'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'cBodyText'>>, rightIndent: 0, spaceAfter: 10, spaceBefore: 6, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>

cCenteredText	clmageCaption
<p>{alignment: 1, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'cCenteredText'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 12, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 15, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'cCenteredText'>>, name: cCenteredText, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'cCenteredText'>>, rightIndent: 0, spaceAfter: 10, spaceBefore: 0, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>	<p>{alignment: 1, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'clmageCaption'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 10, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 12, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'clmageCaption'>>, name: clmageCaption, parent: <ParagraphStyle 'Italic'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'clmageCaption'>>, rightIndent: 0, spaceAfter: 15, spaceBefore: 5, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(0,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}</p>

cStopper

{alignment: 1, allowOrphans: 0, allowWidows: 1, backColor: None, borderColor: None, borderPadding: 0, borderRadius: None, borderWidth: 0, bulletAnchor: start, bulletFontName: Helvetica, bulletFontSize: 10, bulletIndent: 0, clone: <bound method PropertySet.clone of <ParagraphStyle 'cStopper'>>, defaults: {'fontName': 'Helvetica', 'fontSize': 10, 'leading': 12, 'leftIndent': 0, 'rightIndent': 0, 'firstLineIndent': 0, 'alignment': 0, 'spaceBefore': 0, 'spaceAfter': 0, 'bulletFontName': 'Helvetica', 'bulletFontSize': 10, 'bulletIndent': 0, 'textColor': Color(0,0,0,1), 'backColor': None, 'wordWrap': None, 'borderWidth': 0, 'borderPadding': 0, 'borderColor': None, 'borderRadius': None, 'allowWidows': 1, 'allowOrphans': 0, 'textTransform': None, 'endDots': None, 'splitLongWords': 1, 'underlineWidth': '', 'bulletAnchor': 'start', 'justifyLastLine': 0, 'justifyBreaks': 0, 'spaceShrinkage': 0.05, 'strikeWidth': '', 'underlineOffset': '-0.125*F', 'underlineGap': '1', 'strikeOffset': '0.25*F', 'strikeGap': '1', 'linkUnderline': 0, 'underlineColor': None, 'strikeColor': None, 'hyphenationLang': '', 'embeddedHyphenation': 0, 'uriWasteReduce': 0}, embeddedHyphenation: 0, endDots: None, firstLineIndent: 0, fontName: STXINWEI, fontSize: 14, hyphenationLang: , justifyBreaks: 0, justifyLastLine: 0, leading: 10, leftIndent: 0, linkUnderline: 0, listAttrs: <bound method PropertySet.listAttrs of <ParagraphStyle 'cStopper'>>, name: cStopper, parent: <ParagraphStyle 'Normal'>, refresh: <bound method PropertySet.refresh of <ParagraphStyle 'cStopper'>>, rightIndent: 0, spaceAfter: 0, spaceBefore: 10, spaceShrinkage: 0.05, splitLongWords: 1, strikeColor: None, strikeGap: 1, strikeOffset: 0.25*F, strikeWidth: , textColor: Color(.545098,0,0,1), textTransform: None, underlineColor: None, underlineGap: 1, underlineOffset: -0.125*F, underlineWidth: , uriWasteReduce: 0, wordWrap: None}