

SAP BTP Documentation - ACCOUNT MANAGEMENT

BTP Documentation: account-management

URL: <https://help.sap.com/docs/btp/best-practices/setting-up-your-account-model>

Title: Setting Up Your Account Model | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP BTP Administrator's GuideSet Up and PlanSetting Up Your Account Model

SAP BTP Administrator's GuideEnglish

Provide feedback on our search

à

Setting Up Your Account Model

Learn how to set up your account model with global accounts and subaccounts, and how to use directories, spaces and namespaces to match your business and development needs.

We want to support you in defining a clean setup matching your company's requirements, with simple naming conventions, based on a clear structure that can be scaled as needed in the future. Your account model can be as simple or as complex as you need. SAP BTP provides a variety of tools that help you managing your landscape and keeping the overview, no matter how complex your chosen account model ends up being.

The hierarchical structure between global accounts, directories, and subaccounts lets you define an account model that accurately fits your business and development needs.

Remember

A global account is the realization of a contract you or your company has made with SAP.

With directories, you can organize and manage your subaccounts according to your technical and business needs.

In subaccounts, you deploy applications, use services, and manage your subscriptions. You can use them to manage members, authorizations, and entitlements.

For details about the SAP BTP account levels, see Account Model.

The Basic Account Model^

In the cloud (just like on premise), we recommend a staged development process to qualify changes before bringing them to production. Typically, this means having one global account and creating one subaccount each for development, testing, and production.

Hover over each shape for a description. Click the shape for more information.

Tip

If you're using SAP BTP, Kyma runtime, you might want to combine DEV and TEST in one subaccount. For details, see Cloud Foundry, Kyma, or Both?

The Basic Account Model in Action^

It's very common to set up your account model not only according to development stages: You might also want to reflect another aspect of your company's organization, for example, functional units like HR, Sales, and IT.

In this case, you can choose to create a set of DEV, TEST, and PROD subaccounts for each functional unit.

Additionally, you can set up one or more subaccounts for services that are shared between teams, such as SAP HANA Cloud, SAP Integration Suite, or SAP Build Work Zone. For details, see Sharing SAP BTP Services.

Often, this is also the moment when you decide to introduce directories to keep the overview and simplify administration. For details, see Directories.

Tip

If you're using SAP BTP, Kyma runtime, you could also consider setting up namespaces for each functional area within the clusters of your DEV, TEST, and PROD subaccounts. The idea is the same, but separation happens on namespace level instead of subaccount level. For details, see Sharing Clusters in Kyma.

Design the Account Model Matching Your Needs^

There's no need to stop here if you'd like to reflect more criteria than just development stage and functional unit in your account model. For example, if you'd like to separate your accounts also by location or subsidiary, set up the respective sets of subaccounts, ideally grouped with directories.

Tip

Use directories as your primary structuring mechanism. As the term implies, they fulfill the same purpose as a folder hierarchy you'd use to group files. Additionally, you can use directories to manage users and/or entitlements. For details, see Directories.

If you need an additional, flexible grouping and reporting mechanism, assign labels to your subaccounts and directories. For details, see Labels.

Within subaccounts, use spaces (Cloud Foundry) and namespaces (Kyma) for further structuring. For details, see Subaccounts or Spaces/Namespaces?

Related Information^

Checklist: Drafting Your Account Model

URL: <https://help.sap.com/docs/btp/btp-admin-guide/00aa2c23479d42568b18882b1ca90d79.html>

Title: Entitlements and Quotas | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformBasic Platform

ConceptsEntitlements and Quotas

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Entitlements and Quotas

When you purchase an enterprise account, you're entitled to use a specific set of resources, such as the amount of memory that can be allocated to your applications.

Services and Service Plansà^

On SAP BTP, all external dependencies such as databases, messaging systems, files systems, and so on, are services. In this context, multitenant applications and environments are considered services.

Each service has one or more service plans available. A service plan is the representation of the costs and benefits for a given variant of a particular service. For instance, a database may be configured with various "T-shirt sizes", each of which is a different service plan.

Entitlementsà^

An entitlement is your right to provision and consume a resource. In other words, entitlements are the service plans that you're entitled to use.

The entitlements that are available in your enterprise account are determined by the commercial model used by your global account:

In the consumption-based commercial model, your organization buys an entitlement to all current and future SAP BTP services eligible under this model. During your contract period, you have full flexibility to switch services on and off and change between them as your business needs. For more information, see What Is the Consumption-Based Commercial Model?.

In the subscription-based commercial model, your organization is authorized to use only the services you have subscribed to, as per your commercial agreement. To access additional services at an extra cost, you can modify your contract through your sales representative or account executive. For more information, see What Is the Subscription-Based Commercial Model?.

Quotasà^

A quota represents the numeric quantity of a service plan that you're entitled to consume in your global account and its subaccounts.

From the perspective of your SAP BTP global account contract, the global quota of a service plan can be defined as either fixed or unlimited:

Fixed quota: The quota or allowance of the service plan is the upper limit at which the plan can be consumed collectively across your global account. This is typical of global accounts that have the subscription-based commercial model agreement.

Unlimited quota: There is no upper limit to how much the service plan can be used collectively across your global account. This is typical of most services that are eligible to global accounts with a consumption-based commercial model agreement (Cloud Platform Enterprise Agreement (CPEA) and Pay-As-You-Go for SAP BTP). At the end of the month, the number of units used determines how much you are charged.

Regardless of whether the global quota of a plan on the global account level is fixed or unlimited, the specifics and properties of each plan determines how its quota can be distributed by the global account admin to the subaccounts in your global account. There are two types of quota assignments:

Numeric assignments: The global account admin assigns the plan to a subaccount and specifies the maximum quantity of units from the global quota that can be consumed by the subaccount. Admins can use this assignment to limit users from exceeding a specific quota for cost-controlling purposes. Typically, but not always, the assigned quota is directly related to the number of instances that can be created in subaccounts for

the assigned plan.

Non-numeric assignments: The global account admin does not assign a specific quantity but simply grants access to the specific plan by assigning the plan to the subaccount. When the plan is assigned, it's available for use by the subaccount. SaaS application assignments are typically non-numeric, whereby a subaccount can either subscribe to the app or not. For services that fall into this category of non-numeric assignments, there is usually no limit to the number of instances that can be created.

See also the sections below and [Managing Entitlements and Quotas Using the Cockpit](#).

[Distribution and Usage of Entitlements and Quotas](#)

Entitlements and quotas are purchased and managed at global account level, from where they're distributed to subaccounts, which consume them.

Tip

You can also distribute entitlements to directories, and then redistribute to the subaccounts under the directories; however, this is optional. By default, directories are not enabled to manage entitlements. This feature needs to be enabled per directory by the global account administrator.

When assigning entitlements and quotas to directories, you also have the option to automatically assign a set amount of quota to each new subaccount added to the directory. This option doesn't apply to subaccounts that are already in the directory when you select this option. The quota you assigned to the directory is then gradually distributed to all subaccounts that you add to that directory, until it runs out. Once the directory quota runs out, if you add a new subaccount to that directory it won't get any quota automatically anymore.

Since directories are only a way of grouping subaccounts, you can't consume a service at directory level.

However, when you assign entitlements and quotas from the global account to a directory, the quota you assigned is shown as used, even if there are no subaccounts in that directory to consume the quota. You can think of it as a way to "reserve" quota and make sure it's not assigned to other subaccounts or directories.

When you remove quotas or assignments from a directory or subaccount, they become available again at global account level and can be assigned to other directories or subaccounts; unless the quota is reserved for a given directory then the freed quota remains available only to that directory and its subaccounts.

Note

Before a subaccount admin can enable a quota-based environment, such as Kyma, the subaccount admin must first assign the environment as an entitlement to the subaccount. Other environments, such as Cloud Foundry, are available by default to all subaccounts, and therefore are not available as entitlements.

For more information, see:

[Configure Entitlements and Quotas for Subaccounts](#)

[Configure Entitlements and Quotas for Directories](#)

[Quota Plans](#)

In the Cloud Foundry environment, you can further distribute the quotas that are allocated to a subaccount.

This is done by creating space quota plans and assigning them to the spaces.

Space quota plans are optional and are used to limit how much each space can use, not to enable. If you don't create any space quota plans, all spaces in a subaccount using the Cloud Foundry environment have access to all entitlements and quotas in that subaccount. This means that one space could use up all the quota in a subaccount. If you want to prevent that from happening and set a limit to how much each space can use from the total quota available in the subaccount, you can use quota plans and assign them to spaces.

For more information on space quota plans in the Cloud Foundry environment, see:

<https://docs.cloudfoundry.org/adminguide/quota-plans.html>

[Managing Space Quotas](#)

[Resource Providers](#)

SAP BTP allows you to connect your global account in the SAP BTP Cockpit to your provider account from a non-SAP cloud vendor, and consume remote service resources that you already own and which are supported by SAP through this channel.

For example, if you're subscribed to Amazon Web Services (AWS) and have already purchased services, such as PostgreSQL, you can register the vendor as a resource provider in SAP BTP and consume this service across your subaccounts together with other services offered by SAP.

SAP BTP currently supports the following vendors and their consumable services:

[Cloud Vendor](#)

[Supported Services](#)

Amazon Web Services

Amazon Relational Database Service (RDS) - PostgreSQL

Microsoft Azure

Azure Database for PostgreSQL.

After you configure a new resource provider, its supported services are added as entitlements in your global account. In the Entitlements page in the cockpit, you can then allocate the required services and quotas to the relevant directories and subaccounts in your global account.

For more information, see [Managing Resource Providers](#).

Related Information

[Managing Entitlements and Quotas Using the Cockpit](#)

[Tutorial: Manage Entitlements on SAP BTP Trial](#)

[Troubleshooting: Entitlement and Quota Problems](#)

URL: <https://help.sap.com/docs/btp/btp-admin-guide/046f127f2a614438b616ccfc575fdb16.html>

Title: [Trial Accounts and Free Tier | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformBasic Platform

ConceptsTrial Accounts and Free Tier

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

[Trial Accounts and Free Tier](#)

Explore the different options for trying out SAP BTP.

[Trial Account or Free Tier Offering: When to Use Which?](#)

Before setting up your account, you need to decide which free offering for SAP BTP is suitable for your needs: Pay-As-You-Go or CPEA accounts with free tier service plans are open to customers, partners, and let you try out SAP BTP in a per service defined time span for free. These account types enable you to test your scenarios and generally offer the option to upgrade to paid service plans. These accounts also allow you to store data long-term and move projects to production. You also get access to our community, including free technical resources such as tutorials and blog posts. For more information, see [Enterprise Accounts and Using Free Service Plans](#).

Note

When using Kyma, the free plan is available only once in a global account for up to 30 days. For more information, see [Available Plans in the Kyma Environment](#).

You can self-register for an enterprise account with free tier service plans. For more information, see [Get an Account on SAP BTP to Try Out Free Tier Service Plans](#).

Note

Only community support is available for free tier service plans and these are not subject to SLAs.

Note

The option to upgrade from free tier service plans to paid service plans is not yet available for all services and runtimes, such as Kyma. See [Using Free Service Plans](#) to read more about upgrading from free tier service plans to paid service plans.

A trial account lets you try out SAP BTP for free for 90 days. The services provided for the trial account allow restricted use of the platform resources and services. Access is open to everyone. Trial accounts are intended for personal exploration, your own non-productive testing, and evaluation of the services in accordance with SAP BTP trial terms and conditions. A SAP BTP trial account must not be used for production use or team development. You are not permitted to use the trial account in any productive or commercial manner.

You can self-register for a trial account. For more information on how to do that, see [Get a Free Account on SAP BTP Trial](#)

[Free Tier and Always Free Tags in the SAP Discovery Center](#)

In the SAP Discovery Center service catalog overview, some services display the tag Free Tier, which indicates the service is offering a free tier service plan. Some services display the tag Always Free, which indicates the service is offering a service plan that comes free of additional charges, as it is already included in your overall SAP BTP contract. You can use the filter function of the SAP Discovery Center to filter for services that offer Free Tier and Always Free plans. The Always Free service plans include the following note in their service plan description: "This service plan is included in the overall SAP Business Technology Platform contract".

Note

Always Free service plans might not be available in all regions or for all providers.

Trial Lifecycle

Use your SAP BTP trial account:

Familiarize yourself with the Trial Scope or try out one of our Starter Scenarios on the Tutorial Navigator.

Extend your SAP BTP trial account in intervals:

Your 90-day trial period is divided in intervals. If you sign in to your trial account regularly, the intervals are extended automatically for you by up to 30 days or until your overall 90-day trial is finished.

If you don't sign in to your trial account for 30 days or more, your account will be suspended. All suspended accounts will be deleted and you won't be able to use applications or services.

Delete your SAP BTP trial account:

After 90 days, your trial account is automatically deleted. But if you want to proactively delete your SAP BTP trial account, you can navigate to the global accounts scope and select the Account Explorer page, then click the Delete Trial Account button.

If you want to continue to use an SAP BTP trial account after deletion, you need to set up a new account.

If you want to explore SAP BTP without time limit, create an enterprise account with free tier service plans allowing you to test your scenarios. See: [Get an Account on SAP BTP to Try Out Free Tier Service Plans](#).

Caution

Environments enabled on your trial account may not be valid for your whole trial period. To learn about the validity period for the Kyma environment, see [About the Trial Account](#).

Trial Scope

A trial account enables you to explore the basic functionality of SAP BTP.

SAP BTP trial accounts are available in several regions. For more information, see [Regions](#).

You can create directories in your trial account. For more information, see [Managing Directories Using the Cockpit](#)

You can use productive and beta services. To consume beta services, you must enable the subaccount for beta features during the subaccount creation or when you edit the subaccount details.

You can manage platform users by assigning them role collections. For more information, see [Working with Role Collections](#).

A trial account includes 4 GB of memory for applications.

You can use 8 GB of instance memory.

There are 10 total routes and 40 total services available.

You can use 2 configured on-premise systems with the Cloud connector.

There's no service level agreement with regards to the availability of the platform.

You can use HDI containers in a shared SAP HANA database (only available on cf-us10).

For cleanup purposes, applications stop automatically on a daily basis. You need to manually restart them when needed.

Note

Applications are stopped at midnight (or some time later depending on server load) relative to the region in which you created your trial account. If you're working in a time zone that is far from the region where your trial account was created, then your applications may stop during business hours.

You can have a trial tenant of SAP Cloud identity Services, see [Get Your Tenant](#).

Related Information

[Getting Started with a Trial Account in the Cloud Foundry Environment](#)

[Getting Started with a Trial Account in the Kyma Environment](#)

URL: <https://help.sap.com/docs/btp/btp-admin-guide/239b6e045e7e48f58b61655b02748d45.html>

Title: [What Is the Subscription-Based Commercial Model? | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Commercial ModelsWhat Is the Subscription-Based Commercial Model?

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

What Is the Subscription-Based Commercial Model?

Your organization receives a fixed price and period (typically a 1 to 3-year period) for access to your subscribed

SAP BTP services.

Under this commercial agreement:

You are entitled to use only the subscribed services.

To access additional services, at an extra cost, you can modify your contract via your sales representative or account executive.

You pay at a fixed cost, regardless of consumption of subscribed services.

You pay in advance when the contract period starts.

Your organization can renew the subscription at the end of the contract period.

For information about available services and pricing, see SAP Store.

You can also access the SAP BTP service catalog via the SAP Discovery Center to identify the availability of services by data center, and also to determine licensing model compatibility per service plan.

Note that some services can be subscribed based on a user metric or a resource metric. For example, a Portal service can be based on the number of site visits or user metrics. A resource-based metric is more common when dealing with a large number of users; for example, suppliers accessing a portal to interact with your organization. Since it isn't always possible to predict how many resources would be required upfront for a three-year period, you can increase your original order if resource usage exceeds your subscribed quota. Using SAP BTP cockpit, you can view resource consumption within your global account on a monthly basis.

In the subscription-based model, you also get access to bundles or packages that comprise several related services and apps. Most of the time, this works out to be more cost effective when compared to subscribing to individual SAP BTP services.

Can an existing global account under a consumption-based contract be transformed to the subscription-based model?

You can change your existing contract from the consumption-based commercial model to a subscription license. Keep in mind that not all services that are eligible for the consumption-based model are compatible with the subscription-based model. We recommend that you contact your SAP account executive or sales representative to discuss feasibility and terms of transforming your contract.

Note that you can use both consumption and subscription-based commercial models either in separate global accounts or in the same global account depending on your business needs. Contact your SAP account executive or sales representative for more information.

Related Information

What Is the Consumption-Based Commercial Model?

Monitoring Usage and Consumption Costs in Your Global Account

View Subaccount Usage Analytics

Managing Global Accounts Using the Cockpit

Managing Directories Using the Cockpit

Managing Subaccounts Using the Cockpit

Managing Entitlements and Quotas Using the Cockpit

URL: <https://help.sap.com/docs/btp/btp-admin-guide/55d0b6d8b96846b8ae93b85194df0944.html>

Title: Managing Subaccounts Using the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP BTP, Neo EnvironmentAdministration and Operations, Neo EnvironmentAccount Administration in the CockpitManaging Subaccounts Using the CockpitSAP BTP, Neo EnvironmentEnglish

Provide feedback on our search

à

Managing Subaccounts Using the Cockpit

Learn how to structure a global account according to your organization's and project's requirements with regard to members, authorizations, and entitlements by managing subaccounts.

Context

Caution

SAP Business Technology Platform, Neo environment will sunset on December 31, 2028, subject to terms of customer or partner contracts.

For more information, see SAP Note 3351844 .

Tip

This documentation refers to SAP Business Technology Platform, Neo environment. If you are looking for

documentation about other environments, see SAP Business Technology Platform .

To learn more about the concept of subaccounts, see Subaccounts.

Procedureà^

Learn how to create subaccounts.

Create a Subaccount

Learn how to manage users.

Add Members to Your Subaccount

Learn how to administer your subaccount.

Change Subaccount Details

View Subaccount Usage Analytics

Delete a Subaccount

URL: <https://help.sap.com/docs/btp/btp-admin-guide/667f34ba9222450491c2b848cd17e189.html>

Title: Managing Global Accounts Using the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration in the CockpitManaging Global Accounts Using the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Global Accounts Using the Cockpit

Your SAP BTP global account is the entry point for managing the resources, landscape, and entitlements for your departments and projects in a self-service manner.

Global Account Settingsà^

As a global account administrator, you can access the global account settings by clicking à| (Global Account Settings) in the SAP BTP cockpit.

In the General tab of the global account settings, you can obtain general information about your global account, including your global account ID, global account name, account type, payment models, contract status, global account subdomain, geographic access restrictions, and when your account was created.

Note

In this tab, you cannot change any of the values. The only value that you can edit is the global account name, and you can do this in the Account Explorer page (see Change the Display Name of Your Global Account).

In the Subaccounts tab in the global account settings, you can

Define default settings that are used when creating a new subaccount in this global account.

You can set the supported providers, the default provider, and the default region.

Set the option to enable the force deletion of subaccounts.

If this option is selected, all global account admins can force delete subaccounts that are not marked as "used for production". The force deletion of a subaccount permanently deletes all its data, including applications, service instances, spaces, active subscriptions, and members. The force deletion is permanent and irreversible. This option also enables the force deletion of subaccounts using the btp CLI or the SAP Cloud Management APIs. Subaccounts that are marked as "used for production" cannot be force deleted. When the force deletion of a subaccount has been requested, a seven-day waiting period begins during which access to the subaccount and its services is partially blocked and the subaccount is marked as Pending Deletion. During this waiting period, you can still cancel the scheduled deletion. After the waiting period, the subaccount and all its data will be permanently deleted.

Related Informationà^

Setting Up Your Account Model

Managing Directories Using the Cockpit

Managing Subaccounts Using the Cockpit

URL: <https://help.sap.com/docs/btp/btp-admin-guide/c8248745dde24afb91479361de336111.html>

Title: Managing Entitlements and Quotas Using the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration in the CockpitManaging Entitlements and Quotas Using the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Entitlements and Quotas Using the Cockpit

When you purchase an enterprise account, you are entitled to use a specific set of resources, such as the amount of memory that can be allocated to your applications.

An entitlement equals your right to provision and consume a resource. A quota represents the numeric quantity that defines the maximum allowed consumption of that resource.

Entitlements are managed at the global account level, where services plans and their allowed quota are distributed to subaccounts, and then consumed by the subaccounts. When quota is freed at the subaccount level, it becomes available again at the global account level.

Optionally, you can assign service plans and quota from the global account to directories, and from there distribute these assignments to subaccounts under the directory. Before you can assign plans and quota to a directory, the directory must first be configured to manage entitlements. See [Configure Entitlements and Quotas for Directories](#). When quota is freed at the subaccount level, it becomes available again at the directory level.

Note

Only global account administrators can configure entitlements and quotas for subaccounts and managed directories.

Note that if you're assigning plans to a subaccount that is under a managed directory that also has the user management feature enabled, then you must be either the directory administrator or a global account administrator.

There are two places in the SAP BTP cockpit where you can view entitlements and assign service plans and quotas for subaccounts - at the global account level and at the subaccount level. Depending on your permissions, you may only have access to one of these pages. You can find more details below:

Entitlements Pages

Page in cockpit

Navigation Level

Visible to

Permissions

Entitlements Entity Assignments

Global account level

Global account administrators only

View & Edit - Global account administrators

Entitlements Service Assignments

Global account level

Global account administrators only

View - Global account administrators (you cannot make changes to entitlements or quota assignments from this page)

Entitlements

Subaccount level

Subaccount members (regardless of whether they are also global account administrators or not)

View - Subaccount members who are not global account administrators

View & Edit - Global account administrators who are also subaccount members

The Entitlements Entity Assignments is where you view and edit assignments and quota from the perspective of subaccounts and directories. This page contains these views (tabs):

View

Description

Manage Assignments

Allows global account admins to distribute the entitled service plans of their global account to subaccounts and directories.

View Commercial Information

Allows global account admins and viewers to view the commercial source of their service entitlements. This feature is not available for trial accounts.

For information about setting assignments and quota, see:

[Configure Entitlements and Quotas for Directories](#)

Configure Entitlements and Quotas for Subaccounts

The Entitlements Service Assignments is where you view assignments and quota from the perspective of services. This page contains these views (tabs):

View

Description

All Services

Provides an overview of all available service entitlements of your global account.

Tip

The Assigned To column in this view shows you the total number of directories and subaccounts to which each service plan is assigned in your global account. You can click on the links in this column to quickly navigate to the selected service in the Assignments by Service view and display more details about these assignments.

Turn on the Show commercial info option to display additional columns in the main table. These columns can help you to gain a better understanding of the relationship between contractual service entitlements and the technical assets (services and plans) in your global account.

Assignments by Service

Allows you to choose specific services and see how their service plans are assigned to subaccounts and directories within your global account.

Tip

Turn on the Show commercial info option to display additional columns in the main table. These columns can help you to gain a better understanding of the relationship between contractual service entitlements and the technical assets (services and plans) in your global account.

Note

To subscribe to a multitenant application, you must first assign its plan to the specific subaccount (in one of the Entitlements pages). If you remove a subaccount's entitlement to a multitenant application, any subscriptions to it from that subaccount will stop working.

Before a subaccount admin can enable a quota-based environment, such as Kyma, the subaccount admin must first assign the environment's plan to the subaccount (in one of the Entitlements pages). Other non-quota-based environments, such as Cloud Foundry, are available by default to all subaccounts, and therefore are not available as entitlements.

In the Cloud Foundry environment, you can further distribute the quotas that are allocated to a subaccount.

This is done by creating space quota plans and assigning them to the spaces. For more information on space quota plans in the Cloud Foundry environment, see:

Managing Space Quotas

<https://docs.cloudfoundry.org/adminguide/quota-plans.html>

Tip

Optionally, you can configure assignments and quotas for supported services that you own or subscribe to from supported non-SAP cloud vendors. These services can be consumed in SAP BTP in your subaccounts alongside your self-developed services and those provided by SAP. This functionality requires first setting up a resource provider instance for your provider account in the cockpit. For more information, see Managing Resource Providers.

Note

In global accounts that use the consumption-based commercial model, a default runtime memory quota of 200 GB for the standard plan is automatically assigned to every subaccount. This quota represents a limit on how much runtime memory the applications in the subaccount can use at any given time. When you use the standard plan for SAP BTP, Cloud Foundry runtime in the consumption-based commercial model, you're billed based on the amount of runtime memory that has actually been consumed. For more information, see Service Plans and Metering for Cloud Foundry Runtime and Consumption Monitoring.

A global account administrator can change the default quota as described in (optional) Adjusting Runtime Memory Quota for Cloud Foundry Runtime (Consumption-Based).

Related Information

Entitlements and Quotas

Configure Entitlements and Quotas for Subaccounts

Configure Entitlements and Quotas for Directories

Create Space Quotas

Create Space Quota Plans Using the Cloud Foundry Command Line Interface

Tutorial: Manage Entitlements on SAP BTP Trial

Troubleshooting: Entitlement and Quota Problems

URL: <https://help.sap.com/docs/btp/btp-admin-guide/cc1c676b43904066abb2a4838cbd0c37.html>

Title: User and Member Management | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformBasic Platform

ConceptsUser and Member Management

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

User and Member Management

On SAP BTP, user management takes place at all levels from global account to environment. There are different types of users, such as depending on their roles in the company.

User Accountsà

A user account corresponds to a particular user in an identity provider. The user is always stored in an external identity provider, such as a custom tenant of SAP Cloud Identity Services - Identity Authentication or the default identity provider.

Recommendation

We strongly recommend that you configure your custom tenant of SAP Cloud Identity Services as the identity provider and connect SAP Cloud Identity Services to your own corporate identity provider.

For more information, see Trust and Federation with Identity Providers.

User accounts enable users to log on to SAP BTP, access subaccounts, and to use applications according to the permissions granted to them.

Note

A user name alone doesn't determine a concrete user account with associated authorizations, as you can have users with the same user name in different identity providers. Accessible data and allowed operations also depend on the identity provider. The concrete user is identified by the combination of user name and identity provider.

Example

There are two users with the same user name, which is the email address here. The two users with different identity providers have different authorizations and can access different applications.

julia.moore@acme.com from the custom identity provider has authorizations to access her favorite industrial applications. She needs the logon with the custom identity provider for her actual work.

julia.moore@acme.com from the default identity provider has no authorizations.

Before diving into the different user and member management concepts, it's important to understand the difference between the two types of users we're referring to: platform users and business users.

For more information, see Platform Users and Business Users.

Exceptionsà

There are some exceptions from the separation of platform and business users. Typical cases are the ABAP environment, which doesn't distinguish between these two types, and SAP Build Code or SAP Build applications, which developers currently access as business users.

ABAP Environment

Typical cases are the ABAP environment, which doesn't distinguish between these two types, and SAP Build Code or SAP Build applications, which developers currently access as business users.

The user and authorization concept used in the ABAP environment is completely decoupled and independent from the authorization concept of SAP BTP or within Cloud Foundry. The ABAP environment runs within the SAP BTP, Cloud Foundry environment. Therefore, administrators or developers need the right authorizations in Cloud Foundry to create the ABAP environment or other services, which get consumed in an application running in the ABAP environment.

For more information, see Administration and Operations in the ABAP Environment.

Kyma Environment

To enable a Kyma environment, you need the subaccount administrator role collection (see Role Collections and Roles in Global Accounts, Directories, and Subaccounts). All other authorizations and trust are managed in the Kyma cluster.

Kyma uses Kubernetes Role-Based Access Control (RBAC) and assures during provisioning that a user who creates and owns a particular runtime is given the cluster-admin role. Users with the cluster-admin role can define any additional cluster roles or use those defined in Kyma and bind them to other users from Kyma dashboard or with the kubectl CLI tool. See [Assign Roles in the Kyma Environment](#). For recommendations on setting up roles and permissions in Kyma, see [Role-Based Access Control \(RBAC\) in Kyma](#).

Related Information

[Working with Users](#)

[Roles and Role Collections](#)

[Attributes](#)

[Trust and Federation with Identity Providers](#)

URL: <https://help.sap.com/docs/btp/btp-admin-guide/checklist-for-account-model-setup>

Title: [SAP Help Portal | SAP Online Help](#)

Products [What's New](#) [Explore SAP](#)

Loading Document...

âƒ

â„

âĶ

à PDF

à Favorite

á=Share

áÀ

á Table of Contents

Loading Table of Contents...

Loading Topic...

â Was this page helpful?

â Yes

â No

Copyright

Disclaimer

Privacy Statement

Legal Disclosure

Trademark

Terms of Use

Cookie Preferences

Accessibility & Sustainability

[Ask a Question about the SAP Help Portal](#)

[Find us on](#)

[Share](#)

á=

Your choices regarding cookies on this site

This site uses cookies and related technologies, as described in our [Cookie Statement](#), for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

[Privacy Statement | Cookie Statement](#)

[Accept All](#)

[Deny All](#)

[Manage Settings](#)

URL: <https://help.sap.com/docs/btp/btp-admin-guide/f495ac1a62684affb9f2629fe58bb0.html>

Title: [Managing Directories Using the Cockpit | SAP Help Portal](#)

Home [SAP Business Technology Platform \(SAP BTP\)](#) [SAP BTP, Neo Environment Administration and](#)

[Operations](#), [Neo Environment Account Administration in the Cockpit](#) [Managing Directories Using the Cockpit](#)

[SAP BTP, Neo Environment](#) [English](#)

[Provide feedback on our search](#)

à

Managing Directories Using the Cockpit

Learn how to organize and manage your subaccounts according to your technical and business needs by using directories in the SAP BTP cockpit.

Contextà^

Caution

SAP Business Technology Platform, Neo environment will sunset on December 31, 2028, subject to terms of customer or partner contracts.

For more information, see SAP Note 3351844 .

Tip

This documentation refers to SAP Business Technology Platform, Neo environment. If you are looking for documentation about other environments, see SAP Business Technology Platform .

Procedureà^

Learn how to Create a Directory.

Learn how to Manage the Account Explorer Hierarchy.

Learn how to Manage Users in Directories.

Learn how to View Directory Usage Analytics.

Related Informationà^

Directories

Managing Subaccounts Using the Cockpit

URL: <https://help.sap.com/docs/btp/btp-admin-guide/subaccounts-or-spaces-or-namespaces>

Title: Subaccounts or Spaces/Namespaces? | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP BTP Administrator's GuideSet Up and PlanSetting Up Your Account ModelSubaccounts or Spaces/Namespaces?

SAP BTP Administrator's GuideEnglish

Provide feedback on our search

à

Subaccounts or Spaces/Namespaces?

Within subaccounts, you can further break down your account model: In a Cloud Foundry org, you create “spaces”; in a Kyma cluster, you create “namespaces”. You can use both, subaccounts and spaces/namespaces, to develop applications and to use services and functions.

Overviewà^

Generally speaking, subaccounts are for isolation, while spaces and namespaces are for structuring.

Whether you want to use subaccounts or spaces/namespaces depends a lot on your preference - customers have set up many successful account models either way. However, some features are only available for subaccounts or spaces or namespaces, which may influence your decision.

Recommendation

At the very least, we recommend that you create two different subaccounts for a staged development environment (see The Basic Account Model). This way, you can have dedicated user management between the different stages, as well as dedicated data management in elastic services, such as SAP HANA Cloud. Within each subaccount (that is, Cloud Foundry org and Kyma cluster), you can then create dedicated spaces/namespaces for each application, extension, solution, team, or other project.

If you have dependencies to SAP BTP services that don't support the concept of spaces or namespaces, use subaccounts.

When you decide whether to create different subaccounts or spaces/namespaces within one subaccount, consider the different features:

Feature

Subaccount

Cloud Foundry Space

Kyma Namespace

Feature

Subaccount

Cloud Foundry Space

Kyma Namespace

Segregation for data access, data visibility, network connectivity, and ingress traffic

Yes

No

No

Dedicated data management in elastic services, such as SAP HANA Cloud

Yes

No

No

Configure trust for user management

Yes

No

No

Grant access privileges and authorizations

Yes

Yes

Yes

Integration options (destinations, formations, Cloud Connector)

Yes

No

No

Monitor cost and usage in SAP BTP cockpit or with public APIs

Yes

No

No

Limit resource usage

Yes (mandatory)

No SAP BTP quotas, but space quotas.

No, but you can set limits for resource consumption on namespace level.

àf

Segregationà^

In regard to tenant isolation, think of a subaccount as a tenant: Segregation for data access, data visibility, network connectivity, and ingress traffic happens on subaccount level, not on the level of applications or Cloud Foundry spaces/Kyma namespaces.

You can configure your own group of business users for subaccounts, as well as for Kyma namespaces, but not for Cloud Foundry spaces.

You can set up roles and trust for subaccounts and Kyma namespaces. For Cloud Foundry, you can assign Cloud Foundry roles at the org and space level.

Identity providers are assigned on global account, directory, subaccount, and runtime level, but not on the level of Kyma namespaces or Cloud Foundry spaces.

Integration options (such as destinations, formations, and Cloud Connector) are supported on subaccount level, but not for spaces or namespaces.

To connect a DEV subaccount with a DEV on-premise system; and a PROD subaccount with a PROD on-premise system, set up dedicated cloud connector tunnels. For details, see Document the Landscape of a Hybrid Solution.

Tip

In SAP BTP, Kyma runtime, we recommend mounting the Secret of the service binding as a volume. When using the service binding mechanism with volume mounts, applications can consume services only within their own namespace.

Billingà^

You can monitor the consumption of resources in your global account only per directory or subaccount (Cloud Foundry org/Kyma cluster) and space, not per application or Kyma namespace. To monitor the resources consumed by a specific project, department, or application, create a dedicated subaccount for them.

Accurate billing is only possible for global accounts. For the consumption-based model, you can calculate costs according to usage, but note that this is only approximate. See Monitoring Usage and Consumption Costs in

Your Global Account and Managing Cost.

You can assign SAP BTP quotas to subaccounts, see Entitlements and Quotas. If you're using one of the SAP BTP services that don't support fixed quotas, make sure to monitor usage and cost.

In Cloud Foundry spaces, you can create space quotas - see Create Space Quotas, which are slightly different. In Kyma namespaces, you can set limits for resource consumption on namespace level with Kubernetes quotas.

Tip

Provisioning a Kyma cluster isn't free of cost. Use subaccounts only if you need them for segregation, not just for structuring purposes. For details, see Sharing Clusters in Kyma.

Related Information

Configuring a Custom Identity Provider for Kyma

Role-Based Access Control (RBAC) in Kyma

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform-internal/trial-accounts-and-free-tier>

Title: Page Not Found | SAP Help Portal

ProductsWhat's NewExplore SAP

Sorry

We couldn't find that page

Go back to the SAP Help Portal home page.

Copyright

Disclaimer

Privacy Statement

Legal Disclosure

Trademark

Terms of Use

Cookie Preferences

Accessibility & Sustainability

Ask a Question about the SAP Help Portal

Find us on

Share

â=

Your choices regarding cookies on this site

This site uses cookies and related technologies, as described in our Cookie Statement, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

Privacy Statement | Cookie Statement

Accept All

Deny All

Manage Settings

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/2db81f42f5194454beecde6cd4994dda.html>

Title: Setting Up Your Account Model | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP BTP Administrator's GuideSet Up and PlanSetting

Up Your Account Model

SAP BTP Administrator's GuideEnglish

Provide feedback on our search

à

Setting Up Your Account Model

Learn how to set up your account model with global accounts and subaccounts, and how to use directories, spaces and namespaces to match your business and development needs.

We want to support you in defining a clean setup matching your company's requirements, with simple naming conventions, based on a clear structure that can be scaled as needed in the future. Your account model can be as simple or as complex as you need. SAP BTP provides a variety of tools that help you managing your landscape and keeping the overview, no matter how complex your chosen account model ends up being.

The hierarchical structure between global accounts, directories, and subaccounts lets you define an account model that accurately fits your business and development needs.

Remember

A global account is the realization of a contract you or your company has made with SAP.

With directories, you can organize and manage your subaccounts according to your technical and business needs.

In subaccounts, you deploy applications, use services, and manage your subscriptions. You can use them to manage members, authorizations, and entitlements.

For details about the SAP BTP account levels, see [Account Model](#).

The Basic Account Model

In the cloud (just like on premise), we recommend a staged development process to qualify changes before bringing them to production. Typically, this means having one global account and creating one subaccount each for development, testing, and production.

Hover over each shape for a description. Click the shape for more information.

Tip

If you're using SAP BTP, Kyma runtime, you might want to combine DEV and TEST in one subaccount. For details, see [Cloud Foundry, Kyma, or Both?](#)

The Basic Account Model in Action

It's very common to set up your account model not only according to development stages: You might also want to reflect another aspect of your company's organization, for example, functional units like HR, Sales, and IT. In this case, you can choose to create a set of DEV, TEST, and PROD subaccounts for each functional unit. Additionally, you can set up one or more subaccounts for services that are shared between teams, such as SAP HANA Cloud, SAP Integration Suite, or SAP Build Work Zone. For details, see [Sharing SAP BTP Services](#). Often, this is also the moment when you decide to introduce directories to keep the overview and simplify administration. For details, see [Directories](#).

Tip

If you're using SAP BTP, Kyma runtime, you could also consider setting up namespaces for each functional area within the clusters of your DEV, TEST, and PROD subaccounts. The idea is the same, but separation happens on namespace level instead of subaccount level. For details, see [Sharing Clusters in Kyma](#).

Design the Account Model Matching Your Needs

There's no need to stop here if you'd like to reflect more criteria than just development stage and functional unit in your account model. For example, if you'd like to separate your accounts also by location or subsidiary, set up the respective sets of subaccounts, ideally grouped with directories.

Tip

Use directories as your primary structuring mechanism. As the term implies, they fulfill the same purpose as a folder hierarchy you'd use to group files. Additionally, you can use directories to manage users and/or entitlements. For details, see [Directories](#).

If you need an additional, flexible grouping and reporting mechanism, assign labels to your subaccounts and directories. For details, see [Labels](#).

Within subaccounts, use spaces (Cloud Foundry) and namespaces (Kyma) for further structuring. For details, see [Subaccounts or Spaces/Namespaces?](#)

Related Information

[Checklist: Drafting Your Account Model](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/44bfcfbca3684f0eb716ae661c36eef6.html>

Title: *Administration and Operations, Neo Environment | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP BTP, Neo EnvironmentAdministration and Operations, Neo Environment

SAP BTP, Neo EnvironmentEnglish

[Provide feedback on our search](#)

à

Administration and Operations, Neo Environment

Learn about the different account administration and application operation tasks which you can perform in the Neo environment.

Caution

SAP Business Technology Platform, Neo environment will sunset on December 31, 2028, subject to terms of customer or partner contracts.

For more information, see SAP Note 3351844 .

Tip

This documentation refers to SAP Business Technology Platform, Neo environment. If you are looking for documentation about other environments, see SAP Business Technology Platform .

Account Administration in the Cockpit

Account Administration Using the SAP BTP Command Line Interface (btp CLI)

Account Administration in the Neo Console Client

Application Operations in the Neo Environment

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/5f4a816f349f46a9b792df000be32117.html>

Title: Free Plan for Cloud Foundry Runtime | SAP Help Portal

HomeSAP BTP, Cloud Foundry RuntimeSAP BTP, Cloud Foundry RuntimeInitial SetupCloud Foundry Runtime in Enterprise AccountsFree Plan for Cloud Foundry Runtime

SAP BTP, Cloud Foundry RuntimeEnglish

Provide feedback on our search

à

Free Plan for Cloud Foundry Runtime

Learn how to set up the free tier plan available for SAP BTP, Cloud Foundry runtime in an enterprise global account that uses the consumption-based commercial model.

Overviewà^

Caution

Free tier plans have certain usage conditions and restrictions described in Using Free Service Plans.

Setting up the free plan for SAP BTP, Cloud Foundry runtime in the consumption-based model involves two tasks:

A global account administrator assigns the free service plan that includes some runtime memory quota to a subaccount. This runtime memory can then be used by the Cloud Foundry org created using the free plan. For more information about the procedure, see Assigning Free Service Plan with Runtime Memory Quota for Cloud Foundry Runtime.

Note

If the subaccount belongs to a directory with the entitlements management feature enabled, the global account administrator must assign the service plan to this directory first.

A subaccount administrator enables the Cloud Foundry environment with the free plan, creating a Cloud Foundry org. For more information about the procedure, see Enabling Free Plan for Cloud Foundry Runtime.

Only when both of these tasks have been completed consecutively can you start working with your Cloud Foundry org using the free runtime memory quota. Any other configuration may result in unexpected costs.

Related Informationà^

Trial Accounts and Free Tier

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/about-routes-in-cockpit>

Title: About Routes in the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Application Operations in the Cloud Foundry EnvironmentAbout Routes in the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

About Routes in the Cockpit

To enable your end users to reach your application, create a route and map it to the application in the SAP BTP cockpit.

What Is a Route?à^

A route is the URL that enables your end users to reach your application. Routes belong to a space, and therefore are managed at space level.

The Router component in Cloud Foundry is responsible for routing routes. It maintains a list of mapped applications and compares each request with the list to find the best match. Based on this comparison, it then routes requests to the appropriate application instance.

Currently, you can create, map, and delete HTTP routes. An HTTP route includes a domain, a host name (or

subdomain), and an optional path.

Creating Routes

The number of routes you can create in a space depends on your subaccount entitlements and quotas, or on the space quota assigned to that space.

For more information, see [Create Routes](#).

Mapping Routes to Applications

You can only map a route to an application that belongs to the same space.

It is possible to map a single route to multiple applications, as well as multiple routes to a single application.

For more information, see [Map Routes to Applications](#).

Binding Routes to Service Instances

To bind a route to a service instance in the SAP BTP cockpit, see [Bind Routes to Service Instances](#).

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/about-services>

Title: [About Services](#) | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Using Services in the Cloud Foundry EnvironmentAbout Services

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

About Services

In the Cloud Foundry environment, you usually enable services by creating a service instance using either the SAP BTP cockpit or the Cloud Foundry command line interface (cf CLI), and binding that instance to your application.

In a PaaS environment, all external dependencies, such as databases, messaging systems, files systems, and so on, are services. In the Cloud Foundry environment, services are offered in a marketplace, from which users can create service instances on-demand. A service instance is a single instantiation of a service running on SAP BTP. Service instances are created using a specific service plan. A service plan is a configuration variant of a service. For example, a database may be configured with various "t-shirt sizes", each of which is a different service plan.

To integrate services with applications, the service credentials must be delivered to the application. To do so, you can bind service instances to your application to automatically deliver these credentials to your application. Or you can use service keys to generate credentials to communicate directly with a service instance. As shown in the figure below, you can deploy an application first and then bind it to a service instance:

Using Services in the Cloud Foundry Environment

Alternatively, you can also bind the service instance to your application as part of the application push via the application manifest. For more information, see <https://docs.cloudfoundry.org/devguide/deploy-apps/manifest.html#services-block>.

Note

Have in mind that you need to create a service instance first before you integrate it into your application manifest.

The Cloud Foundry environment also allows you to work with user-provided service instances. User-provided service instances enable developers to use services that are not available in the marketplace with their applications running in the Cloud Foundry environment. Once created, user-provided service instances behave in the same manner as service instances created through the marketplace. For more information, see [Creating User-Provided Service Instances](#).

For more conceptual information about using services in the Cloud Foundry environment, see <https://docs.cloudfoundry.org/devguide/services/>.

Related Information

[Creating Service Instances](#)

[Binding Service Instances to Applications](#)

[Creating Service Keys](#)

[Creating User-Provided Service Instances](#)

[Solutions and Services](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/access-cockpit>

Title: SAP Help Portal | SAP Online Help

ProductsWhat's NewExplore SAP

Loading Document...

âf

â„

â¿

à PDF

àFavorite

â=Share

âÀ

âTable of Contents

Loading Table of Contents...

Loading Topic...

â^Was this page helpful?

â"Yes

â#No

Copyright

Disclaimer

Privacy Statement

Legal Disclosure

Trademark

Terms of Use

Cookie Preferences

Accessibility & Sustainability

Ask a Question about the SAP Help Portal

Find us on

Share

â=

Your choices regarding cookies on this site

This site uses cookies and related technologies, as described in our Cookie Statement, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

[Privacy Statement](#) | [Cookie Statement](#)

Accept All

Deny All

Manage Settings

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/account-administration-in-cockpit>

Title: Account Administration in the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformAdministration and OperationsAccount AdministrationAccount Administration in the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Account Administration in the Cockpit

Learn about frequent administrative tasks you can perform using the SAP BTP cockpit, such as managing global accounts, directories, subaccounts, entitlements, and members.

Access the Cockpit

Learn how to access the SAP BTP cockpit.

Navigate in the Cockpit

Learn how to navigate to your global accounts, directories, and subaccounts in the SAP BTP cockpit.

Managing Global Accounts Using the Cockpit

Your SAP BTP global account is the entry point for managing the resources, landscape, and entitlements for your departments and projects in a self-service manner.

Managing Directories Using the Cockpit

Learn how to organize and manage your subaccounts according to your technical and business needs by using directories in the SAP BTP cockpit.

Managing Subaccounts Using the Cockpit

Learn how to structure a global account according to your organization's and project's requirements with regard to members, authorizations, and entitlements by managing subaccounts.

Managing Entitlements and Quotas Using the Cockpit

When you purchase an enterprise account, you are entitled to use a specific set of resources, such as the amount of memory that can be allocated to your applications.

Subscribe to Multitenant Applications Using the Cockpit

Subscribe to multitenant applications from the Subscriptions page in the SAP BTP cockpit.

Security Administration: Managing Authentication and Authorization

This section describes the tasks of administrators of SAP BTP. Administrators ensure user authentication and assign authorization information to users and user groups.

Related Information

Account Model

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/account-administration-using-apis-of-sap-cloud-management-service>

Title: Account Administration Using APIs of the SAP Cloud Management Service | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration Using APIsAccount Administration Using APIs of the SAP Cloud Management Ser...

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Account Administration Using APIs of the SAP Cloud Management Service

Provides information about using the APIs of the SAP Cloud Management service for SAP BTP (technical name: cis) to manage some of the administrative operations in your accounts.

The APIs of the core services for SAP BTP allow you to manage, build, and extend the core capabilities of SAP BTP. Each core service focuses on a different aspect of the platform, such as the management of accounts and product entitlements, and the registration and provisioning of subscriptions for multitenant applications and services.

The APIs of the SAP Cloud Management service are included in the core services for SAP BTP.

The following table provides an overview of the SAP Cloud Management service APIs:

API / Microservice

Description

Region Availability(1)

Accounts

Provides functions to manage the directories and subaccounts in your global accounts' structure in SAP BTP.

Central region(2)

Entitlements

Provides functions to manage product entitlements and assignments across your global account, directories, and subaccounts.

Central region(2)

Provisioning

Provides functions to manage the provisioning of your environment instances, multitenant application subscriptions, and services for subaccounts in their corresponding region.

All regions

Events

Provides functions to get information about events relating to administrative operations in your accounts.

All regions

(1) For more information about available regions, see Regions.

(2) Refers to the eu10 Europe (Frankfurt) region, unless your global account is located in the China (Shanghai) and Government Cloud (US) regions then use the landscape domain of your central region.

For detailed information about the APIs, including their specifications and endpoints, go to SAP Core Services for SAP BTP on SAP Business Accelerator Hub

Alternatively, go to <https://events-service.<app domain>.<landscape domain>/swagger-index.html> where you can try out the APIs.

Example

If your global account is running on the US East (VA) region, use this URL:

<https://events-service.cfapps.us10.hana.ondemand.com/swagger-index.html>

Remember

When using the Accounts and Entitlements APIs, make sure the endpoint you are using points to the landscape domain of the central region.

To call the core platform API methods, you must obtain an access token. See [Getting an Access Token for SAP Cloud Management Service APIs](#).

For information about the APIs of the SAP Service Manager service, see [Working with Service Management APIs](#).

For additional information about using the SAP Cloud Management service APIs with subaccounts in the Neo environment, see [Working with Cloud Management Tools Feature Set B in the Neo Environment](#).

Related Information

[Error Response Format](#)

[Asynchronous Jobs](#)

[Using the Events Service APIs](#)

[Rate Limiting](#)

[Monitoring Usage Information Using APIs of the SAP Usage Data Management Service](#)

[Using SAP SaaS Provisioning Service APIs to Manage Multitenant Applications](#)

[Using Platform APIs](#)

[Account Model](#)

[Environments](#)

[Entitlements and Quotas](#)

[Data Protection and Privacy](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/account-administration-using-apis>

Title: [Account Administration Using APIs | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformAdministration and OperationsAccount AdministrationAccount Administration Using APIs

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

Account Administration Using APIs

SAP BTP provides REST APIs that enable you to perform administrative tasks on the global account, directory, and subaccount level, such as creating or updating subaccounts, monitoring usage information, managing access, and managing service resources.

Related Information

[Account Administration Using APIs of the SAP Cloud Management Service](#)

[Monitoring Usage Information Using APIs of the SAP Usage Data Management Service](#)

[Accessing Administration Using APIs of the SAP Authorization and Trust Management Service](#)

[Managing Service Resources Using the APIs of the SAP Service Manager](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/account-administration-using-sap-btp-command-line-interface-btp-cli>

Title: [Account Administration Using the SAP BTP Command Line Interface \(btp CLI\) | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformAdministration and OperationsAccount AdministrationAccount Administration Using the SAP BTP Command Line Interface (...)

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

Account Administration Using the SAP BTP Command Line Interface (btp CLI)

Use the SAP BTP command line interface (btp CLI) for all account administration tasks, such as creating or updating subaccounts, authorization management, and working with service brokers and platforms. It is an

alternative to the SAP BTP cockpit for users who like to work in a terminal or want to automate operations using scripts.

The `btcli` CLI offers convenient features for interactive use as well as for scripting: For the interactive user, there's login via SSO, command autocompletion, as well as several interactive commands with prompts. But all commands can also be run with parameters, and the command output can be set to json format, so the `btcli` CLI is perfect for scripting.

If you want to use the `btcli` CLI for scripting, we recommend to use the `--format json` option or to persistently set the output format to json with `btcli set config --format json`. See [Change the Output Format to JSON](#) and [Change Configuration Settings](#).

Documentation^

In this documentation, you learn how to download, install, update, and use the `btcli` CLI. Additionally, see the following:

`btcli` CLI Command Reference: The command reference contains descriptions of all commands with their parameters, as well as examples, tips, and links to further conceptual documentation.

Get Started with the SAP BTP Command Line Interface (`btcli` CLI): This tutorial walks you through downloading and installing the `btcli` CLI client, understanding the syntax, and running your first commands.

Setting Up a Global Account via the Command Line: This chapter lists the commands of the `btcli` CLI and the `cf` CLI that you need to create a subaccount and enable Cloud Foundry.

What's New for SAP BTP Command Line Interface: Release notes for the `btcli` CLI.

When working with the `btcli` CLI in your terminal, you can access the help by executing `btcli help` or by appending `--help` to a command.

How the `btcli` CLI Works^

You download the `btcli` CLI client to your local desktop and access it through the shell of your operating system. The client then accesses all required platform services through its backend, the CLI server, where the command definitions are stored. The CLI server delegates authentication and authorization to the authorization server, and forwards trust to the platform services, which then take care of authorization at the execution of each command.

Related Information^

[btcli CLI Command Reference](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/account-administration>

Title: Account Administration | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformAdministration and OperationsAccount Administration

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Account Administration

Learn how to manage global accounts, directories, and subaccounts on SAP BTP using different tools.

Account Administration in the Cockpit

Account Administration Using the SAP BTP Command Line Interface (`btcli`)

Account Administration Using Joule in the Cockpit

Account Administration Using APIs

Account Administration Using Infrastructure as Code

Once your account model is set up, you can move on to managing the different environments you plan to use:

Administration and Operations in the Cloud Foundry Environment

Administration and Operations in the ABAP Environment

Administration and Operations in the Kyma Environment

Related Information^

Account Model

Entitlements and Quotas

User and Member Management

Environments

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/account-model>

Account Model

Learn more about the different types of accounts on SAP BTP and how they relate to each other.

Accounts are structured according to global accounts, subaccounts, and directories.

To learn more about managing your account model, see Account Administration.

Global Accountsà^

A global account is the realization of a contract you or your company has made with SAP.

A global account is used to manage subaccounts, members, entitlements and quotas. You receive entitlements and quotas to use platform resources per global account and then distribute the entitlements and quotas to the subaccount for actual consumption. There are two types of commercial models for global accounts:

consumption-based model and subscription-based model. See Commercial Models .

Global accounts are region- and environment-independent. Within a global account, you manage all of your subaccounts, which in turn are specific to one region.

Subaccountsà^

In subaccounts, you deploy applications, use services, and manage your subscriptions. You can use them to manage members, authorizations, and entitlements.

A global account can contain one or more subaccounts in which you deploy applications, use services, and manage your subscriptions. Subaccounts in a global account are independent from each other. This is important to consider with respect to security, member management, data management, data migration, integration, and so on, when you plan your landscape and overall architecture.

Each subaccount is associated with a region, which is the physical location where applications, data, or services are hosted. The specific region is relevant when you deploy applications and access the SAP BTP cockpit using the corresponding cockpit URL. The region assigned to your subaccount doesn't have to be directly related to your location. You could be located in the United States, for example, but operate your subaccount in Europe.

The entitlements and quotas that have been purchased for a global account have to be assigned to the individual subaccounts.

Global accounts and subaccounts are completely independent of user accounts. For more information, see User and Member Management.

Subaccounts, Cloud Foundry Orgs and Kyma Clusters

When you enable the Cloud Foundry environment in one of your subaccounts, the system automatically creates a Cloud Foundry org for you. The subaccount and the org have a 1:1 relationship and the same navigation level in the cockpit (even though they may have different names). You can create spaces within that Cloud Foundry org. Spaces let you further break down your account model and use services and functions in the Cloud Foundry environment.

For more information about Cloud Foundry orgs and spaces, see the Cloud Foundry documentation at <https://docs.cloudfoundry.org/concepts/roles.html>.

When you enable the Kyma environment in one of your subaccounts, you can provision one or more Kubernetes clusters equipped with the latest version of the open-source project "Kyma". The subaccount and the Kyma cluster have a 1:n relationship - you can choose to create more than one cluster right away, or add clusters later.

Within each Kyma cluster, you can create namespaces to organize your workloads and control access to resources. Namespaces let you further break down your account model and use services and functions in the Kyma environment. For more information, see the Kubernetes documentation at <https://kubernetes.io/docs/concepts/overview/working-with-objects/namespaces/>.

Directoriesà^

With directories, you can organize and manage your subaccounts according to your technical and business needs.

A directory can contain directories and subaccounts to create a hierarchy. Using directories to group other directories and subaccounts is optional - you can still create subaccounts directly under your global account.

You can create a hierarchical structure that is up to 7 levels deep. The highest level of a given path is always the global account and the lowest is a subaccount, which means that you can have up to 5 levels of directories between the global account and the lowest level subaccount.

Directories enable you to:

Group and filter directories and subaccounts

Monitor usage and costs for contracts that use the consumption-based commercial model

Optionally, you can also enable the following features in your directories:

Manage Entitlements: Enables the assignment of a quota for services and applications to the directory from the global account quota, for distribution to the directory's subaccounts.

When you assign entitlements to a directory, you express the entitlements and maximum quota that can be distributed across its children subaccounts. You also have the option to choose the auto-assignment of a set amount of quota to all subaccounts created or moved to that directory. Subaccounts that are already in the directory when you select that option will not be auto-assigned quota.

Note

If you've enabled the Manage Entitlements feature for a given directory, you must first assign the necessary entitlements and maximum allowed quota from the global account to that directory. Then you can distribute this "reserved" quota to any of the directory's child subaccounts.

Manage Authorizations: Enables authorization management for the directory. For example, it allows certain users to manage directory entitlements. You can only use this feature in combination with the Manage Entitlements feature.

Related Information

[Manage the Account Explorer Hierarchy](#)

[Configure Entitlements and Quotas for Directories](#)

[Configure Entitlements and Quotas for Subaccounts](#)

[Getting a Global Account](#)

[Setting Up Your Account Model](#)

[Managing Global Accounts Using the Cockpit](#)

[Managing Directories Using the Cockpit](#)

[Managing Subaccounts Using the Cockpit](#)

[Working with Global Accounts, Directories, and Subaccounts Using the btp CLI](#)

[Account Administration Using APIs of the SAP Cloud Management Service](#)

[Relationship Between Global Accounts, Subaccounts, and Directories](#)

A global account can group together different directories and subaccounts that an administrator makes available to users. Administrators can assign the available entitlements and quotas of a global account to its different subaccounts and move it between subaccounts that belong to the same global account.

The hierarchical structure of global accounts, directories, and subaccounts lets you define an account model that accurately fits your business and development needs. For example, if you want to separate development, testing, and productive usage for different departments in your organization, you can create a directory for each department, and within each directory, you group subaccounts for development, testing, and production.

Labels

Labels are user-defined words or phrases that you can assign to various entities in SAP BTP to categorize them in your global account, to identify them more easily.

For example, in the Account Explorer page in the cockpit, you can quickly filter for directories and subaccounts by label.

You can assign labels to these entities when you create or edit them using the SAP BTP cockpit, command line interface (btp CLI), or REST APIs:

Directories

Subaccounts

Multitenant application subscriptions

Service instances

Environment instances

Note

For environment instances, these custom labels are user defined and apply only to SAP BTP. They are not the same labels that might be defined by your environment broker.

Labels are made up of a label name (also referred to as a key) and up to 10 values associated with the label. You can apply label names and values in any way that suits your business and technical needs.

Types of labels and examples

Types of Labels

Examples

Single-value labels are useful for labels that have an identifier, or for labels with fixed lists.

Label Name: Cost Object

Value: The ID of a cost center number or internal order that is associated with the entity, such as:

000001134789

Label Name: Status

Value: Active or Inactive

Label Name: Landscape

Value: Dev or Test or Production

Multi-value labels make them useful for labels that typically have more than one value assigned to them.

Label Name: Contacts

Value: The e-mail addresses or names of users that are responsible for the entity, such as:

admin-1@example.com and admin-2@example.com

Labels can also be assigned with a name only and no value. In such cases, the label behaves like tag.

Note that currently for service instances, labels must have at least value.

Label Name: For demo only

Label Name: Audited

Label Name: Flagged for deletion

Note

Labels replace what were previously called "custom properties". Custom properties supported only single values per label and were available only to directories and subaccounts. As a result of the move to labels, all relevant commands in the SAP BTP command line interface (btp CLI) and in the relevant REST APIs in the SAP Cloud Management service have been updated accordingly. The custom-properties parameter in the btp CLI and the customProperties field in the relevant REST APIs are deprecated.

You can assign labels when you create an entity, and then later add, change, or remove labels by editing the entity.

Tip

In the Account Explorer and Instances and Subscriptions pages in the SAP BTP cockpit, assigned labels are shown in the Labels column. To display the column if it is not shown, click  (Configure Table Columns).

In the Account Explorer page, you can view the labels that are assigned to a directory or subaccount by choosing the More Info option of each directory and subaccount.

Assigned labels are also listed under the Labels tab when you display the Overview page of every directory and subaccount.

In the Account Explorer and Instances and Subscriptions pages, you can filter the displayed entities by their assigned labels in the Search field.

In the Instances and Subscriptions page, you can also view the labels that are assigned to a subscription or instance by expanding its details panel.

When working with labels, consider the following aspects:

In the cockpit, each entity can have up to 10 labels assigned to it.

You cannot add the same label name more than once to the same entity.

Existing label names and values are offered as suggestions when you or anyone else assigns a label to other entities of the same type in your global account.

When you view a subaccount in the cockpit, the subaccount also shows the labels that are assigned to its parent directory and to other directories that are above it in the same path in your account structure. And in the Account Explorer, when you filter by labels that are assigned to a directory, the subaccounts in that directory path are also listed. We refer to these as inherited labels.

Label names and values are case-sensitive, which means you can create variants of the same label name with a different casing; for example, My Label and My label can coexist as separate labels. We recommend that you avoid using different casing or styling to create variants of the same names or values.

Related Links

Create a Subaccount
Change Subaccount Details
Create a Directory
Commands in the btp CLI
Account Administration Using APIs of the SAP Cloud Management Service
Managing Service Resources Using the APIs of the SAP Service Manager
Creating Service Instances
Working with Environment Instances
Subscribe to Multitenant Applications Using the Cockpit

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/add-members-to-your-subaccount>

Title: Add Members to Your Subaccount | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Subaccounts Using the CockpitAdd Members to Your Subaccount

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Add Members to Your Subaccount

Add members to your subaccount to enable users to access resources available there. Platform users manage subaccounts with cloud management tools, while business users consume applications and services.

Prerequisitesà^

You must be a subaccount administrator to add other subaccount members.

The users exist in a trusted identity provider.

All users of SAP BTP are stored in identity providers, either in the default or in a custom identity provider. SAP BTP needs a copy of the user, sometimes called a shadow user. You assign the shadow user authorizations to access resources in SAP BTP. When a user authenticates, SAP BTP forwards the request to the identity provider.

For more information, see Trust and Federation with Identity Providers.

Note

This procedure explains how to add users to multi-environment subaccounts. To add members to Neo subaccounts, see Add Members to Your Neo Subaccount.

Contextà^

There are two types of users in subaccounts:

Platform users

These users are members of your team. Platform users manage the subaccount with the cloud management tools.

Assign predefined or custom role collections to users who need to manage or view the subaccount in SAP BTP cockpit. Examples of predefined role collections include the following:

Subaccount Administrator

Subaccount Viewer

For more information about the available role collections, see Role Collections and Roles in Global Accounts, Directories, and Subaccounts.

To work in the Cloud Foundry, ABAP, Kyma, and Neo environments, your team members need additional authorizations.

For more information, see Giving Access Rights to Platform Users in the SAP BTP Best Practices Guide.

Note

If the subaccount has a Cloud Foundry environment, SAP BTP checks Cloud Foundry users with org or space roles. If there's no corresponding user at the subaccount level, SAP BTP creates one automatically.

For more information, see About User Management in the Cloud Foundry Environment.

Business users

These users consume applications and services. Business users don't access cloud management tools like the SAP BTP cockpit. Assign role collections required by the applications and services that the business users consume.

Procedureà^

Tip

If you're a global account administrator, you can quickly assign yourself as an administrator of a subaccount by going to the Account Explorer page and then choosing the Add Me as Admin option in the Actions (áo) context menu of the subaccount. To assign other users, use the following instructions.

This feature isn't available if it has been disabled for your global account.

To disable this feature, send an opt-out request using the component BC-NEO-CIS-OPS. See Getting Support for information about opening a case and getting technical assistance.

Navigate to your subaccount.

Add a user to your subaccount.

For more information, see Create Users.

Assign role collections to the user.

For more information, see Assign Users to Role Collections.

Resultsà^

The user can log on to SAP BTP and access resources according to the role collections you've assigned to the user.

Note

If the new subaccount platform user logs on to SAP BTP cockpit and there's no corresponding platform user at the global account level, SAP BTP creates one automatically.

Related Informationà^

User and Member Management

Navigate in the Cockpit

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/bind-service-instances-to-applications-using-cockpit>

Title: Bind Service Instances to Applications Using the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Binding Service

Instances to ApplicationsBind Service Instances to Applications Using the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Bind Service Instances to Applications Using the Cockpit

Note

The content of this page has moved to a new location.

To learn how to bind service instances to applications using the cockpit, see Binding Service Instances to Cloud Foundry Applications.

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/binding-service-instances-to-applications>

Title: Binding Service Instances to Applications | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Using Services in

the Cloud Foundry EnvironmentBinding Service Instances to Applications

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Binding Service Instances to Applications

Use the SAP BTP cockpit or the Cloud Foundry Command Line Interface to bind service instances to applications:

Bind Service Instances to Applications Using the Cockpit

Bind Service Instances to Applications Using the Cloud Foundry Command Line Interface

You can also bind service instances by declaring them as part of your multitarget application (MTA). To learn how to do that, have a look at the service binding parameters.

Service Binding Parameters

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/btp-administration-and-operations>

Title: Administration and Operations | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformAdministration and

Operations

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Administration and Operations

Administration and operation tasks for SAP BTP include management and configuration of global accounts and subaccounts as well as the operation of applications.

This image is interactive. Hover over each area for a description. Click highlighted areas for more information.

Administration of Global Accounts, Directories, and Subaccountsà^

Some of the typical responsibilities of SAP BTP administrators include maintenance of global accounts, management of directories and subaccounts, and configuration of entitlements. To do this, you can use either the SAP BTP cockpit, the SAP BTP command line interface, or APIs.

Account Administration in the Cockpit

Account Administration Using the SAP BTP Command Line Interface (btp CLI)

Account Administration Using APIs

Administration and Operations in Different Environmentsà^

Environments constitute the actual platform-as-a-service offering of SAP BTP that allows for the development and administration of business applications. Each environment offers different approaches to manage administration and operations. For more information, see [Environments](#).

Administration and Operations in the Cloud Foundry Environment

In the Cloud Foundry environment, you can manage orgs, spaces, and space quota plans using the SAP BTP cockpit or the SAP BTP command line interface.

Learn more about the different application operations that you can perform in the Cloud Foundry environment.

Org Administration Using the Cockpit

Org Administration Using the Cloud Foundry CLI

Application Operations in the Cloud Foundry Environment

Audit Logging in the Cloud Foundry Environment

Administration and Operations in the ABAP Environment

When using the ABAP environment, the account administration tasks are performed in the Cloud Foundry environment.

The application operations are specific to the ABAP environment. For more information, see [SAP Fiori Apps in the ABAP Environment](#).

Administration and Operations in the Kyma Environment

The administrators of the Kyma environment take care of setting it up and make sure it's ready for developers to work with.

Assign Roles in the Kyma Environment

Creating Kyma Instances

Kyma Environment Backup

Related Informationà^

Account Model

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/cb9b264c786c4ce094370f077806b574.html>

Title: [Standard Plan for Cloud Foundry Runtime \(Subscription-Based\) | SAP Help Portal](#)

HomeSAP BTP, Cloud Foundry RuntimeSAP BTP, Cloud Foundry Runtime...Standard Plan for Cloud Foundry RuntimeStandard Plan for Cloud Foundry Runtime (Subscription-Based)

SAP BTP, Cloud Foundry RuntimeEnglish

Provide feedback on our search

à

Standard Plan for Cloud Foundry Runtime (Subscription-Based)

Learn how to set up the standard plan for SAP BTP, Cloud Foundry runtime in an enterprise global account that uses the subscription-based commercial model.

Overviewà^

Setting up the standard plan for SAP BTP, Cloud Foundry runtime in the subscription-based model involves two tasks:

A subaccount administrator enables the Cloud Foundry environment with the standard plan, creating a Cloud Foundry org. For more information about the procedure, see [Enabling Standard Plan for Cloud Foundry Runtime \(Subscription-Based\)](#).

A global account administrator assigns some of the pre-purchased runtime memory quota to a subaccount

using the service Cloud Foundry Runtime (APPLICATION_RUNTIME) and its service plan MEMORY. This runtime memory can then be used by the applications running in the Cloud Foundry org. For more information about the procedure, see Assigning Runtime Memory Quota for Cloud Foundry Runtime (Subscription-Based).
Note

If the subaccount belongs to a directory with the entitlements management feature enabled, the global account administrator must assign the service plan MEMORY to this directory first.

These tasks are independent of one another and can be done in any order. However, both of them must be completed before you can run applications in your Cloud Foundry org.

Related Information

What Is the Subscription-Based Commercial Model?

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/change-subaccount-details>

Title: Change Subaccount Details | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Subaccounts Using the CockpitChange Subaccount Details

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Change Subaccount Details

Edit subaccounts using the SAP BTP cockpit.

Context

You edit a subaccount by choosing the relevant action on its tile. It's available in the global account view, which shows all its subaccounts.

The subaccount technical name is a unique identifier of the subaccount on SAP BTP that is generated when the subaccount is created.

You can change to the following subaccount details:

Editable Subaccount Details

Field

Details

Display Name

Specify a human-readable name for your subaccount and change it later on, if necessary. This way you can distinguish between multiple subaccounts.

Description

(Optional) Specify a short descriptive text about the subaccount.

Parent

Change the parent of your subaccount.

When you create a subaccount, this is added as a direct child of the global account you created it in. You can change your subaccount's parent and add it to a directory, move it from one directory to another, or remove from a directory by making the global account its parent once again.

Used for production

(Optional) Select this option if your subaccount is being used for production purposes.

This does not change the configuration of your subaccount. Use this flag for your internal use to operate your production subaccounts in your global account and systems more efficiently. Your cloud operator may also use this flag to take appropriate action when handling incidents related to mission-critical accounts in production systems. Since subaccounts that are marked as used for production cannot be force deleted, this option also prevents an accidental forced deletion of the account.

Do not select this option if your account is used for non-production purposes, such as development, testing, and demos.

Labels

(Optional) Assign, change, or remove labels from your subaccount. Labels help to make organizing and filtering your subaccounts easier. For more information, see Labels.

Tip

When adding multiple values to a label, press Enter after each value.

When you start typing, any matching label names and values that are already assigned to other subaccounts in your global account are offered as suggestions.

Enable beta features

(Optional) Enable the subaccount to use services and applications which are occasionally made available by SAP for beta usage on SAP BTP. This option is available to administrators only and is, by default, unselected.

Caution

You shouldn't use SAP BTP beta features in subaccounts that belong to productive enterprise accounts. For more information, see Important Disclaimers and Legal Information.

Note

Once you have enabled this setting in a subaccount you cannot disable it.

Note

If you enable this setting in a subaccount that is already consuming services and subscriptions, these consumed resources will not be automatically updated to beta versions if they exist.

Procedure

Choose the subaccount for which you'd like to make changes and choose on its tile.

You can view more details about the subaccount such as its description and additional attributes by choosing Show More.

Make your changes and save them.

Related Information

Navigate in the Cockpit

Change the Default Database System

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/command-syntax-of-btp-cli>

Title: Command Syntax of the btp CLI | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration Using the SAP BTP Command Line Interface (...Command Syntax of the btp CLI

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Command Syntax of the btp CLI

Each command consists of the base call btp followed by a verb (the action), a combination of group and object, and parameters.

The btp CLI uses the following syntax:

âE

ã

btp [OPTIONS] ACTION GROUP/OBJECT [PARAMS]

The commands are ordered in groups and you need to specify the object on which you want to carry out an action by the group/object combination. Words in caps are placeholders, and brackets [] denote optionality. Optionally, you can pass options with a command call. Here's is one example with the verbose option and no parameters before we outline the entire syntax:

Sample Code

âE

ã

btp --verbose list accounts/subaccount

btp is the base call to start each command

OPTIONS can be added to each command, for example --format json to change the output format to json, or --verbose to execute a command in verbose mode. For details, see How to Work with the btp CLI.

ACTION is the verb. Depending on the GROUP/OBJECT combination, different verbs are available, such as get, list, create, delete, assign, unassign, add, remove. For a complete list, use btp help. To find out which commands are available for a specific action, use btp help ACTION, for example, btp help list.

Special ACTION: the help ACTION. You can always place help at the beginning of a command and still add further parts of the command, such as the ACTION or GROUP or GROUP/OBJECT combination for which you want to call help. See Get Help.

The GROUP/OBJECT combination specifies the entity that the action is carried out on. For example, all commands related to users and their authorizations belong to the security group, in which objects such as role, role-collection, and user are available. There are currently three groups:

accounts: Objects related to the account model, subscriptions, and environments

security: Authorization objects and users

services: Objects related to SAP Service Manager

To get help on a particular group, use `btph help GROUP`, for example `btph help accounts`. This will display all objects and related actions available in that group.

PARAMETERS are passed with most commands. With `btph login`, for example, you don't have to pass parameters up front, but you'll be prompted to enter them. The same applies to the `btph target` command. And `btph logout` does not need parameters, as it will log out the current user from the global account. Some commands have one positional parameter, which is entered directly after the command. All further parameters have a key and can be optional. The command help specifies the optional parameters as such. For example, in `btph assign security/role-collection "Global Account Administrator" --to-user example@mail.com --of-idp my-idp`, "Global Account Administrator" is the positional parameter, and the other two parameters have keys.

You may encounter issues with certain parameter values that start with a -, as they can be mistaken for parameter names instead of values. It is recommended to use a = to separate parameters and values when a value begins with -. For example, if your value for parameter `--user` is `-username-`, please use `--user="-username-"`.

Note

The commands that you type into the command line are interpreted and executed by the shell. Make sure you're familiar with your shell to avoid unexpected interferences. For examples of correct escaping, see [Passing JSON Parameters on the Command Line](#).

Tip

You can use the command autocompletion feature in the `btph` CLI to save keystrokes when entering commands actions, group-object combinations, and their parameters in the command line. For more information, see [Enable Command Autocompletion](#).

A Few Commands to Get Started

Here are a few commands for you to try out once you're logged in (Log in):

â€

ã

`btph list accounts/subaccount`

â€

ã

`btph list security/user`

â€

ã

`btph get security/user "name@example.com"`

â€

ã

`btph list accounts/subscription`

Example

In this example, we assign the Global Account Administrator role collection to user `name@example.com` and try out some options.

Use `help` or `--help` to display command-specific help to learn how to use the command:

â€

ã

`btph help assign security/role-collection`

â€

ã

`btph assign security/role-collection --help`

â€

ã

`btph --help assign security/role-collection`

Command with positional parameter and one mandatory parameter:

â€

ã

`btph assign security/role-collection "Global Account Administrator" --to-user "name@example.com"`

àf

Command with positional parameter, mandatory parameter, and optional parameter:

âE

ã

btp assign security/role-collection "Global Account Administrator" --to-user "name@example.com" --of-idp "my-idp"

àf

The same command in verbose mode:

âE

ã

btp --verbose assign security/role-collection "Global Account Administrator" --to-user "name@example.com" --of-idp "my-idp"

àf

Related Informationà^

btp CLI Command Reference

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/commands-in-btp-cli>

Title: *Commands in the btp CLI | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration Using the SAP BTP Command Line Interface (...Commands in the btp CLI

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Commands in the btp CLI

Find a full reference of all btp CLI commands and their parameters here: btp CLI Command Reference.

Working with Global Accounts, Directories, and Subaccounts Using the btp CLI

Use the SAP BTP command line interface (btp CLI) to manage operations with global accounts, directories, and subaccounts.

Setting Entitlements Using the btp CLI

Use the SAP BTP command line interface (btp CLI) to set entitlements to define the functionality or permissions available for users of global accounts, directories, and subaccounts.

Working with Environments Using the btp CLI

Use the SAP BTP command line interface (btp CLI) to manage runtime environment instances in a subaccount. For example, enable the Cloud Foundry environment by creating a Cloud Foundry org (environment instance).

Working with Multitenant Applications Using the btp CLI

Use the SAP BTP command line interface (btp CLI) to manage the multitenant applications to which a subaccount is entitled to subscribe.

Working with External Resource Providers Using the btp CLI

Use the SAP BTP command line interface (btp CLI) to get details, or to create or delete resource provider instances in a global account.

Managing Trust from SAP BTP to an SAP Cloud Identity Services Tenant

SAP BTP supports identity federation. Its concept is to reuse the user bases of identity providers. To use a custom identity provider, your global account or subaccount in SAP BTP must have a trust relationship to the identity provider you want to use.

Managing Users and Their Authorizations Using the btp CLI

User authorizations are managed by assigning role collections to users (for example, Subaccount Administrator). Use the SAP BTP command-line interface (btp CLI) to manage roles and role collections, and to assign role collections to users.

Managing Signing Keys for Access Tokens

Use the SAP BTP command line interface (btp CLI) to manage signing keys for access tokens in the subaccount.

Managing Security Settings

Use the SAP BTP command line interface (btp CLI) to display and update the security settings for the subaccount.

Managing API Credentials for Calling REST APIs of SAP Authorization and Trust Management Service

Use the SAP BTP command line interface (btp CLI) to manage API credentials, which enable you to access the REST APIs of the SAP Authorization and Trust Management service.

Working with Resources of the SAP Service Manager Using the btp CLI

Use the SAP BTP command line interface to perform various operations related to your platforms, attached service brokers, service instances, and service bindings.

Working with Multi-Region Disaster Recovery Using the btp CLI

Use the SAP BTP command line interface (btp CLI) to manage Multi-Region Disaster Recovery setups, such as creating, viewing, or deleting subaccount pairs.

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/commercial-models>

Title: Commercial Models | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformBasic Platform

ConceptsEnterprise AccountsCommercial Models

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Commercial Models

SAP BTP offers two different commercial models for enterprise accounts.

Consumption-based commercial model: Your organization receives access to all current and future services that are eligible for this model. You have complete flexibility to turn services on and off and to switch between services as your business requires throughout the duration of your contract. This commercial model is available in the following flavors: SAP BTP Enterprise Agreement (SAP BTPEA), Cloud Platform Enterprise Agreement (CPEA), and Pay-As-You-Go for SAP BTP.

For more information, see [What Is the Consumption-Based Commercial Model?](#)

Subscription-based commercial model: Your organization subscribes only to the services that you plan to use. You can then use these services at a fixed cost, irrespective of consumption.

For more information, see [What Is the Subscription-Based Commercial Model?](#)

Note

You can use both commercial models, either in separate global accounts or in the same global account depending on your business needs. Contact your SAP account executive or sales representative for more information. Note however that you cannot mix more than one flavor of the consumption-based commercial model in the same global account.

For information about service availability, prices, and estimators, see <https://www.sap.com/products/technology-platform/solutions.html> and <https://www.sap.com/products/technology-platform/integration-suite/pricing.html>.

You can also view the service catalog via the SAP Discovery Center.

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/configure-entitlements-and-quotas-for-directories>

Title: Configure Entitlements and Quotas for Directories | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing

Entitlements and Quotas Using the CockpitConfigure Entitlements and Quotas for Directories

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Configure Entitlements and Quotas for Directories

Distribute entitlements that are available in your global account to directories by adding service plans and their allowed quotas by using SAP BTP cockpit.

Enable Entitlement Management for a Directoryà

Before you can assign plans and quotas to a directory so that they can be further distributed to the subaccounts in the directory, you must first enable the entitlement management feature for the directory. This configuration only needs to be done once for each directory. In this documentation, we'll refer to these types of directories as "managed directories".

Note

In the account hierarchy, each directory path can have only one directory enabled with the entitlement management feature (or the user management feature). Consequently, if a directory in the path already has one of these features enabled, it is not possible to enable either of them for other parent or child directories

within the same path as this directory.

Enabling entitlement management for a directory that already contains subaccounts will result in the automatic assignment of any existing assignments and quotas (for the subaccounts) to the directory.

Prerequisites

You are a global account administrator.

Procedure

There are several ways you can enable the entitlement management feature for a directory:

In the Account Explorer, click the  Actions button for a specific directory and select Edit. In the Edit Directory dialog box, under Advanced, choose the Enable entitlement management option.

Navigate to the directory's Entitlements page and select Enable Entitlement Management.

Navigate to your global account and open the Entitlements Entity Assignments from the navigation panel.

Select the  icon in the Subaccounts/Directories dropdown menu.

Then, in the Select Subaccounts and Directories dialog box, choose the directory for which you want to manage assignments. Click Select and then Enable Entitlement Management.

Tip

To disable entitlement management for a directory, redo these steps from the global account's Entitlements Entity Assignments page, but choose Disable Entitlement Management at the end. When you disable entitlement management, any assignments and quota that are currently assigned to the directory are "returned" to the global account and are then available for distribution to other directories and subaccounts.

Next Steps

Once you've enabled entitlement management for a directory, you can now configure its service plan and quota assignments as described below.

Configure Assignments and Quotas for Managed Directories

Use this procedure to configure the service plan assignments and quotas for one or more managed directories.

Note

To get an overview of all the services and plans available in your global account, navigate to the Entitlements Service Assignments page. There you can see the global usage of each service plan in the All Services view, as well as the detailed assignments of each service across subaccounts and directories in the Assignments by Service view.

In the All Services view of this page, the Assigned To column shows you the total number of directories and subaccounts to which each service plan is assigned in your global account. You can click on the links in this column to quickly navigate to the selected service in the Assignments by Service view and display more details about these assignments.

You can turn on the Show commercial info toggle option in the Service Assignments page to display additional table columns that can help you to gain a better understanding of the relationship between contractual service entitlements and the technical assets (services and plans) in your global account; in other words, how each entitled plan was added to your global account.

The Service Assignments page is for viewing purposes only; you cannot make any assignment changes from it. You can also access the Entitlements Service Assignments page from the directory level (only for directories that are configured to manage entitlements) to display the directory's assignments.

Prerequisites

You are a global account administrator.

Note that if the directory also has the user management feature enabled, then you must be either the directory administrator or a global administrator. See Manage Users in Directories.

The service and applications that you intend to assign to your directories must be entitled to your global account.

For enterprise accounts that use the subscription-based commercial model, your account receives only the services that you've already purchased and subscribed to according to your SAP BTP contract. To access additional services, at an extra cost, you can modify your contract via your sales representative or account executive.

For enterprise accounts that use the consumption-based commercial model, your global account receives all pay-for-use and free services that are eligible for this commercial model.

If you have a trial account, you'll receive a restricted set of free platform resources and services for a limited time period. To access additional services, you'll have to switch to an enterprise account.

Procedure

Navigate to your global account.

Choose Entitlements Entity Assignments from the left hand-side navigation.

Alternatively, you can navigate to a directory from the Account Explorer, and then access the Entitlements Entity Assignments page for that specific directory.

Open the Manage Assignments view (tab).

Skip this step if you have a trial account.

Tip

You can use the View Commercial Information view in this page to display comprehensive commercial information about the entitlements in your global account (you cannot make assignments in this view). Note that this view is not available for trial accounts.

Select the  icon in the Directories / Subaccounts dropdown menu.

In the Select Subaccounts and Directories dialog box, choose the directories for which you want to manage assignments.

Click Select.

Note

If you select a directory for which entitlement management is not enabled, you can click Enable Entitlement Management to enable the feature. Remember that you can enable this feature only for a single directory in a path.

You get a table for each of the directories you selected, displaying the current assignments and quotas. You can choose Show subaccount assignments next to the table title to see the assignments and quotas for the subaccounts in a specific directory.

Tip

Under the Service Technical Name column, click on the  (Service Details) icon of any service to access its service-related links to documentation, support information, and SAP Discovery Center.

Choose Edit to start editing assignments for a particular directory.

Note

You can only edit assignments for one directory at a time.

You can now edit the assignments table:

Action•7FW 0

Add new service plans to the directory

Choose Add Service Plans and from the dialog box select the services and the plans from each service that you would like to add to the directory. Choose Add <x> Service Plans in the dialog box to confirm.

Remember, the services that you see depend on the type of global account you have and your contract details (see the prerequisites above for more information).

Once you've added new service plans, you can also change the quota for those plans as described in the following row and enable the option to auto-assign quota to new subaccounts that are added to the directory. For service plans where quota can be increased or decreased, you can also specify what amount should be auto-assigned to each subaccount that is created or added to the directory.

Note

To subscribe a subaccount to a multitenant application, you must first assign the application to the specific subaccount using the process described in Configure Entitlements and Quotas for Subaccounts.

Tip

If your global account is configured to consume remote services from a non-SAP cloud vendor (resource provider), an additional dropdown list is displayed in the Service Details pane, where you can choose a configured resource provider. You can then choose the required service plans that are available for the selected resource provider to add them to the subaccount.

For more information, see Managing Resource Providers.

Edit the quota for one or more service plans

Use  (Plus) and  (Minus) in the Quota Assignment column to increase or decrease the quota for each service plan.

Note some service plans do not have a numeric quota assignment. In other words, you do not assign a specific quantity but grant access to the plan by simply assigning it to the subaccount. See Quotas in Managing Entitlements and Quotas Using the Cockpit.

Tip

If you would like to have quota automatically assigned to subaccounts that are created or moved to the directory, select the Auto-Assign to Subaccounts checkbox and follow the same process to set the amount that should be auto-assigned to each subaccount.

The auto-assign feature doesn't apply to subaccounts that are already in the directory when the feature is enabled.

You cannot use the auto-assign feature with beta services and applications.

Set a quota limit to unlimited service plans that use the consumption-based commercial model

The usage of most service plans is unlimited by default in global accounts that use the consumption-based commercial model. To control costs of such plans, you can set a quota limit on the service plans for this directory by first selecting the checkbox in the Set Quota Limit column.

Now, you can increase or decrease the quota for this service plan in the Quota Assignment column by using + (Plus) and - (Minus).

Note some service plans do not have a numeric quota assignment. In other words, you do not assign a specific quantity but grant access to the plan by simply assigning it to the directory (and then subsequently to the subaccount). See Quotas in Managing Entitlements and Quotas Using the Cockpit.

Delete a service plan and its quota from the directory

Choose - (Remove Service Plan) from the Actions column.

Once you're done, choose Save to save the changes and exit edit mode for that directory.

Optional: Repeat steps 7 to 9 to configure assignments for the other selected directories.

Related Information

Entitlements and Quotas

Directories

Manage Users in Directories

Create a Directory

Managing Entitlements and Quotas Using the Cockpit

Configure Entitlements and Quotas for Subaccounts

Using Free Service Plans

Trial Accounts and Free Tier

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/configure-entitlements-and-quotas-for-subaccounts>

Title: Configure Entitlements and Quotas for Subaccounts | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Entitlements and Quotas Using the CockpitConfigure Entitlements and Quotas for Subaccounts

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Configure Entitlements and Quotas for Subaccounts

Distribute the entitlements that are available in your global account by adding service plans and their allowed quotas to your subaccounts using SAP BTP cockpit.

Prerequisitesà

You must be a global account administrator to configure subaccount assignments.

Note that if the subaccount is under a directory that is configured to manage users, then you must be either the directory administrator or a global account administrator to configure the subaccount's assignments.

The service and applications that you intend to assign to your subaccounts must be entitled with the required quota to your global account. If you're assigning a service plan to a subaccount, which is under a directory that is configured to manage entitlements, then the managed directory must have the relevant service plans and needed quota assigned to it so that you can distribute them to the directory's subaccounts, as required.

For enterprise accounts that use the subscription-based commercial model, your account receives only the services that you've already purchased and subscribed to according to your SAP BTP contract. To access additional services, at an extra cost, you can modify your contract via your sales representative or account executive.

For enterprise accounts that use the consumption-based commercial model, your global account receives all pay-for-use and free services that are eligible for this commercial model.

If you have a trial account, you'll receive a restricted set of free platform resources and services for a limited

time period. To access additional services, you'll have to switch to an enterprise account.

To assign beta service plans, your subaccount must have the Enable beta features option selected. See [Change Subaccount Details](#). Only applies to non-production subaccounts.

Context

You can distribute assignments and quotas across subaccounts within a global account from these places in the cockpit:

The Entitlements Entity Assignments page at the global account level (visible only to global account administrators).

The Entitlements Entity Assignments page at the directory level by first navigating into the directory from the Account Explorer. This applies only to subaccounts that reside in the path of a directory that is configured to manage entitlements.

The Entitlements page at the subaccount level (visible to all subaccount members, but editable only by global account administrators) by first navigating into the subaccount from the Account Explorer.

For more information, see [Managing Entitlements and Quotas Using the Cockpit](#).

Tip

To get an overview of all the services and plans available in your global account, navigate to the Entitlements Service Assignments page. There you can see the global usage of each service plan in the All Services view, as well as the detailed assignments of each service across subaccounts and directories in the Assignments by Service view.

The Service Assignments page is for viewing purposes only; you cannot make any assignment changes from it. In the All Services view of this page, the Assigned To column shows you the total number of directories and subaccounts to which each service plan is assigned in your global account. You can click on the links in this column to quickly navigate to the selected service in the Assignments by Service view and display more details about these assignments.

You can turn on the Show commercial info toggle option in this page to display additional table columns that can help you to gain a better understanding of the relationship between contractual service entitlements and the technical assets (services and plans) in your global account; in other words, how each entitled plan was added to your global account.

If you navigate to a subaccount from the Account Explorer, you view its assignments in its Overview page view.

Note

To subscribe to a multitenant application, you must first assign it to the specific subaccount using the same process explained below. If you remove a subaccount's assignments to a multitenant application, any subscriptions to it from that subaccount stop working.

Before a subaccount admin can enable a quota-based environment, such as Kyma, the subaccount admin must first assign the environment's plan and quota to the subaccount. Other non-quota-based environments, such as Cloud Foundry, are available by default to all subaccounts, and therefore aren't available as entitlements.

Configure Assignments and Quotas from Your Global Account

Procedure

Navigate to your global account.

Choose Entitlements Entity Assignments from the left hand-side navigation.

Remember

There are other ways you can access the subaccount to manage its assignments, such as navigating to the subaccount or its managed directory from the Account Explorer. See above for more information.

Open the Manage Assignments view (tab).

Skip this step if you have a trial account.

Tip

You can use the View Commercial Information view in this page to display comprehensive commercial information about the entitlements in your global account (you cannot make assignments in this view). Note that this view is not available for trial accounts.

Select the  icon in the Directories / Subaccounts dropdown menu.

In the Select Subaccounts and Directories dialog box, select all the subaccounts that you want to manage assignments.

Choose Select to apply the filter.

You get a table for each of the subaccounts you selected, displaying the current assignments and quota.

Tip

Under the Service Technical Name column, click on the  (Service Details) icon of any service to access its service-related links to documentation, support information, and SAP Discovery Center.

Choose Edit to start editing assignments for a particular subaccount.

Note

You can only edit assignments for one subaccount at a time.

You can now edit the assignments table:

Action • 7FW 0

Add new service plans to the subaccount

Choose Add Service Plans and from the dialog box, select the services and the service plans from each service that you would like to add to the subaccount. Choose Add <x> Service Plans in the dialog box to confirm.

Remember, the services that you see depend on the type of global account you have and your contract details (see the prerequisites above for more information).

Tip

If your global account is configured to consume remote services from a non-SAP cloud vendor (resource provider), an additional dropdown list is displayed in the Service Details pane, where you can choose a configured resource provider. You can then choose the required service plans that are available for the selected resource provider to add them to the subaccount.

For more information, see Managing Resource Providers.

Edit the quota for one or more assigned service plans

Use  (Plus) and  (Minus) in the Quota Assignment column to increase or decrease the quota for each service plan.

Note some service plans do not have a numeric quota assignment. In other words, you do not assign a specific quantity but grant access to the plan by simply assigning it to the subaccount. See Quotas in Managing Entitlements and Quotas Using the Cockpit.

Set a quota limit to unlimited service plans that use the consumption-based commercial model

The usage of most service plans is unlimited by default in global accounts that use the consumption-based commercial model. To control costs of such plans, you can set a quota limit on the service plans for this subaccount by first selecting the checkbox in the Set Quota Limit column.

Now, you can increase or decrease the quota for this service plan in the Quota Assignment column by using  (Plus) and  (Minus).

Delete a service plan and its quota from the subaccount

Choose  (Remove Service Plan) from the Actions column.

Once you're done, choose Save to save the changes and exit edit mode for that subaccount.

Optional: Repeat steps 7 to 9 to configure assignments for the other selected subaccounts.

Related Information

Entitlements and Quotas

Configure Assignments and Quotas from a Subaccount

If you're working in a subaccount and realize you're missing assignments or quota, you can edit the assignments directly from that subaccount.

Prerequisites

In addition to being a global account administrator, you must also be a member of the subaccount to be able to access that subaccount.

Procedure

Navigate into the subaccount where you would like to configure the assignments.

Choose Entitlements from the left hand-side navigation to see the assignments for your subaccount.

Choose Edit.

You can now edit the assignments table as described in the procedure above.

Once you're satisfied with the changes, choose Save to save and exit edit mode.

Related Information

Entitlements and Quotas

Managing Entitlements and Quotas Using the Cockpit

Configure Entitlements and Quotas for Directories

Using Free Service Plans

Trial Accounts and Free Tier

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/create-directory>

Title: *Create a Directory | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Directories Using the CockpitCreate a Directory

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Create a Directory

Create a directory using the SAP BTP cockpit to organize and manage your subaccounts. For example, you can group subaccounts by project, team, or department.

Contextà^

Recommendation

Before creating your subaccounts, we recommend you learn more about [Setting Up Your Account Model](#). For more information about directories, see [Directories](#).

Procedureà^

In your global account, navigate to the Account Explorer page.

In the Create dropdown, choose Directory.

Tip

You can also create a directory by selecting Create Directory from the à Actions menu button of the global account or an existing directory.

In the Create Directory dialog box, enter a display name for your new directory and choose a parent. The parent can be the global account or another directory.

Optional: Under Advanced, choose the Enable entitlement management option if you want to manage the entitlements that are used by the subaccounts under this directory. This allows you to reserve quota for service plans so that they cannot be assigned to other subaccounts or directories. For more information, see [Entitlements and Quotas](#) and [Configure Entitlements and Quotas for Directories](#).

You can enable this feature later from the Entitlements Entity Entitlements page or by editing the directory in the Account Explorer page.

If you don't enable this feature, then subaccounts in this directory use the entitlements and quota from the global account level.

Note

Only a single directory in any given directory path can have the user management (see next option) and/or entitlement management features enabled.

For example, if you have 3 stacked directories in your account hierarchy and the middle directory has both the user and entitlement management features enabled, then neither of these features can be enabled for its parent or child directory since these two directories are in the same direct path as the middle directory.

Optional: Under Advanced, choose the Enable user management option if you want to assign specific users as administrators or viewers of this directory. For more information, see [Manage Users in Directories](#).

You can enable this feature later from the directory's Users page or by editing the directory in the Account Explorer page.

If you don't enable this feature, then any user that has access to the directory in the account hierarchy can view and work in it.

Note

The user management feature can be enabled only in combination with the entitlement management feature on the same directory in given path.

Only a single directory in any given directory path can have the user management and/or entitlement management features enabled.

For example, if you have 3 stacked directories in your account hierarchy and the middle directory has both the user and entitlement management features enabled, then neither of these features can be enabled for its parent or child directory since these two directories are in the same direct path as the middle directory.

Optional: Under Advanced Labels, assign labels to the directory to make organizing and filtering your

directories and their subaccounts easier. For more information, see Labels.

Tip

When adding multiple values to a label, press Enter after each value.

When you start typing, any matching label names and values that are already assigned to other directories in your global account are offered as suggestions.

Note

All subaccounts in the path of this directory also inherit all labels that are assigned to this directory.

Review the details of your directory and choose Create to finalize the process.

Results

Your directory is created.

Next Steps

Once you've created a directory, you can perform the following actions:

Edit the directory - you can edit the name, description, entitlements, and labels of the directory.

Add subaccounts to the directory - Manage the Account Explorer Hierarchy.

Assign users and entitlements to the directory (if you've enabled the user and entitlement management features, respectively).

Delete the directory - you can only delete a directory that does not contain any subaccounts or subdirectories.

Related Information

Directories

Manage the Account Explorer Hierarchy

Manage Users in Directories

Configure Entitlements and Quotas for Directories

View Directory Usage Analytics

Labels

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/create-orgs>

Title: Create Orgs | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing OrgsCreate Orgs

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Create Orgs

To enable Cloud Foundry in your subaccount, you must create an org in order to use it.

Procedure

Navigate to your subaccount Overview page in the SAP BTP cockpit.

Choose Enable Cloud Foundry.

After you choose Enable Cloud Foundry, follow the steps provided by the wizard to complete the creation of your org.

Choose a plan from the drop-down list and enter a name for your org.

Note

Once you've created the org, you can't change its name afterwards in the SAP BTP cockpit. However, you can rename the org using the Cloud Foundry CLI (cf CLI), and the new org name will be reflected in the cockpit.

As an optional step, you can customize the instance name of your environment. Otherwise, the wizard uses the automatically generated instance name.

If you decide to enter an environment instance name of your choice, make sure that it's CLI-friendly. A CLI-friendly name is a string of up to 32 characters: alphanumeric (A-Z, a-z, 0-9), periods, underscores, and hyphens. Having a CLI-friendly name allows you to use it in btp CLI commands.

Choose Create.

Related Information

Navigate to Orgs and Spaces

Create a Subaccount

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/create-sap-user-accounts>

Title: SAP Help Portal | SAP Online Help

ProductsWhat's NewExplore SAP

Loading Document...

âf

â„

â¿

à PDF

àFavorite

á=Share

áÀ

áTable of Contents

Loading Table of Contents...

Loading Topic...

â^Was this page helpful?

â"Yes

â#No

Copyright

Disclaimer

Privacy Statement

Legal Disclosure

Trademark

Terms of Use

Cookie Preferences

Accessibility & Sustainability

Ask a Question about the SAP Help Portal

Find us on

Share

á=

Your choices regarding cookies on this site

This site uses cookies and related technologies, as described in our Cookie Statement, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

[Privacy Statement](#) | [Cookie Statement](#)

[Accept All](#)

[Deny All](#)

[Manage Settings](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/create-service-instances-using-cockpit>

Title: [Create Service Instances Using the Cockpit](#) | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Creating Service

InstancesCreate Service Instances Using the Cockpit

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

Create Service Instances Using the Cockpit

Note

The content of this page has moved to a new location.

To learn how to create service instances using the cockpit, see

[Creating Service Instances](#).

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/create-service-keys-using-cockpit>

Title: [Create Service Keys Using the Cockpit](#) | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Creating Service

KeysCreate Service Keys Using the Cockpit

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

Create Service Keys Using the Cockpit

Note

The content of this page has moved to a new location.

To learn how to create service keys using the cockpit, see [Creating Service Keys in Cloud Foundry](#).

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/create-spaces>

Title: [Create Spaces | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing SpacesCreate Spaces

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

Create Spaces

Create spaces in your Cloud Foundry organization using the SAP BTP cockpit. In a space, you can deploy and maintain applications, and connect them to services.

Prerequisitesà^

You have a Cloud Foundry organization in your subaccount, and you have the Org Manager role in that organization.

See [Create Orgs](#) and [About Roles in the Cloud Foundry Environment](#).

Contextà^

There are two ways to create a space in the cockpit. The main one is to do it from the Spaces page in your subaccount. The second one is from the Overview page of your subaccount. You can choose either one of them.

Procedureà^

Create a Space from the Spaces Page

Create a Space from the Subaccount Overview Page

1. Navigate to the subaccount that contains the Cloud Foundry organization in which you'd like to create a space.

2. Navigate to the Cloud Foundry

Spaces page.

3. Choose Create Space from the top right hand-side corner of that page.

4. Enter a space name and choose the space roles you want to assign to yourself.

5. Then, choose Save.

1. Navigate to the subaccount that contains the Cloud Foundry organization in which you'd like to create a space.

2. On the subaccount Overview page, you have a Spaces table. Choose Create Space from the top right hand-side corner of that table.

3. Enter a space name and choose the space roles you want to assign to yourself.

4. Then, choose Save.

Next Stepsà^

As an optional step, you can assign space quotas to spaces. If you don't assign a space quota, the space you've just created will use the consumption limits of the org quota.

For more information, see [Assign Space Quotas to Spaces](#).

Related Informationà^

Create Spaces Using the Cloud Foundry Command Line Interface

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/create-subaccount>

Title: [Create a Subaccount | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Subaccounts Using the CockpitCreate a Subaccount

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

Create a Subaccount

Create subaccounts in your global account using the SAP BTP cockpit.

Create a Subaccount

Prerequisites

You are a global account administrator.

Note

If you are creating a subaccount in an entitlement-managed or user-managed directory, then you must be either a global account administrator or a directory administrator. See [Configure Entitlements and Quotas for Directories](#) and [Manage Users in Directories](#).

Recommendation

Before creating your subaccounts, we recommend you learn more about [Setting Up Your Account Model](#).

Context

You create subaccounts in your global account. Once you create a new subaccount, you see a tile for it in the global account view, and you are automatically assigned to it as an administrator.

Procedure

From your global account, navigate to the Account Explorer page.

Select **Create Subaccount** to create a subaccount from scratch.

Tip

You can also create a subaccount from scratch by selecting **Create Subaccount** from the **⋮** (Actions) context menu of the global account or a directory.

Tip

Alternatively, you can create a new subaccount from an existing subaccount. For more information, see the [Create a Subaccount from an Existing Subaccount](#) procedure below.

Specify a display name.

Optional: Enter a description.

Enter a subdomain for your subaccount. This will become part of the URL for accessing applications that you subscribe to from this subaccount.

Note

After selecting a multi-environment region, an auto-generated subdomain is entered for you in the Subdomain field. You can modify this subdomain to suit your preferences, provided it adheres to the naming guidelines. The subdomain name can contain up to 63 characters such as letters, digits and hyphens (not allowed in the beginning or at the end), and must be unique across all subaccounts in the same region. Uppercase and lowercase letters can be used, however that alone does not qualify as a means to differentiate subdomains (e.g. SUBDOMAIN and subdomain are considered to be the same).

Choose the desired region for your subaccount.

Select a parent for your subaccount. The parent can either be the global account or a directory.

If your subaccount is to be used for production purposes, select the **Used for production** option.

Note

This does not change the configuration of your subaccount. Use this flag for your internal use to operate your production subaccounts in your global account and systems more efficiently. Your cloud operator may also use this flag to take appropriate action when handling incidents related to mission-critical accounts in production systems.

You can change your selection at any time by editing the subaccount properties. Do not select this option if your account is used for non-production purposes, such as development, testing, and demos.

Optional: To use beta services and applications in the current subaccount, under **Advanced**, select **Enable beta features**.

Caution

You shouldn't use SAP BTP beta features in subaccounts that belong to productive enterprise accounts. For more information, see [Important Disclaimers and Legal Information](#).

Note

Once you have enabled this setting in a subaccount you cannot disable it.

Optional: Under **Advanced Labels**, assign labels to the subaccount to make organizing and filtering your subaccounts easier. For more information, see [Labels](#).

Tip

When adding multiple values to a label, press **Enter** after each value.

When you start typing, any matching label names and values that are already assigned to other subaccounts in

your global account are offered as suggestions.

Save your changes.

Next Steps

Once your new subaccount is set up, navigate to it to enable the environment that you wish to use and add users.

Create a Subaccount from an Existing Subaccount[^]

Prerequisites

You are a global account administrator.

Context

Instead of creating a subaccount from scratch, you can create one from an existing subaccount that is similar to the one you want to create. This saves you valuable time since all the properties, labels, and service plan assignments are copied from the existing subaccount to the new subaccount.

Note

This option is available only on the AWS, Azure, or GCP region.

Procedure

From your global account, navigate to the Account Explorer page.

Do one of the following:

Select Create

Create from Existing Subaccount and then choose the source subaccount.

Locate the source subaccount in your account hierarchy and then choose Create as New Subaccount option in its **⋮** (Actions) context menu.

Edit the new subaccount's properties and labels, as needed.

Refer to Create a Subaccount above to find out more information about the various subaccount properties.

Optional: If you don't want all the assigned service plans in the selected subaccount to be copied to the new subaccount, turn off the Copy service plan assignments option.

Click Create.

Note

If you selected the option to copy the assigned service plans from the source subaccount to your new subaccount, and any of the required plans are missing in the target location of the new subaccount, or if there is insufficient quota, you'll be informed before the subaccount creation process begins so that you or another global account admin can make the necessary adjustments before you try again.

Next Steps

After the new subaccount has been created, you can complete its setup, including its authorization configuration, instances, subscriptions, and environment setups.

Related Information

Global Accounts

Navigate in the Cockpit

Account Model

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/create-user-provided-service-instances-using-cockpit>

Title: Create User-Provided Service Instances Using the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Creating User-Provided Service InstancesCreate User-Provided Service Instances Using the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Create User-Provided Service Instances Using the Cockpit

Note

The content of this page has moved to a new location.

To learn how to create user-provided service instances using the cockpit, see Creating User-Provided Service Instances in Cloud Foundry.

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/creating-service-instances>

Title: Creating Service Instances | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Using Services in

the Cloud Foundry EnvironmentCreating Service Instances

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Creating Service Instances

Use the SAP BTP cockpit or the Cloud Foundry Command Line Interface to create service instances:

Create Service Instances Using the Cockpit

Create Service Instances Using the Cloud Foundry Command Line Interface

You can also create service instances by declaring them as part of your multitarget application (MTA). To learn how to do that, have a look at the service creation parameters.

Service Instance Parameters

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/delete-org-members-using-cockpit>

Title: SAP Help Portal | SAP Online Help

ProductsWhat's NewExplore SAP

Loading Document...

âf

â„

âċ

à PDF

àFavorite

á=Share

áÀ

áPTable of Contents

Loading Table of Contents...

Loading Topic...

â^Was this page helpful?

â"Yes

â#No

Copyright

Disclaimer

Privacy Statement

Legal Disclosure

Trademark

Terms of Use

Cookie Preferences

Accessibility & Sustainability

Ask a Question about the SAP Help Portal

Find us on

Share

á=

Your choices regarding cookies on this site

This site uses cookies and related technologies, as described in our Cookie Statement, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

Privacy Statement | Cookie Statement

Accept All

Deny All

Manage Settings

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/delete-subaccount>

Title: Delete a Subaccount | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing

Subaccounts Using the CockpitDelete a Subaccount

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Delete a Subaccount

Delete subaccounts using the SAP BTP cockpit to clean up your account hierarchy, free up quota used by services in your subaccounts, and to reduce overall costs.

Delete a Subaccount^

Prerequisites

You're a global account administrator.

Procedure

In the cockpit, go to the Account Explorer page of your global account.

In the account hierarchy, locate the subaccount that you want to delete.

In the Actions (áo) context menu of the subaccount, choose Delete.

The cockpit first checks if the subaccount contains data, such as active subscriptions, service instances, brokers, or platforms.

If the subaccount is empty, then confirm the operation, after which the subaccount is deleted.

If you are a subaccount administrator and the subaccount contains data, such as applications, service instances, spaces, active subscriptions, brokers, and members, then we strongly recommended that you visit the Instances and Subscriptions page to review the content in the subaccount and to manually remove the content from there. Then you can come back and safely delete the subaccount.

Note

If you are not a subaccount administrator, then you won't be able to access the Instances and Subscriptions. Instead, you'll have to ask a subaccount administrator in your organization to review the content in this subaccount and to manually remove the content from there.

Note

The deletion may take up to 12 hours to complete depending on the amount of content in your subaccount. If your subaccount contains service instances, subscriptions, and runtime environments, these need to be deprovisioned as part of the purge operation, which is a timely process. After the subaccount is deleted, it could take a few more days for some related services to be deleted. Note that you won't be charged for any continued usage of these services in the subaccount during the deletion cleanup.

Caution

If the subaccount contains data, you may have the option to force delete it. This option deletes the subaccount and all its data. Force deletion is available only if the force deletion of subaccounts is enabled in the global account settings and if the subaccount isn't marked as used for production.

You must use this option with extreme caution because any data in the subaccount is deleted permanently, including productive data, without any recovery option.

It is your responsibility to confirm that the subaccount is safe to delete before using the force-delete option. If you cannot check the content of the subaccount, you can get the subaccount reviewed by other qualified members of your organization.

When the force deletion of a subaccount has been requested, the subaccount isn't immediately deleted. Instead, a seven-day begins during which access to the subaccount and its services is partially blocked and the subaccount is marked as Pending Deletion. During this waiting period, you can still cancel the scheduled deletion. You can do this on the Account Explorer page in the Actions menu for the subaccount. After the waiting period, the subaccount and all its data will be permanently deleted.

Related Information

Navigate in the Cockpit

Relationship Between Global Accounts, Subaccounts, and Directories

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/deploy-application>

Title: Deploy an Application | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Application

Operations in the Cloud Foundry EnvironmentDeploy an Application

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Deploy an Application

You can use the SAP BTP cockpit to deploy a new application in the Cloud Foundry environment.

Prerequisites

You have the Space Developer role. For more information, see [About Roles in the Cloud Foundry Environment](#).
You have enough space quota, or enough org quota if no space quota is assigned to the space. For more information, see [Managing Space Quotas](#).

Procedure

In your Cloud Foundry subaccount, navigate to the space where you would like to deploy your application.

On the Applications page, choose **Deploy Application**.

Choose the location of the file which contains your application.

(Optional) If you would like to use a manifest, choose the location of your manifest.yml file.

Note

To avoid any unexpected behavior, specify the attributes of your choice and their respective values in the manifest.yml file. For reference, see <https://docs.cloudfoundry.org/devguide/deploy-apps/manifest-attributes.html>.

(Optional) If you don't want to use a manifest, select the **Custom Settings** radio button and enter the application details.

Enter a name for your application.

(Optional) Edit the amount of memory and disk space available to each instance of your application, as well as the number of instances.

The amount of memory per instance that you assign, in this step or in the manifest.yml file during deployment, is the value that is metered when using the Cloud Foundry runtime service. For more information, see the examples in [Monitoring and Troubleshooting](#).

Note

By default, each instance of a new application is assigned 1024 MB of memory and 512 MB of disk space, and each application starts with 1 instance. If you require more or less resources, edit the prefilled fields in the form to suit your needs.

(Optional) If you don't need a route for your application, switch off **Create Route**.

(Optional) If you would like to create a route for your application, leave **Create Route** switched on and choose a **Host name** (if different from your application name) and a **Domain** for your application.

Note

When you enter an application name, the **Host** field is automatically filled with the same name. You can make changes to it or leave it as is. After deciding on a host and domain, you can see a preview of your final **Application Route** at the bottom of the form.

Choose **Deploy**.

Results

The file containing your new application is uploaded and your application is deployed.

Note

If an application is displayed as **Started** according to the **Requested State** column, it doesn't automatically mean that the application is started. This is the desired state, but there might be an issue with an application instance. For any warning alerts, check the **Instances** column.

To get more detailed information about the current state of your application instances, navigate to the **Application Overview** page.

Related Information

[Deploying to the Cloud Foundry Environment](#)

[About Routes in the Cockpit](#)

[Create Routes](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/download-and-start-using-btp-cli-client>

Title: [Download and Start Using the btp CLI Client | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration Using the SAP BTP Command Line Interface (...Download and Start Using the btp CLI Client

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

[Download and Start Using the btp CLI Client](#)

To use the SAP BTP command line interface (btp CLI), you need to download the client first.

Contextà

Each client version is supported for at least one year. Most of the updates to the btp CLI don't require a new client installation, but are made available through the btp CLI server so that you can use them in your installed version of the client. Using the latest version of the client ensures that you don't miss out on any new features or security updates. If you already have the client installed, you can see which version you have by simply entering btp.

To stay informed about features, client releases, as well as client deprecations and discontinuations, check out the What's New for SAP Business Technology Platform page on SAP Help Portal (filtered for SAP BTP Command Line Interface).

The client is available for 64-bit versions of the following operating systems:

Microsoft Windows (amd64)

Apple macOS (amd64 and arm64)

Linux (amd64 and arm64)

There are various ways of downloading the client for each operating system, as explained below.

Related Informationà

How to Work with the btp CLI

Command Syntax of the btp CLI

Set a Target for Subsequent Commands with btp target

btp CLI Command Reference

Get the btp CLI Client for Microsoft Windows (amd64)à

Get the btp CLI Client for Apple macOS (amd64 and arm64)à

Get the btp CLI Client for Linux (amd64 and arm64)à

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/enable-usage-of-custom-code-migration-app>

Title: Enable Usage of the Analyze Custom Code App | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Custom Code

AnalysisEnable Usage of the Analyze Custom Code App

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Enable Usage of the Analyze Custom Code App

Prerequisitesà

Your company has a global account for SAP Business Technology Platform.

You need permission to access the Cloud Connector.

Procedureà

Maintain Business Role

To enable business users to access the Analyze Custom Code aka Custom Code Migration app, create the Quality Manager – Software Development business role and assign one or more business user(s) to it. If you only intend to use the Custom Code Migration app, you can also use the Project Manager – IT business role. To create these roles, proceed as follow (taking Project Manager – IT as an example):

From the SAP Fiori launchpad of your ABAP environment, open the Maintain Business Role tile.

Create the Project Manager – IT business role using the SAP_BR_IT_PROJECT_MANAGER template.

For more information see, How to Create a Business Role from a Template.

Maintain the restrictions of the business role.

Note

To enable write access for this business role, ensure that it is set to Unrestricted.

Open the new business role and add the Assigned Business Users.

Save the changes.

Maintain Communication Arrangement

To enable communication from your ABAP environment to your on-premise systems using Remote Function Calls (RFC), you need to create the communication arrangement SAP Custom Code Migration Integration (SAP_COM_0464) in your ABAP environment.

To set up the connection from the ABAP system in the ABAP environment to your on-premise system, proceed as follows:

Log on to the SAP Fiori launchpad of your ABAP environment.

In the Communication Management section, select the Communication Arrangement tile.

Create a new communication arrangement using the SAP_COM_0464 scenario.

If not yet available or defined, create a communication system for the communication arrangement to define an endpoint for your checked system.

For the Communication System, choose New.

In the New Communication System dialog, enter the System ID and System Name of the checked system.

Choose Create.

In the Technical Data tab under General, enter the virtual host as specified in your Cloud Connector as Host Name. The field Port has already been filled in automatically with the default 443. The value of the field UI Host can be changed if it differs from that of the host.

Switch on the slider for Cloud Connector.

Filling in the field SCC Location ID is optional.

Under RFC Settings, fill in the fields Client, Instance Number and Target Host as specified as virtual host in your Cloud Connector.

Under User for Outbound Communication, choose + to assign the RFC user you created in the checked system to the communication system. See [Configuring Remote ATC Using a Central Check System](#) to learn how to create such an RFC user.

Choose Create and then Save to save the communication system and to be navigated back to the Communication Arrangement creation page.

Confirm with Save.

Under Additional Properties, fill out the fields Object Provider and System Group. An object provider defines the RFC connection to be used for analysis in a remote SAP system and must be assigned to a system group. This is the name you then select as your Object Provider to Remote System for your custom code migration project in the Analyze Custom Code app. Enter a name for each field. This name can be defined by you and can be 20 characters long (25 for system groups). The object provider will be created on the spot. The system group will either be created right then as well or, if it already exists, the object provider will be grouped within the system group that already groups together other systems and object providers in the SAP BTP system.

Note

A system group subsumes multiple SAP systems (typically, the productive system, the test system(s), and the development system(s)), which all represent a part of a system landscape of one and the same SAP release. If you're using an existing system group, your new object provider will be grouped with the existing object providers in this system group.

Under Outbound Services Retrieve Custom Code, ensure that the Service Status is set to Active. Optionally, you can test the connection from the SAP BTP ABAP environment system to the checked system by choosing the Check Connection button.

Under Outbound Services Display Custom Code, ensure that the Service Status for displaying custom code via UI link is set to Active. You may also need to enter a value for Port if the system number is not 00.

Choose Save to save the communication arrangement. A message should now pop up at the bottom of the screen informing you that the activation was successful.

You can now select the communication arrangement in the Object Provider to Remote System field in the Analyze Custom Code app to establish the connection to your on-premise system.

On-Premise System: Install Remote Stubs[^]

To analyze your custom code in your on-premise system using the Custom Code Migration app, see [SAP Note 2599695 Custom Code Migration Fiori App: Remote Stubs for the Checked System](#).

Related Information[^]

[SAP Note 2436688](#)

[Custom Code Migration Guide for SAP S/4HANA](#)

[How to check your custom ABAP code for SAP BTP ABAP environment](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/enterprise-accounts>

Title: [Enterprise Accounts](#) | [SAP Help Portal](#)

[Home](#)[SAP Business Technology Platform \(SAP BTP\)](#)[SAP Business Technology Platform](#)[Basic Platform](#)

[Concepts](#)[Enterprise Accounts](#)

[SAP Business Technology Platform](#)[English](#)

Provide feedback on our search

à

Enterprise Accounts

Enterprise accounts are usually associated with SAP customer or partner contracts and contain their purchased entitlements to platform resources and services. However, it's also possible to create an enterprise account for personal exploration.

SAP BTP provides different types of global accounts, enterprise and trial. The type you choose determines pricing, conditions of use, resources, available services, and hosts.

If you want to start out using services for free, you can create an enterprise account and only use free tier service plans: The major benefit of using such an account for exploration purposes is that you can upgrade your services to productive use without losing any of your data. Check out the Free Tier Services in SAP Discovery Center and learn the details about Using Free Service Plans in your enterprise account.

Another way to start out using services for free is to create a trial account. But keep in mind that when you want to use your global account productively, there's no way to migrate your data from the trial account to a productive enterprise account. For more information, see Trial Accounts and Free Tier.

Enterprise Accountsâ

The main features of enterprise accounts are described for use by customers and by partners in the following table:

Customer Account

Partner Account

Use case

A global account that enables you to host productive, business-critical applications with 24/7 support.

You can purchase a global account just like any other SAP software. You can upgrade and refine your resources later on. You can also contact your SAP sales representative and opt for a configuration, tailored to your needs.

If you want to start out exploring services for free, you can sign up for a Pay-As-You-Go for SAP BTP global account and make use of the free tier services only. See Using Free Service Plans.

A global account that enables you to build applications and to sell them to your customers.

If you want to start out exploring services for free, you can sign up for a Pay-As-You-Go for SAP BTP global account and make use of the free tier services only. See Using Free Service Plans.

Benefits

Support for productive applications.

Includes SAP Application Development licenses that enable you to get started with scenarios across cloud and on-premise applications.

Offers the opportunity to certify applications and receive SAP partner logo package with usage policies.

Advertise and sell applications via the SAP Store

Services available

Productive services.

Productive and beta services.

Limitations

Resources according to your contract.

Predefined resources according to your partner package. You can purchase additional resources if necessary.

Registration

For more information about SAP Integration Suite and SAP Extension Suite pricing, see <https://www.sap.com/products/extension-suite/pricing.html> and <https://www.sap.com/products/integration-suite/pricing.html>.

Contact us on SAP BTP or via an SAP sales representative.

If you're located in China and want to buy a global account on SAP BTP you need to contact an SAP sales representative: <https://www.sap.cn/registration/contact.html>.

Sign up to join the SAP Partner Program.

Available Regions

See Regions.

See Regions.

Cancelling a SAP BTP Enterprise Accountâ

As a business user, you can cancel your contract via your account executive. As an individual user with a trial

account, you can cancel your account in your SAP for Me account. You can also contact the SAP store via their "Contact Us" function.

For the commercial models available for enterprise accounts, see Commercial Models.

Related Information

Getting Started in the Kyma Environment

Getting Started with a Customer Account in the ABAP Environment

Getting Started with an Enterprise Account in the Cloud Foundry Environment

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/entitlements-and-quotas>

Title: Entitlements and Quotas | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformBasic Platform

ConceptsEntitlements and Quotas

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Entitlements and Quotas

When you purchase an enterprise account, you're entitled to use a specific set of resources, such as the amount of memory that can be allocated to your applications.

Services and Service Plans

On SAP BTP, all external dependencies such as databases, messaging systems, files systems, and so on, are services. In this context, multitenant applications and environments are considered services.

Each service has one or more service plans available. A service plan is the representation of the costs and benefits for a given variant of a particular service. For instance, a database may be configured with various "T-shirt sizes", each of which is a different service plan.

Entitlements

An entitlement is your right to provision and consume a resource. In other words, entitlements are the service plans that you're entitled to use.

The entitlements that are available in your enterprise account are determined by the commercial model used by your global account:

In the consumption-based commercial model, your organization buys an entitlement to all current and future SAP BTP services eligible under this model. During your contract period, you have full flexibility to switch services on and off and change between them as your business needs. For more information, see [What Is the Consumption-Based Commercial Model?](#).

In the subscription-based commercial model, your organization is authorized to use only the services you have subscribed to, as per your commercial agreement. To access additional services at an extra cost, you can modify your contract through your sales representative or account executive. For more information, see [What Is the Subscription-Based Commercial Model?](#).

Quotas

A quota represents the numeric quantity of a service plan that you're entitled to consume in your global account and its subaccounts.

From the perspective of your SAP BTP global account contract, the global quota of a service plan can be defined as either fixed or unlimited:

Fixed quota: The quota or allowance of the service plan is the upper limit at which the plan can be consumed collectively across your global account. This is typical of global accounts that have the subscription-based commercial model agreement.

Unlimited quota: There is no upper limit to how much the service plan can be used collectively across your global account. This is typical of most services that are eligible to global accounts with a consumption-based commercial model agreement (Cloud Platform Enterprise Agreement (CPEA) and Pay-As-You-Go for SAP BTP). At the end of the month, the number of units used determines how much you are charged.

Regardless of whether the global quota of a plan on the global account level is fixed or unlimited, the specifics and properties of each plan determines how its quota can be distributed by the global account admin to the subaccounts in your global account. There are two types of quota assignments:

Numeric assignments: The global account admin assigns the plan to a subaccount and specifies the maximum quantity of units from the global quota that can be consumed by the subaccount. Admins can use this assignment to limit users from exceeding a specific quota for cost-controlling purposes. Typically, but not

always, the assigned quota is directly related to the number of instances that can be created in subaccounts for the assigned plan.

Non-numeric assignments: The global account admin does not assign a specific quantity but simply grants access to the specific plan by assigning the plan to the subaccount. When the plan is assigned, it's available for use by the subaccount. SaaS application assignments are typically non-numeric, whereby a subaccount can either subscribe to the app or not. For services that fall into this category of non-numeric assignments, there is usually no limit to the number of instances that can be created.

See also the sections below and [Managing Entitlements and Quotas Using the Cockpit](#).

[Distribution and Usage of Entitlements and Quotas](#)

Entitlements and quotas are purchased and managed at global account level, from where they're distributed to subaccounts, which consume them.

Tip

You can also distribute entitlements to directories, and then redistribute to the subaccounts under the directories; however, this is optional. By default, directories are not enabled to manage entitlements. This feature needs to be enabled per directory by the global account administrator.

When assigning entitlements and quotas to directories, you also have the option to automatically assign a set amount of quota to each new subaccount added to the directory. This option doesn't apply to subaccounts that are already in the directory when you select this option. The quota you assigned to the directory is then gradually distributed to all subaccounts that you add to that directory, until it runs out. Once the directory quota runs out, if you add a new subaccount to that directory it won't get any quota automatically anymore.

Since directories are only a way of grouping subaccounts, you can't consume a service at directory level.

However, when you assign entitlements and quotas from the global account to a directory, the quota you assigned is shown as used, even if there are no subaccounts in that directory to consume the quota. You can think of it as a way to "reserve" quota and make sure it's not assigned to other subaccounts or directories.

When you remove quotas or assignments from a directory or subaccount, they become available again at global account level and can be assigned to other directories or subaccounts; unless the quota is reserved for a given directory then the freed quota remains available only to that directory and its subaccounts.

Note

Before a subaccount admin can enable a quota-based environment, such as Kyma, the subaccount admin must first assign the environment as an entitlement to the subaccount. Other environments, such as Cloud Foundry, are available by default to all subaccounts, and therefore are not available as entitlements.

For more information, see:

[Configure Entitlements and Quotas for Subaccounts](#)

[Configure Entitlements and Quotas for Directories](#)

[Quota Plans](#)

In the Cloud Foundry environment, you can further distribute the quotas that are allocated to a subaccount. This is done by creating space quota plans and assigning them to the spaces.

Space quota plans are optional and are used to limit how much each space can use, not to enable. If you don't create any space quota plans, all spaces in a subaccount using the Cloud Foundry environment have access to all entitlements and quotas in that subaccount. This means that one space could use up all the quota in a subaccount. If you want to prevent that from happening and set a limit to how much each space can use from the total quota available in the subaccount, you can use quota plans and assign them to spaces.

For more information on space quota plans in the Cloud Foundry environment, see:

<https://docs.cloudfoundry.org/adminguide/quota-plans.html>

[Managing Space Quotas](#)

[Resource Providers](#)

SAP BTP allows you to connect your global account in the SAP BTP Cockpit to your provider account from a non-SAP cloud vendor, and consume remote service resources that you already own and which are supported by SAP through this channel.

For example, if you're subscribed to Amazon Web Services (AWS) and have already purchased services, such as PostgreSQL, you can register the vendor as a resource provider in SAP BTP and consume this service across your subaccounts together with other services offered by SAP.

SAP BTP currently supports the following vendors and their consumable services:

Cloud Vendor

Supported Services

Amazon Web Services

Amazon Relational Database Service (RDS) - PostgreSQL

Microsoft Azure

Azure Database for PostgreSQL.

After you configure a new resource provider, its supported services are added as entitlements in your global account. In the Entitlements page in the cockpit, you can then allocate the required services and quotas to the relevant directories and subaccounts in your global account.

For more information, see [Managing Resource Providers](#).

Related Information

[Managing Entitlements and Quotas Using the Cockpit](#)

[Tutorial: Manage Entitlements on SAP BTP Trial](#)

[Troubleshooting: Entitlement and Quota Problems](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/getting-global-account>

Title: [Getting a Global Account | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformGetting StartedGetting a Global Account

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

Getting a Global Account

SAP BTP offers two types of global accounts: Trial accounts (completely free of charge) and enterprise accounts. Within an enterprise account, you can use both free and paid plans.

A global account is the realization of a contract you or your company has made with SAP. A global account is used to manage subaccounts, members, entitlements and quotas. You receive entitlements and quotas to use platform resources per global account and then distribute the entitlements and quotas to the subaccount for actual consumption. There are two types of commercial models for global accounts: consumption-based model and subscription-based model. See [Commercial Models](#)

[Trial Accounts and Free Tier](#)

[Enterprise Accounts](#)

[Try Out SAP BTP for Free](#)

[Get an Enterprise Account](#)

[Try Out SAP BTP for Free](#)

There are two ways to try out SAP BTP services and applications for free.

Context

A free trial account is intended for individuals, for example students, who want to explore SAP BTP for free. It is an isolated account and subaccount, with preallocated service entitlements that can be used for a limited number of days.

Free tier is not an account type, but it's a set of free services that can be used within an enterprise account.

To learn which is best for your needs, see the [Set Up an SAP BTP Account for Tutorials](#) group in the SAP Developer Center.

[Get an Enterprise Account](#)

To use an enterprise account, you can either purchase a customer account, join the partner program to purchase a partner account, or self-register for an enterprise account to try out free tier service plans.

For more information about the scope of our enterprise offering, see [Enterprise Accounts](#). For more information about free tier within an enterprise account, see [Trial Accounts and Free Tier](#) and [Using Free Service Plans](#).

Related Information

[Get an Account on SAP BTP to Try Out Free Tier Service Plans](#)

[Sign up for a Customer Account](#)

A customer account is an enterprise account that allows you to host productive, business-critical applications with 24x7 support.

When you want to purchase a customer account, you can select from a set of predefined packages. For information about service availability, prices, and estimators, see <https://www.sap.com/products/technology-platform/pricing.html>. You can also view the service catalog via the SAP Discovery Center. Contact us on SAP

BTP or via an SAP sales representative.

Free Tier

If you want to try out services for free, with the option of easily upgrading them later, you can get an enterprise account and use free tier service plans only. See [Get an Account on SAP BTP to Try Out Free Tier Service Plans](#). When you sign up for a global account to try out free tier service plans, you need to select either an existing global account of your company, or create a new global account. If you choose an existing global account, make sure to contact the global account admin of this global account, as they'll receive the communication emails. In this case, we recommend to have them add you as Global Account Administrator. See [Assign Users to Role Collections and SAP BTP Onboarding Resource Center](#). You can upgrade and refine your resources later on. You can also contact your SAP sales representative and opt for a configuration, tailored to your needs.

Onboarding

After you have purchased a new customer account, you will receive an email confirming the provisioning of resources from the platform services team and a second email with the URL and login ID to obtain access. Note, only the person who receives the access email has initial access to SAP BTP.

If you chose an add-on to an existing global account, the initial access email will not be sent to you. You will need to contact the Global Account Administrator from the initial BTP order. If you're unsure who this person is, please contact your SAP Sales representative. If you need to add a new global admin because the person with initial access is no longer available to grant you access, then you can contact the SAP Support Portal, by creating a ticket at component BC-NEO-CIS-OPS.

Tip

Check out the [Live Onboarding Webinars](#).

Getting a Customer Account in China

If you are located in China and want to buy a global account on SAP BTP, you need to contact an SAP sales representative: <https://www.sap.cn/registration/contact.html>.

Related Information

Commercial Models

Using Free Service Plans

Access the Cockpit

Join the Partner Program

A partner account is an enterprise account that enables you to build applications and to sell them to your customers.

To become a partner, you need to fill in an application form and then sign your partner contract. You will be assigned to a partner account with the respective resources. To apply for the partner program, visit https://partneredge.sap.com/content/partnerregistration/en_us/registration.html?partnertype=BLD&engagement=0002&build=1. You will receive a welcome mail with further information afterwards.

General information about the partner program is available on <https://www.sap.com/partners/partner-program.html>.

Next Steps

Getting Started in the Cloud Foundry Environment

Getting Started in the ABAP Environment

Getting Started in the Kyma Environment

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/how-to-work-with-btp-cli>

Title: [How to Work with the btp CLI | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration Using the SAP BTP Command Line Interface (...How to Work with the btp CLI

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

How to Work with the btp CLI

Learn how to work with the SAP BTP command line interface (btp CLI). For example, how to log in, get help, and set a default context for commands.

General Commandsà^

âE

ã

btm help

âE

ã

btm feedback

âE

ã

btm login

âE

ã

btm logout

âE

ã

btm target

âE

ã

btm enable autocomplete

âE

ã

btm disable autocomplete

âE

ã

btm list config

âE

ã

btm set config

âE

ã

btm reset config

Options for Each Commandâ

The following options are available for each command. They need to be typed right after the base call btm, and they can be combined (for example, btm --verbose --help list accounts/subaccount). The --help option also works at the end of a command call.

âE

ã

btm [OPTIONS] ACTION GROUP/OBJECT [PARAMS]

Options

--config

Specifies the location of the configuration file. See Specify the Location of the Configuration File.

--info

Displays client and server versions, target, and context. Note that this option only works on its own (btm --info) and cannot be added to other command calls. You can also just use btm to display this info. See View Version and Current Context.

--help

Displays help. See Get Help.

--verbose

Prints tracing information for support or for your own troubleshooting. See Troubleshooting for the btm CLI. To set the command output to verbose persistently, you can change the configuration settings with btm set config --verbose true. See Change Configuration Settings.

Caution

The --verbose option prints input data that you pass as parameters through files. For example, if you pass a .json file as a parameter without the --verbose option, its content is sent directly to the backend service to be processed. If you use the --verbose option, the btm CLI prints the content of the file to the terminal. If there is

sensitive information in such a file, the btp CLI cannot filter it out, as it doesn't understand its semantics. Use the verbose output only if you can control the output of your terminal, i.e. only locally. It should not be used in production or shared environments, where logs may be persisted or even transported out of the system.

--format

Changes the output format of a command to JSON. See [Change the Output Format to JSON](#).

To set the command output to json persistently, you can change the configuration settings with `btp set config --format json`. See [Change Configuration Settings](#).

--version

Prints the version of the client.

Related Information

[btp CLI Command Reference](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/manage-account-explorer-hierarchy>

Title: [Manage the Account Explorer Hierarchy | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Directories Using the Cockpit

Manage the Account Explorer Hierarchy

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

à

Manage the Account Explorer Hierarchy

Create an account structure by creating a hierarchy of directories and subaccounts using the SAP BTP cockpit.

Add, move, and delete subaccounts and directories in your structure.

Context

Here, you'll learn how to:

- Add directories and subaccounts to a directory

- Move directories and subaccounts in the account structure

- Delete directories and subaccounts from the account structure

- Export the account structure to Microsoft Excel format.

A subaccount moves with its assigned service plans and quota. The entitlements of the source and target directories are adjusted accordingly.

If any entitlement for a plan in the target directory is configured with the auto-assign option, it is then automatically applied to the moved subaccount. Automatic quota assignments are subject to available quota in the target directory.

You can create a hierarchical structure that is up to 7 levels deep. The highest level of a given path is always the global account and the lowest is a subaccount, which means that you can have up to 5 levels of directories between the global account and the lowest level subaccount.

Procedure

Add directories and subaccounts to a directory.

In the Create dropdown, choose Directory.

When creating the new directory, you choose its location in the account structure by selecting its parent directory or the global account directly in the creation dialog box.

You can also create a directory by selecting Create Directory from the à Actions menu button for the global account or a specific parent directory.

Move subaccounts in the account structure.

Click à Actions and select Edit. Then select a new parent.

Click à Actions and select Move. Then select a new parent.

Click à Move to move subaccounts by drag and dropping.

Delete directories and subaccounts from the account structure.

Click à Actions and select Delete.

To delete a subaccount, you can also navigate into the subaccount and click Delete Subaccount.

Export the account structure to Microsoft Excel format.

Click à Export.

The exported Microsoft Excel file contains a sheet (tab) called Account Structure, which lists all the subaccounts and directories in the account structure, and includes information about each entity. Each subaccount and directory displays its name, ID, description, path, creation/change dates, and the user that

created it.

Subaccounts also display information about their environment, provider, region, used for production setting, and whether the beta feature option is enabled. Directories also display whether they are configured to manage users and entitlements.

Related Informationà^

Directories

Create a Directory

Create a Subaccount

Delete a Subaccount

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/manage-users-in-directories>

Title: *Manage Users in Directories | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Directories Using the CockpitManage Users in Directories

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Manage Users in Directories

Manage members in your directory using the SAP BTP cockpit.

Prerequisitesà^

You're a directory administrator.

User management is enabled for this directory.

If the feature isn't enabled already, you can do so using one of the following methods:

Go to the Account Explorer page, edit the directory, and then under Advanced, choose the Enable User Management option.

Navigate into the directory from the Account Explorer page, and then in the Users page, choose the Enable Entitlement and User Management option (if entitlement management is already enabled for the directory, then choose the Enable User Management option instead).

Note

The user management feature can be enabled only in combination with the entitlement management feature on the same directory in given path.

Only a single directory in any given directory path can have the user management and/or entitlement management features enabled. See [Configure Entitlements and Quotas for Directories](#).

For example, if you have 3 stacked directories in your account hierarchy and the middle directory has both the user and entitlement management features enabled, then neither of these features can be enabled for its parent or child directory since these two directories are in the same direct path as the middle directory.

Your platform user exists in a trusted identity provider.

All users of SAP BTP are stored in identity providers, either in the default or in a custom identity provider. SAP BTP needs a copy of the user, sometimes called a shadow user. You assign the shadow user authorizations to access resources in SAP BTP. When a user authenticates, SAP BTP forwards the request to the identity provider.

For more information, see [Trust and Federation with Identity Providers](#).

Contextà^

Assign predefined or custom role collections to users who need to manage or view the directory in SAP BTP cockpit. Examples of predefined role collections include the following:

Directory Administrator

Directory Viewer

For more information about these role collections, see [Role Collections and Roles in Global Accounts, Directories, and Subaccounts](#).

Procedureà^

Navigate to your directory.

Add a user to your directory.

For more information, see [Create Users](#).

Assign a role collection to the user.

For more information, see [Assign Users to Role Collections](#).

Resultsà^

The next time this user logs on to the SAP BTP cockpit, the user can access this directory.

Related Informationà^

Working with Users

Role Collections and Roles in Global Accounts, Directories, and Subaccounts

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-directories-using-cockpit>

Title: Managing Directories Using the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration in the CockpitManaging Directories Using the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Directories Using the Cockpit

Learn how to organize and manage your subaccounts according to your technical and business needs by using directories in the SAP BTP cockpit.

Contextà^

Procedureà^

Learn how to Create a Directory.

Learn how to Manage the Account Explorer Hierarchy.

Learn how to Manage Users in Directories.

Learn how to View Directory Usage Analytics.

Related Informationà^

Directories

Managing Subaccounts Using the Cockpit

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-entitlements-and-quotas-using-cockpit>

Title: Managing Entitlements and Quotas Using the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration in the CockpitManaging Entitlements and Quotas Using the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Entitlements and Quotas Using the Cockpit

When you purchase an enterprise account, you are entitled to use a specific set of resources, such as the amount of memory that can be allocated to your applications.

An entitlement equals your right to provision and consume a resource. A quota represents the numeric quantity that defines the maximum allowed consumption of that resource.

Entitlements are managed at the global account level, where services plans and their allowed quota are distributed to subaccounts, and then consumed by the subaccounts. When quota is freed at the subaccount level, it becomes available again at the global account level.

Optionally, you can assign service plans and quota from the global account to directories, and from there distribute these assignments to subaccounts under the directory. Before you can assign plans and quota to a directory, the directory must first be configured to manage entitlements. See [Configure Entitlements and Quotas for Directories](#). When quota is freed at the subaccount level, it becomes available again at the directory level.

Note

Only global account administrators can configure entitlements and quotas for subaccounts and managed directories.

Note that if you're assigning plans to a subaccount that is under a managed directory that also has the user management feature enabled, then you must be either the directory administrator or a global account administrator.

There are two places in the SAP BTP cockpit where you can view entitlements and assign service plans and quotas for subaccounts - at the global account level and at the subaccount level. Depending on your permissions, you may only have access to one of these pages. You can find more details below:

Entitlements Pages

Page in cockpit

Navigation Level

Visible to

Permissions

Entitlements Entity Assignments

Global account level

Global account administrators only

View & Edit - Global account administrators

Entitlements Service Assignments

Global account level

Global account administrators only

View - Global account administrators (you cannot make changes to entitlements or quota assignments from this page)

Entitlements

Subaccount level

Subaccount members (regardless of whether they are also global account administrators or not)

View - Subaccount members who are not global account administrators

View & Edit - Global account administrators who are also subaccount members

The Entitlements Entity Assignments is where you view and edit assignments and quota from the perspective of subaccounts and directories. This page contains these views (tabs):

View

Description

Manage Assignments

Allows global account admins to distribute the entitled service plans of their global account to subaccounts and directories.

View Commercial Information

Allows global account admins and viewers to view the commercial source of their service entitlements. This feature is not available for trial accounts.

For information about setting assignments and quota, see:

Configure Entitlements and Quotas for Directories

Configure Entitlements and Quotas for Subaccounts

The Entitlements Service Assignments is where you view assignments and quota from the perspective of services. This page contains these views (tabs):

View

Description

All Services

Provides an overview of all available service entitlements of your global account.

Tip

The Assigned To column in this view shows you the total number of directories and subaccounts to which each service plan is assigned in your global account. You can click on the links in this column to quickly navigate to the selected service in the Assignments by Service view and display more details about these assignments.

Turn on the Show commercial info option to display additional columns in the main table. These columns can help you to gain a better understanding of the relationship between contractual service entitlements and the technical assets (services and plans) in your global account.

Assignments by Service

Allows you to choose specific services and see how their service plans are assigned to subaccounts and directories within your global account.

Tip

Turn on the Show commercial info option to display additional columns in the main table. These columns can help you to gain a better understanding of the relationship between contractual service entitlements and the technical assets (services and plans) in your global account.

Note

To subscribe to a multitenant application, you must first assign its plan to the specific subaccount (in one of the

Entitlements pages). If you remove a subaccount's entitlement to a multitenant application, any subscriptions to it from that subaccount will stop working.

Before a subaccount admin can enable a quota-based environment, such as Kyma, the subaccount admin must first assign the environment's plan to the subaccount (in one of the Entitlements pages). Other non-quota-based environments, such as Cloud Foundry, are available by default to all subaccounts, and therefore are not available as entitlements.

In the Cloud Foundry environment, you can further distribute the quotas that are allocated to a subaccount. This is done by creating space quota plans and assigning them to the spaces. For more information on space quota plans in the Cloud Foundry environment, see:

Managing Space Quotas

<https://docs.cloudfoundry.org/adminguide/quota-plans.html>

Tip

Optionally, you can configure assignments and quotas for supported services that you own or subscribe to from supported non-SAP cloud vendors. These services can be consumed in SAP BTP in your subaccounts alongside your self-developed services and those provided by SAP. This functionality requires first setting up a resource provider instance for your provider account in the cockpit. For more information, see Managing Resource Providers.

Note

In global accounts that use the consumption-based commercial model, a default runtime memory quota of 200 GB for the standard plan is automatically assigned to every subaccount. This quota represents a limit on how much runtime memory the applications in the subaccount can use at any given time. When you use the standard plan for SAP BTP, Cloud Foundry runtime in the consumption-based commercial model, you're billed based on the amount of runtime memory that has actually been consumed. For more information, see Service Plans and Metering for Cloud Foundry Runtime and Consumption Monitoring.

A global account administrator can change the default quota as described in (optional) Adjusting Runtime Memory Quota for Cloud Foundry Runtime (Consumption-Based).

Related Information

Entitlements and Quotas

Configure Entitlements and Quotas for Subaccounts

Configure Entitlements and Quotas for Directories

Create Space Quotas

Create Space Quota Plans Using the Cloud Foundry Command Line Interface

Tutorial: Manage Entitlements on SAP BTP Trial

Troubleshooting: Entitlement and Quota Problems

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-global-accounts-using-cockpit>

Title: Managing Global Accounts Using the Cockpit | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration in the CockpitManaging Global Accounts Using the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Global Accounts Using the Cockpit

Your SAP BTP global account is the entry point for managing the resources, landscape, and entitlements for your departments and projects in a self-service manner.

Global Account Settings

As a global account administrator, you can access the global account settings by clicking à (Global Account Settings) in the SAP BTP cockpit.

In the General tab of the global account settings, you can obtain general information about your global account, including your global account ID, global account name, account type, payment models, contract status, global account subdomain, geographic access restrictions, and when your account was created.

Note

In this tab, you cannot change any of the values. The only value that you can edit is the global account name, and you can do this in the Account Explorer page (see Change the Display Name of Your Global Account).

In the Subaccounts tab in the global account settings, you can

Define default settings that are used when creating a new subaccount in this global account.

You can set the supported providers, the default provider, and the default region.

Set the option to enable the force deletion of subaccounts.

If this option is selected, all global account admins can force delete subaccounts that are not marked as "used for production". The force deletion of a subaccount permanently deletes all its data, including applications, service instances, spaces, active subscriptions, and members. The force deletion is permanent and irreversible. This option also enables the force deletion of subaccounts using the `btp` CLI or the SAP Cloud Management APIs. Subaccounts that are marked as "used for production" cannot be force deleted. When the force deletion of a subaccount has been requested, a seven-day waiting period begins during which access to the subaccount and its services is partially blocked and the subaccount is marked as Pending Deletion. During this waiting period, you can still cancel the scheduled deletion. After the waiting period, the subaccount and all its data will be permanently deleted.

Related Information

Setting Up Your Account Model

Managing Directories Using the Cockpit

Managing Subaccounts Using the Cockpit

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-org-members>

Title: *Managing Org Members | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Org Administration

Using the CockpitManaging Org Members

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Org Members

Learn how to add, edit, and delete org members in the SAP BTP cockpit.

Add Org Members

Edit Org Members

Delete Org Members

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-orgs>

Title: *Managing Orgs | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Org Administration

Using the CockpitManaging Orgs

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Orgs

In the SAP BTP cockpit, learn how to create a Cloud Foundry org, manage its members, and later delete it, if needed.

Create Orgs

Delete Orgs

Managing Org Members

Note

If you work with the Cloud Foundry CLI (`cf` CLI), be aware that you are responsible for all actions performed using the CLI. Also, you won't always be able to mirror the same data in the SAP BTP cockpit.

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-resource-providers>

Title: *Managing Resource Providers | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Global

Accounts Using the CockpitManaging Resource Providers

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Resource Providers

SAP BTP allows you to connect your global account in the SAP BTP cockpit to your provider account from a

non-SAP cloud vendor, and consume remote service resources that you already own and which are supported by SAP through this channel.

Note

The use of this functionality is subject to the availability of the supported non-SAP cloud vendors in your country or region.

Context

For example, if you are subscribed to Amazon Web Services (AWS) and have already purchased services, such as PostgreSQL, you can register the vendor as a resource provider in SAP BTP and consume this service across your subaccounts together with other services offered by SAP.

SAP BTP currently supports the following vendors and their consumable services:

Cloud Vendor

Supported Services

Amazon Web Services

Amazon Relational Database Service (RDS) - PostgreSQL

Microsoft Azure

Azure Database for PostgreSQL

More information: [PostgreSQL on SAP BTP - Product Documentation](#)

Configure a New Resource Provider

Context

To consume the resources provisioned by your provider account, you need to first create a resource provider instance in the cockpit.

Procedure

Navigate to your global account in the cockpit.

Choose Resource Providers from the left hand-side navigation panel.

Choose New Provider.

Choose the provider from the list of supported vendors.

Enter a display name for the provider.

You can create more than one instance of a given resource provider, each with its unique configuration properties. In such cases, the display name (and technical name) should be descriptive enough so that you and developers can easily differentiate between each instance.

Enter a unique technical name for the provider.

The technical name can contain only letters (a-z), digits (0-9), and underscore (_) characters.

This name can be used by developers as a parameter when creating service instances from this provider.

Note

After you save the settings for the resource provider, you cannot change its technical name.

Choose either Manually enter provider configuration properties or Add provider configuration properties by JSON file, depending on how you prefer to provide the necessary configuration properties for the given provider.

Tip

Each supported vendor has its own unique configuration properties. The New Resource Provider form provides a description of each property and indicates whether they are mandatory or optional.

If you choose to configure the properties by uploading a JSON file, which is typically provided by the vendor, make sure that the file contains the required configuration properties for connecting to the provider, and is correctly formatted.

Sample Code

Sample JSON for configuring Amazon Web Services (AWS) as a resource provider:

âE

ã

```
{
  "access_key_id": "AWSACCESSKEY",
  "secret_access_key": "SECRETKEY",
  "vpc_id": "vpc-test",
  "region": "eu-central-1"
}
```

Save your changes.

The new resource provider is added to the resource providers table.

Results

After you configure a new resource provider, its supported services are added as entitlements in your global account. In the Entitlements page in the cockpit, you can then allocate the required services and quotas to the relevant directories and subaccounts in your global account.

Manage Resource Providers and Service Entitlements

Context

Follow these steps to manage the resource providers that you have already configured in the cockpit.

Procedure

Navigate to your global account in the cockpit.

Open the Resource Providers page.

The page displays the resources providers that you have already configured.

In the Actions column, you can perform the following for each resource provider:

Action

FW67

Manage Entitlements and Quotas

View the subaccount entitlements and quotas of services that are consumed from a resource provider.

This action opens the Entitlements Service Assignments page in the cockpit, and is prefiltered for the selected resource provider.

Tip

Whenever you need to manage assigned entitlements, you can navigate directly to the Service Assignments or Subaccount Assignments pages in the cockpit without going through the Resource Providers page.

8

Edit Resource Provider

Edit the display name, description, and configuration properties of a resource provider.

Note

You cannot change the technical name of a resource provider.

=

Delete

Delete a resource provider.

When you delete an existing resource provider, all the services offered by this instance of the resource provider will no longer be available on SAP BTP.

Note

You cannot delete a resource provider that already has service entitlements assigned to subaccounts in your global account. To delete the provider, you need to first remove its subaccount assignments in the Subaccount Assignments page.

Related Information

Configure Entitlements and Quotas for Subaccounts

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-service-resources-using-apis-of-sap-service-manager>

Title: *Managing Service Resources Using the APIs of the SAP Service Manager* | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration Using APIsManaging Service Resources Using the APIs of the SAP Service Mana...

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Service Resources Using the APIs of the SAP Service Manager

Use the APIs of the SAP Service Manager to work with environments, service brokers, service instances, service bindings, service plans, and service offerings.

SAP Service Manager is the central registry for service brokers and platforms in SAP BTP.

The service allows you to consume platform capabilities in any connected runtime environment, track the creation and managing of service instances, and share services and service instances between different environments.

For the list of the available APIs, see [Working with SAP Service Manager APIs](#).

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-space-members>

Title: *Managing Space Members | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Org Administration

Using the CockpitManaging Space Members

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Space Members

Learn how to add, edit, and delete space members in the SAP BTP cockpit.

Add Space Members

Edit Space Members

Delete Space Members

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-space-quota-plans>

Title: *Managing Space Quotas | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Org Administration

Using the CockpitManaging Space Quotas

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Space Quotas

Learn what a space quota is, what type of information you will find on the Space Quotas page in the SAP BTP cockpit, and what you can do with a space quota in the Cloud Foundry environment.

What Is a Space Quota?à^

A space quota defines the upper consumption limit for all resources in a space, such as:

Space memory

Route

Service instances

Memory per instance

Application instances

Note

Assigning a space quota to a space is optional. A space without an assigned space quota shares the consumption limits defined in the org quota with all the other spaces part of the org.

When working with space quotas, keep in mind the following additional specifics:

You can create unlimited space quotas in an organization (org), but you can assign only one space quota to a space at a time.

If a space quota is larger than the org quota, the org quota limit is applied.

Example: If you create a space quota with space memory of 2048MB but the org quota has a total memory of 1024MB, then the space is going to use the org quota instead.

Also, you can have only one space quota named "dev" in an org, but two orgs can have two separate space quotas with the same name "dev".

When creating a space quota, you can define whether a space quota allows you to use paid services within a space.

Prerequisitesà^

To create, edit, or assign space quotas in an org, you must have the Org Manager role.

What Can You Find on the Space Quotas Page?à^

You can switch between the following views on this page:

Space Quotas

You find the following in this view:

A list of all space quotas you have created and whether they are assigned to a space.

Details about each space quota tile related to the space, such as:

Space Memory (MB): Total amount of memory

Routes: Total number of routes

Service Instances: Total number of service instances

Paid Services: Selected if you'd like to allow the provisioning of instances of paid service plans

App Instances: Total number of application instances

Memory per Instance (MB): Maximum amount of memory an application instance can have

Note

The value of -1 represents an unlimited amount.

The option to create a space quota.

For more information, see [Create Space Quotas](#).

The option to edit a space quota.

For more information, see [Edit Space Quotas](#).

The option to delete a space quota.

You can delete a space quota only if it's not assigned to a space.

Quota Assignments

You find the following in this view:

A list of all the available spaces in the subaccount you have access to and whether they have a space quota assigned to them or if they are using the org quota instead.

The option to [\(Edit\) a quota assignment](#).

For more information, see [Assign Space Quotas to Spaces](#).

What Can You Do with a Space Quota?

[Create Space Quotas](#)

[Assign Space Quotas to Spaces](#)

[Edit Space Quotas](#)

[Related Information](#)

[Managing Spaces](#)

[About Roles in the Cloud Foundry Environment](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-spaces>

Title: [Managing Spaces](#) | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Org Administration

Using the CockpitManaging Spaces

SAP Business Technology PlatformEnglish

[Provide feedback on our search](#)

[à](#)

[Managing Spaces](#)

Learn what a Cloud Foundry space is, what type of information you will find on the Spaces page in the SAP BTP cockpit, and what you can do with or within a space.

What Is a Space?

A space is a shared location on the platform in which you can deploy and maintain applications, and connect them to services. You can create multiple spaces within one org. There is no limit to how many spaces you can have in a single org.

By default, a space inherits the org quota. If you don't want your space to consume the entire org quota, you can use space quota instead. For more information, see [Managing Space Quotas](#).

Prerequisites

If you want to see any spaces on the Spaces page in the cockpit, you must have either the Org Manager role or any one of the space roles.

The Org Manager role gives you access to all spaces in an org. A space role gives you access to a specific space.

For more information, see [About Roles in the Cloud Foundry Environment](#).

What Can You Find on the Spaces Page?

To visit this page in the cockpit:

[Navigate to a subaccount of your choice.](#)

[Navigate to the Cloud Foundry](#)

[Spaces page.](#)

You find the following on this page:

A list of all spaces you have access to.

Details about each space tile, such as:

Number of started and stopped applications in a space

Name of the space quota if a space quota is assigned to the space, or Org Quota if the space is currently using the org quota

To manage these settings, navigate to Cloud Foundry

Space Quotas

Quota Assignments. For more information, see [Assign Space Quotas to Spaces](#) and [Edit Space Quotas](#).

Available resources such as memory and services with their upper consumption limit and current usage statuses

What Can You Do With or Within a Space?^

Here are some of the space-related actions you can do:

Create Spaces

Managing Space Members

Deploy an Application

Edit Spaces

To edit a space, choose [Edit](#) on the space tile. This option lets you change the name of the space.

Org Managers and Space Managers are allowed to rename spaces.

Delete Spaces

Related Information^

Org Administration Using the Cockpit

Org Administration Using the Cloud Foundry CLI

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/managing-subaccounts-using-cockpit>

Title: [Managing Subaccounts Using the Cockpit](#) | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration in the CockpitManaging Subaccounts Using the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Managing Subaccounts Using the Cockpit

Learn how to structure a global account according to your organization's and project's requirements with regard to members, authorizations, and entitlements by managing subaccounts.

Context^

To learn more about the concept of subaccounts, see [Subaccounts](#).

Procedure^

Learn how to create subaccounts.

Create a Subaccount

Learn how to manage users.

Add Members to Your Subaccount

Learn how to administer your subaccount.

Change Subaccount Details

View Subaccount Usage Analytics

Delete a Subaccount

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/monitoring-usage-and-consumption-costs-in-your-global-account>

Title: [Monitoring Usage and Consumption Costs in Your Global Account](#) | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Global

Accounts Using the CockpitMonitoring Usage and Consumption Costs in Your Global Account

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Monitoring Usage and Consumption Costs in Your Global Account

SAP BTP cockpit supports advanced usage and cost monitoring of services in your global account. You can compare the usage and costs of multiple services and subaccounts, see monthly trends, and drill down into subaccounts and service plans for detailed information.

Note

The use of the consumption-based commercial model is subject to its availability in your country or region. If your global account uses only the subscription-based commercial model, then refer only to information described here about usage data and the Usage tab. You can ignore any information in this topic about costs, cloud credits, and the Overview and Billing tabs.

The Costs and Usage page in the cockpit provides a central and flexible experience for the following cost control flows:

Continuously monitor and analyze the monthly usage and costs of services consumed by subaccounts and directories in your global account.

Help you to verify your monthly billing statement against actual resource consumption.

Help you to verify periodic cross-charges between your various business units based on subaccount and directory allocation/distribution.

Check out also this blog for more information.

The Costs and Usage page uses the same terms that are printed in your monthly balance statement, which facilitates better contract-to-billing traceability and verification for cost controllers. Get your latest balance statement from SAP for Me.

Remember

The monthly balance statement, which is provided separately, contains legally binding information regarding your monthly costs. Details about costs on the Costs and Usage page in the cockpit are provided for informational purposes only. Any discrepancy between the information displayed in the cockpit and the information in your balance statement will be resolved in favor of the balance statement.

Costs are displayed according to your contract currency.

Global accounts are the only contractual billable entity for SAP BTP. Directories and subaccounts are used as structural entities in global accounts. The usage and cost data displayed for directories and subaccounts are estimations and may differ from the actual global account metrics. Hence, you should use their data only for internal cost estimations.

The relative calculation per billable usage within each subaccount is an estimation only as it is based on certain measures, which in some cases can either be different from the metrics that are presented on the global account level, or that use different formulas than the ones used for billing.

Cloud credit information and monthly costs apply to all regions used by the subaccounts in your global account. Usage and cost data is updated after your monthly balance statement has been generated.

Usage data is updated after your monthly balance statement has been generated. For new global accounts, data is updated with the first billing cycle.

Prices are listed as estimates if a consumable item has not yet been billed.

In the cost and usage charts, estimated values are used for the period between the last balance statement and the current date. These are displayed as striped bars.

These estimates are based on resource usage values before computation for billing and might change after the next balance statement is issued. The estimated values are not projected or forecast values.

Some SAP BTP services report their billing and usage at the global account level, and not at the subaccount level. Such services are listed in the Costs and Usage page under a reserved technical entity named REPORTED-AT-GLOBAL-ACCOUNT-LEVEL with the ID DEFAULT_SA.

Accessing the Costs and Usage Page[^]

To access the Costs and Usage page, open the global account in the cockpit and choose Costs and Usage in the navigation area.

Note

The Costs and Usage page is available only if your global account uses the consumption-based commercial model.

If your global account uses the subscription-based commercial model exclusively, then you must access the Usage page instead. The Usage page resembles the Costs and Usage page, except you cannot see any data relating to costs or cloud credits since your eligible services are already prepaid and you aren't charged per usage. See Using the Usage Tab.

Understanding the Layout of the Costs and Usage Page[^]

Overview, Billing, Usage, and Budget Tabs

The tab row at the top of the Costs and Usage page allows you to quickly navigate to the different features

designed to help you monitor your usage and consumption costs across your global account.

Tab row of the Costs and Usage page

Tab

Description

Overview

Shows several cards that provide you with key insights into your monthly costs, prepaid subscription quota, cost distribution and breakdown, and cost-related recommendations.

For more information, see [Using the Overview Tab](#).

Billing

Shows the monthly billable service charges in your global account, based on the aggregation of your resource's actual usage.

The aggregation of usage from all your subaccounts is calculated according to the pricing structure and legally billable metric of each service, as mentioned in the [SAP BTP Service Description Guide](#).

Note

This tab relevant only if your global account uses a consumption-based commercial model. If your global account uses only the subscription-based commercial model, then all your eligible services and entitled quota are prepaid.

For more information, see [Using the Billing Tab](#).

Usage

Shows the data representing your actual non-aggregated monthly usage for services consumed in your subaccounts within your global account.

This tab applies to both the consumption-based and subscription-based commercial models.

For more information, see [Using the Usage Tab](#).

Budgets

In this tab, you can set up budget limits for your global account so that you can better manage your global account spending and plan for future consumption. Here you can also opt to have automatic e-mail alerts sent to all global account administrators to notify them when spending exceeds defined budget thresholds.

For more information, see [Managing Budgets in Your Global Account](#).

Billing tab in the Costs and Usage page

Filter and Search Bar

At the top of the Billing and Usage tabs, you can find the filter and search bar. Apply the filters to choose which services, subaccounts, directories, or billing month you want to view in these two tabs.

You can also use the Search option. When you start typing, the search offers results that apply to service names, plan names, subaccount names, directory names, labels assigned to subaccounts and directories, product IDs (SKU), and metrics. The search offers suggestions only for items that are currently listed.

Tip

If you've set up labels in your subaccounts and directories that reflect the distribution of these entities to your company structure or projects, you can easily track and manage cross-charges by entering the labels of your subaccount and directory labels in the search.

When you enter filter and search criteria in either the Billing or Usage tab, the same filters and search terms are applied to both tabs, allowing you to view consistent data across both sections more efficiently.

Tip

To share or save a filtered tab, click the  (Bookmarks) option in the header area. The URL of the tab and its filters is saved to your clipboard.

You can then save this URL as a bookmark in your browser, or you can share it with a colleague so they can quickly open the same tab and filter settings.

General Tips for the Billing and Usage Tabs

In the following table, you can find some useful tips that are common to both the Billing and Usage tabs:

To Do This...

Do This...

Find out what each table column means

Click the  (More Info) buttons in the column headings, where available.

Sort the data in ascending or descending order

Click a column heading in the table and choose the sort order you want.

Sorting the tables can be useful for determining which service plans and subaccounts have the highest and lowest costs.

Show or hide table columns

Click  (Configure Table Columns) to configure which table columns you'd like to show and hide.

The tables in each tab have columns that are hidden by default. Open this setting to check if any of these columns apply to your needs.

Maximize the tables across the entire page

Collapse the navigation panel to maximize the tables across the entire page.

Adjust the width of table columns

Drag the column separators to the left or right.

Manage the custom labels of your directories and subaccounts

Choose either the Add Labels or the Edit Labels option in the  (Actions) context menu of any listed directory or subaccount in either the Billing or Usage tab.

In the View by Account view of the Billing tab, these context menu options are available in the main table, while in the View by Service view, you need to open the details view of a service plan.

Existing labels of directories and subaccounts are listed under the Labels columns in the Billing or Usage tabs.

You can hide this column if you have no use for it.

Remember

You can also add, remove, and edit the labels of your directories and subaccounts on the Account Explorer page. Adding custom labels to your directories and subaccounts is optional, but they can help you narrow down cost results by focusing on specific labels in the Search fields.

For more information about labels, see Labels.

Using the Overview Tab 

The Overview tab is where you can get key insights into your monthly costs, prepaid subscription quota, cost distribution and breakdown, and cost-related recommendations in the following cards:

Card

What Information is Displayed

Monthly Cost Summary

Shows key indicators of your global account's monthly consumption costs over the past 12 months, including: Estimated costs so far this month (based on raw usage data before computation for billing; values may update after your next balance statement)

Forecasted total cost for the current month

Total cost for the previous month

Months with the highest and lowest costs

Average monthly cost

Note

The available indicators in this card depend on which consumption-based model is used by your global account. For example, the Total forecasted cost for current month indicator is not available for the Pay-As-You-Go for SAP BTP model.

Some indicators also require a minimum amount of historical data.

SAP BTP Enterprise Agreement

Shows information relating to your cloud-credit usage and costs per month relative to your total cloud credits for the current cloud credits period. It also shows your monthly trend of cloud-credit usage and costs.

This card is displayed only if your global account uses the SAP BTPEA flavor of the consumption-based commercial model.

In this card, you'll see warnings if you're approaching or exceeded your cloud credit limit for the current cloud credits period. Any overages are billed at list price, so make sure to contact SAP if you need more cloud credits.

Tip

To allow you to better manage your global account spending and plan for future consumption, turn on the Show forecast option. When turned on, you can view a projection of your anticipated cloud-credit costs and usage for the next 6 months or the end of current contract period, whichever is shorter.

For more information about this option, see Estimated and Forecasted Data.

Note the following:

Cloud-credit usage and cost information is displayed only for the current cloud credits period. The total contract

duration is split into cloud credit periods (typically one year each) and the total cloud credits are divided between these periods.

Cost information applies to all regions used by the subaccounts in your global account. Data is updated after your monthly balance statement has been generated.

Your cloud credit balance is calculated each month by deducting the corresponding costs of all SAP BTP services for the previous month.

If your global account has received a cloud-credit refund at any time during the current cloud credits period, you may see a difference between your total costs and the monthly costs in the chart.

If you've previously over-consumed your available cloud credits and then purchased additional credits, you may see a shift in your monthly cloud credits cost graph from overage to within limits. This change indicates that the extra credits have balanced out any previous overages, and it is an expected part of managing your cloud credits usage.

If your global account uses both consumption-based and subscription-based models, this card only displays usage charged under the consumption-based model. For services included in your subscription, only usage beyond your prepaid quota is shown here and is billed per your contract's consumption-based terms.

For instance, if your subscription covers 100 site visits and you have 151, this card reflects data for the extra 51 visits that exceed your subscription-based quota.

Tip

To see more details about your contract, cloud credit or cost details, click [â€º](#) (Expand).

Tip

To extract the data to a spreadsheet document, use the Export option. For more information, see [Exporting Usage and Cost Data Information](#).

Cloud Platform Enterprise Agreement

This card has the same functionality as the SAP BTP Enterprise Agreement card (see previous row) and is displayed only if your global account uses the CPEA flavor of the consumption-based commercial model.

Pay-As-You-Go for SAP BTP

Shows the cumulative cost trend and monthly cost trend of your global account over the last 12 months according to the licensing of your Pay-As-You-Go for SAP BTP commercial model agreement.

This card is displayed only if your global account uses the Pay-As-You-Go for SAP BTP flavor of the consumption-based commercial model.

With this commercial model, you pay only for the SAP BTP services that you use, and you are billed monthly in arrears. If your global account uses both the Pay-As-You-Go for SAP BTP consumption-based commercial model and the subscription-based model, this card displays only the usage that is charged under the consumption-based model. For services included in your subscription, only usage beyond your prepaid quota is shown here and is billed per your contract's consumption-based terms. For instance, if your subscription covers 100 site visits and you have 151, this card reflects data for the extra 51 visits that exceed your subscription-based quota.

If your global account has received a refund at any time during the current cloud credits period, you may see a difference between the displayed monthly costs and your billing document.

Cost information applies to all regions used by the subaccounts in your global account. Data is updated after your monthly balance statement has been generated.

Tip

To see more details about your contract, cloud credit or cost details, click [â€º](#) (Expand).

Tip

To extract the data to a spreadsheet document, use the Export option. For more information, see [Exporting Usage and Cost Data Information](#).

Cost and Usage Recommendations

Provides actionable insights and suggestions related to your global account's costs and usage patterns. These recommendations can help you to proactively manage your cloud costs and usage, prevent unexpected expenses, and optimize resource planning.

The types of recommendations you may see include:

Budget Alerts: Notifications if budgets amounts or budget thresholds have been exceeded, prompting review and assessment of potential overruns and additional costs.

Budget Management: Suggestions to set up new budgets or reactivate expired ones to maintain control over

future spending.

Cloud Credit Monitoring: Alerts if cloud credits are forecasted to be exceeded soon or if current cloud credits have been surpassed, advising monitoring or purchasing additional cloud credits.

Cost Spikes: Notifications about unusual increases in costs for specific services, subaccounts, or the entire global account, encouraging you to review detailed cost data and investigate causes.

Last Month's Prepaid Quota Consumption

Shows how many service plans were used during the previous month within the limits of your prepaid quota as defined by your subscription-based commercial model agreement.

You can use this card to understand the utilization of service usage relative to the subscription-based plans associated with your global account so you can manage your quota more effectively.

Note that services used within your prepaid quota are billed as part of your subscription, with no additional charges. However, any usage exceeding your prepaid quota is billed according to your consumption-based commercial model terms as outlined in your agreement.

This card is displayed only if your global account uses both consumption-based and subscription-based models.
Note

The total number of service plans shown in this card reflects only the services that had recorded usage in your global account during the previous month.

To see all services included in your subscription, regardless of whether they were used in the past month, follow these steps:

Open the **Entitlements Service Assignments** page.

Toggle on the **Show commercial info** option.

In the **Entitlement Source** filter, select all services listed under **All Subscription Based**.

Cost Breakdown

Shows a breakdown of your costliest service plans or subaccounts over the last 12 months.

Tip

The card shows 5 items initially. To see additional service plans and subaccounts, click **â€¦** (Expand).

Cost Distribution

Shows the distribution of your costliest service plans or subaccounts in the current month and over the last 12 months.

Tip

The card shows 5 items initially. To see additional service plans and subaccounts, click **â€¦** (Expand).

Using the Billing Tab

You can use the **Billing** tab to display, monitor, and analyze your monthly charges of billable services, which have been consumed by the subaccounts in your global account over the last 12 months.

The billing data represents the aggregation of usage and its rating, which is determined by the pricing structure of each service. You can view the bill items for previous months or the estimated charge for the current month, to monitor your consumption costs.

The parameters for charged usage can include the amount of data processed, the number of users, the duration of use, or the specific functionality or modules used by each service. The specifics of these metrics are outlined in your contract.

Tip

This tab is available only if your global account uses a consumption-based commercial model.

Remember

In certain instances, you may observe charged usage at the subaccount level that reflects fractional amounts for metrics that are usually presented as whole numbers, such as user counts, tenants, documents, API calls, or connections.

Although billing is always computed at the global account level, we display the cost allocation across your subaccounts based on their proportional actual usage. This top-down proportional calculation may result in fractional units that you see in the **Costs and Usage** page.

Keep in mind that your monthly balance statement is not impacted by the proportional cost distribution to your subaccounts.

In the **Billing** tab, you can switch between the **View by Service** and **View by Account** views:

View by Service

This view provides an overview of your charged usage across different services and their associated plans, and

is useful for verifying billing details.

Here are some useful tips for working in this view:

To drill down and display more details about a particular service, click on an entry in the table or its [\(View Details\)](#) button. When you drill down, a new pane opens and you can see, for example, exactly which subaccounts consume the selected service and the subtotal of charges and usage per directory and subaccount.

In this details view, subaccounts are displayed in the context of their account hierarchy. If you want to hide their directories and display the subaccounts as a flat list, choose the Show subaccounts only checkbox.

Tip

In this details view, you can use the [\(Switch\)](#) button for any subaccount to quickly open the View by Account view with the specific subaccount selected and displaying the plans it consumes.

You can also click [\(Configure Table Columns\)](#) to display and hide columns.

To filter the main table for specific services, use the Service dropdown list.

If the display is cluttered by too many service plans or account entities that have no charged usage, you can choose the Show only services with charged usage checkbox to hide them.

To filter the main table for specific subaccounts or directories, use the Subaccounts/Directories dropdown list.

To view a visual chart of the monthly cost trend, cumulative costs, or breakdown of the costliest subaccounts for a specific service plan over the last 12 months, first select the service plan from the main table and then scroll down past the main table to the chart area. Then, select the chart type from the View By dropdown list that is located adjacent to the chart area.

Tip

These charts are useful for seeing in which months a service plan has usage and costs, which service plans have increased or decreased usage/costs over time, or the months that have the highest and lowest usage/costs per service plan.

To view a visual chart with a summary of the costs of all service plans in your global account over the last 12 months, make sure you do not have a specific service plan selected in the main table. Then, scroll past the table to the Global Account - Cost Summary chart area.

In the View By dropdown list, select a chart type; for example, List Price, Cost Breakdown by Service Plans, or Cumulative List Price.

Tip

In the cost breakdown chart, the 8 costliest service plans in your global account over the last 12 months are displayed. Click Show More below the chart legend to expand the chart and to view the cost breakdown of additional plans.

To open the SAP Price List for a specific service, choose Open in SAP Price List from the service plan's [\(Actions\)](#) context menu, or you can open the service plan's details view and then click SAP Price List located in the header area.

See other useful tips, such as table sorting, filtering, and searching, under General Tips for the Billing and Usage Tabs in the Understanding the Layout of the Costs and Usage Page section.

View by Account

This view provides an overview of your charged usage across different subaccounts and directories within your account hierarchy. It is useful for verifying cross-charges within your company or organization.

Here are some useful tips for working in this view:

To drill down and display more details about a particular subaccount or directory, click on an entry in the table or its [\(View Details\)](#) button. When you drill down, a new pane opens and you can see, for example, exactly which plans are consumed by the selected subaccount or directory and the subtotal of the charges and usage per plan.

Tip

In this details view, you can use the [\(Switch\)](#) button to quickly open the View by Services view with the specific plan selected and displaying the subaccounts that consume it.

You can also click [\(Configure Table Columns\)](#) to display and hide columns.

To filter the main table for specific subaccounts or directories, use the Subaccounts/Directories dropdown list.

If your account hierarchy includes directories, you can hide them and display your subaccounts as a flat list by choosing the Show only subaccounts checkbox.

You can quickly expand or collapse the entire account hierarchy by clicking the [\(Expand All\)](#) and [\(Collapse All\)](#)

buttons.

To filter the main table for specific services, use the Services dropdown list.

To view a visual chart of the monthly cost trend, cumulative costs, or breakdown of the costliest service plans for a specific subaccount or directory over the last 12 months, first select the subaccount or directory from the main table and then scroll down past the main table to the chart area. Then, select the chart type from the View By dropdown list that is located adjacent to the chart area.

Tip

These charts are useful for seeing in which months a subaccount or directory has usage and costs, which subaccounts or directories have increased or decreased usage/costs over time, or the months that have the highest and lowest usage/costs per subaccount or directory.

When you choose a directory, the cost information applies to all subaccounts under the directory.

To view a visual chart with a summary of the costs of all subaccounts in your global account over the last 12 months, make sure you do not have a specific subaccount or directory selected in the main table. Then, scroll past the table to the Global Account - Cost Summary chart area.

In the View By dropdown list, select a chart type; for example, List Price, Cost Breakdown by Subaccounts, or Cumulative List Price.

Tip

In the cost breakdown chart, the 8 costliest subaccounts in your global account over the last 12 months are displayed. If your global account has more than 8 subaccounts, click Show More below the chart legend to expand the chart and to view the cost breakdown of additional subaccounts.

To open the SAP Price List for a specific service used in a directory or subaccount, first open the details view of the directory or subaccount, then locate the service, and choose Open in SAP Price List from the service's Actions context menu.

See other useful tips, such as table sorting and searching, under General Tips for the Billing and Usage Tabs in the Understanding the Layout of the Costs and Usage Page section.

If your global account has subaccounts that have been deleted but have charges in the last 12 months while they were still active, they'll still be listed. Such subaccounts are marked with (deleted) after their name. If these subaccounts were originally located under a directory, you'll see them listed directly under the root global account.

If your global account uses both a subscription and a consumption-based commercial model, the Usage column shows the combined total usage of services, both subscription-based and consumption-based. Note that:

The subscription-based consumption includes usage of services that falls within the prepaid quota that is specified in your subscription-based commercial model agreement. This part of the combined usage is shown in the Prepaid Quota column. There is no additional billing for consumption of the services that falls within this prepaid quota.

The consumption-based usage includes the usage of services that exceeds the prepaid subscription-based quota. This part of the combined usage is shown in the Charged Usage column. For this usage, you are charged based on the terms outlined in your consumption-based commercial model agreement.

Using the Usage Tab

Use the Usage tab to display, monitor, and analyze the distribution of the actual (also called raw) monthly usage metrics for services consumed by subaccounts in your global account over the last 12 months.

Note

The Usage tab displays data prior to aggregation for billing and can contain metrics that will not be aggregated since they are always free or belong to free services. Hence, you may notice some discrepancies when comparing the data in the Usage tab to the overall usage data shown in the Billing tab. Billable usage data is aggregated at the global account level and then processed according to accounting formulas to generate your monthly billing statement.

Pay attention also to the following:

If your global account uses only a consumption-based commercial model, such as SAP BTP Enterprise Agreement (SAP BTPEA), Cloud Platform Enterprise Agreement (CPEA), and Pay-As-You-Go for SAP BTP, this tab includes all usage data, including non-rated services, such as free service plans.

If your global account uses both the consumption-based and subscription-based commercial models, this tab combines all usage data, which falls under your consumption-based plans, prepaid subscription quota, and non-

rated data sets, such as free service plans. You can see the distribution of charged and prepaid usage and costs in the Billing tab.

To Do This...

Do This...

Drill down and display more details about a particular service

Click on an entry in the table or its ⌵ (View Details) button. When you drill down, a new pane opens and you can see, for example, which subaccounts are consuming the selected service and the subtotal of usage per directory and subaccount.

In this details view, subaccounts are displayed in the context of their account hierarchy. If you want to hide their directories and display the subaccounts as a flat list, choose the Show subaccounts only checkbox.

Tip

In this details view, you can click ⌵ (Configure Table Columns) to display and hide columns.

Filter by specific services

Choose one or more in the Service dropdown list.

Tip

If the display is cluttered by too many service plans that have no usage, choose the Show only used services checkbox to quickly hide them.

Filter by specific subaccounts and directories

Choose one or more subaccounts or directories in the Subaccounts/Directories dropdown list.

View the monthly usage trend of a specific service plan over the last 12 months

Select the service plan from the main table and scroll past the table to the chart area. Then, choose Actual Usage in the View By dropdown list that is located adjacent the chart area.

This chart is useful for seeing changes in usage trends over time, including the months with the highest and lowest usage per service.

View a monthly breakdown of subaccounts that have used a specific service plan the most over the last 12 months

Select the service plan from the main table and scroll past the table to the chart area. Then, choose Usage Breakdown by Subaccounts in the View By dropdown list.

The top 8 subaccounts that use the selected plan the most are displayed initially. If there are more than 8 subaccounts that use the plan, click Show More to expand the chart and to view the breakdown of additional subaccounts.

Tip

See other useful tips, such as table sorting, filtering, and searching, in the Understanding the Layout of the Costs and Usage Page section.

Using the Budgets Tab

For detailed information about using this tab to help you manage your global account spending and to plan for future consumption, see Managing Budgets in Your Global Account.

Estimated and Forecasted Data

In addition to actual usage that you've already been charged for, the Costs and Usage page also shows estimated and forecasted values in the cloud credits usage and cost charts:

Estimated Data: The estimated values reflect your accrued service usage during the period between the last balance statement and the current date.

The values are estimated because they are based on resource usage values before computation for billing and might change after the next balance statement is issued. The estimated values are not forecast values.

Forecasted Data: The SAP BTP Enterprise Agreement and Cloud Platform Enterprise Agreement cards in the Overview tab offer a Show forecast option that allows you to display a forecast of your cloud-credit costs and usage for the next 6 months or until the end of current contract period, whichever is shorter.

The forecast is based on certain assumptions and the historical data taken from your global account. To make a reliable forecast, you need to have consistent data from the recent past covering at least 9 months. If the available historical data in your global account doesn't allow for a reliable prediction, you cannot turn on the forecasting option.

The forecast does not include the costs and usage of the current month (since this estimated data only), nor does it take into consideration any changes to future usage patterns or costs. Additionally, you cannot turn on the forecasting when you're in the last month of the current cloud credits period.

Note

The forecast data provided by our software is intended for informational purposes only; however, it can you help to anticipate and plan for future usage needs and to budget accordingly.

SAP is not responsible for and cannot guarantee the accuracy or reliability of the forecast data, and it should not be considered as financial, legal, professional, or any other advice. It is your responsibility to independently review and validate the forecast information before making any decisions or taking any actions based on it.

Exporting Usage and Cost Data Information

To export your usage and cost data to a Microsoft Excel spreadsheet document, use the Export button menu in the header of the Costs and Usage page.

Note

Cost information is exported only if your global account uses the consumption-based commercial information.

The Export button menu has various options depending on the period and type of data that you want to export:

If you want to export all data for the last 12 months, click the main Export button.

If you want to export all data for the last 12, 24, or 36 months, click the button's dropdown menu and choose the relevant period.

If you want to export only the data that you've currently filtered in the main table for the current month or last 12, 24, or 36 months, choose Export Custom.

Tip

Use this option also if you want to export all your cost and usage data for the current month without considering any currently set filters. To do this, deselect the Export only filtered data checkbox in the Custom Export dialog box.

In the Custom Export dialog box, you can also choose any label names (keys) that you want to add as dedicated columns to the Subaccount Costs by Service and Actual Usage sheets (tabs) in the exported Microsoft Excel file. Start typing to list the available label names for your existing subaccounts and directories. In the exported spreadsheet, the values for each selected label name are displayed in the data rows under their respective label column.

The exported document contains several sheets (tabs). The sheets that are included depend on the commercial model that is used by your global account as shown in the following table:

Sheet Name

Description

Commercial Model

Subscription-Based

Consumption-Based

Global Account Info

Provides general information about your global account. If there is a cloud-credit balance for the global account, then its cloud-credit usage, per month as a percentage of your total cloud credits for the current cloud credits period, is also shown.

Yes

Yes

Global Account Costs

Allows you to view total monthly usage data and costs for all billable services and plans consumed at the level of your global account.

The items listed are all the billed items that are created in the accounting system and deducted from the cloud-credit balance of your global account.

No

Yes

Subaccount Costs by Service

Allows you to view monthly usage data and costs of all billable services consumed by plan and subaccount.

All subaccount calculations are estimated and proportionate to the total global account usage:

[Subaccount usage / Global account usage x Rate plan per SKU]

Note

Global accounts are the only contractual billable entity for SAP BTP. Directories and subaccounts are used as structural entities in the global account, and their usage and cost data should only be used for your internal cost estimations. The relative calculation per billable usage within each subaccount is an estimation only as it is

based on certain measures which in some cases can either be different from the metrics that are presented in the SAP BTP Enterprise Agreement, Cloud Platform Enterprise Agreement, and Pay-As-You-Go for SAP BTP cards in the Overview tab, or which use different formulas than the ones used for billing.

No

Yes

Actual Usage

Allows you to view the actual monthly usage data of all consumed services by plan, subaccount, and space. Actual or raw usage data is different to the billed usage that is used in your billing document, and includes non-billable services.

The aggregated usage for each service is based on a formula that is specific to each service, for example, MIN, MAX, or AVG.

Yes

Yes

CF Space Costs by Service

Allows you to view the monthly cost distribution of your service plans across the Cloud Foundry spaces in your global account.

Note

This is a beta feature. Beta features aren't part of the officially delivered scope that SAP guarantees for future releases. For more information, see Important Disclaimers and Legal Information.

To include this information in the spreadsheet, you must choose the Export cost distribution by Cloud Foundry spaces option in the Custom Export dialog box.

The cost distribution in the exported spreadsheet is estimated and proportionate to the usage of each service across the Cloud Foundry spaces within a subaccount. For example, if the distribution of the total usage of a service is 20% in one space and 80% in another space within the same subaccount, the cost per space is calculated proportionately as 20% and 80% of the total cost of the service in that subaccount for the two spaces, respectively.

When a specific service instance is used by multiple spaces in Cloud Foundry, the full cost of that service is only charged to the space where it is provisioned. So, the cost breakdown by spaces in the exported Excel file works best when the service is used in the same space it was set up in. However, you can use the exported subaccount data to split the costs differently to better fit your setup.

No

Yes

Labels

Lists the user-defined labels that are assigned directly to each subaccount that has usage data. Also lists the labels that are inherited by the subaccounts from their parent directories, and the IDs of those subaccounts. This sheet does not display any usage data; however, you can use this information to determine usage by label by extrapolating the subaccount usage data in the other sheets to the labels assigned to the subaccounts in this sheet.

Yes

Yes

Related Information

Managing Budgets in Your Global Account

Commercial Models

Trial Accounts and Free Tier

Using Free Service Plans

Managing Entitlements and Quotas Using the Cockpit

View Subaccount Usage Analytics

View Directory Usage Analytics

Labels

Monitoring Usage Information Using APIs of the SAP Usage Data Management Service

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/monitoring-usage-information-using-apis-of-sap-usage-data-management-service>

Title: Monitoring Usage Information Using APIs of the SAP Usage Data Management Service | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Monitoring Usage Information Using APIs of the SAP Usage Data Management Service

Provides information about using the Resource Consumption APIs of the SAP Usage Data Management service for SAP BTP for gathering, storing, and making usage information available for all services and applications in all regions in a cloud deployment. This information is for the purpose of central analysis, reporting, and license auditing.

The service accumulates the information and provides reports in SAP BTP cockpit via APIs for resource planning and cross-billing purposes.

Note

The SAP Usage Data Management service is not sold to SAP BTP customers as a service; however, customers can see their usage data in the cockpit, for example, in the Usage Analytics pages.

Accessing the APIà^

For more information about the APIs, including their specifications and endpoints, go to Resource Consumption for the list of all SAP Usage Data Management service APIs in the SAP Business Accelerator Hub.

Remember

To call the core platform API methods, you must obtain an access token. See Configuration for Using the Resource Consumption APIs in the SAP Business Accelerator Hub.

Base URI: <https://uas-reporting.cfapps.<landscape domain>/reports/v1>

Your global account admin has entitled the service plan for the SAP Usage Data Management service in your subaccount. See SAP Usage Data Management Service - Service Plans.

Methodsà^

HTTP Method

Action

URI

GET

Get the cloud credit data history for a global account.

/cloudCreditsDetails

GET

Get monthly usage reporting data for a directory and a specified time period.

/monthlyDirectoryUsage

GET

Get monthly usage-reporting data for a global account and a specified time period.

/monthlyUsage

GET

Get usage-reporting data for a subaccount.

/subaccountUsage

GET

Get monthly cost reporting data for all subaccounts for the Cloud Platform Enterprise Agreement (CPEA) consumption-based commercial model.

/monthlySubaccountsCost

Related Informationà^

Configuration for Using the Resource Consumption APIs in the SAP Business Accelerator Hub

SAP Usage Data Management Service - Service Plans

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/navigate-in-cockpit>

Title: *Navigate in the Cockpit | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Account

Administration in the CockpitNavigate in the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Navigate in the Cockpit

Learn how to navigate to your global accounts, directories, and subaccounts in the SAP BTP cockpit.

Prerequisites

Sign up for an enterprise or a trial account and receive your logon data. For more information, see [Try Out SAP BTP for Free](#) or [Sign up for a Customer Account](#).

Procedure

Navigate to a global account.

You have only one global account:

When you log on to the cockpit you're automatically taken into your global account, to the Account Explorer page.

You have multiple global accounts:

When you log on to the cockpit, a dialog opens up containing the list of all global accounts that you're part of. In this dialog, select the global account you want to navigate to.

Tip

If you have one global account you usually navigate to, you can choose Remember my selection in the initial dialog. This means you'll be automatically redirected to your preferred global account after logging on, without seeing the dialog with all the options each time.

If you've chosen a default global account, you can change or remove it anytime. To do so, navigate to the Account Explorer page of any global account, choose Switch Global Account.

To change it, choose the desired new default global account from the list, select Save new selection as default global account and choose Continue. Your new default is saved and you're redirected to that global account.

To delete the default global account and go back to seeing the selection dialog after each logon, simply choose the  icon next to your default global account name in the dialog and choose Close.

You can see which global account you are in at any time by looking at the first item in the breadcrumbs. It looks like this:  <global account name>

Navigate to a different global account.

Navigate to the Account Explorer page at global account level and choose Switch Global Account.

Use the dropdown menu next to the  <global account name>.

(Optional) Navigate to directories.

When you enter your global account, you are by default taken to the Account Explorer page of that global account. To navigate to a directory, choose the corresponding entry in one of the views in the Directories & Subaccounts tab.

Note

If a directory has the user management capability enabled, then you can access this directory (or its subdirectories) only if you are a global account admin or you are assigned as a member of the directory. See [Manage Users in Directories](#).

The  (Locked) icon is shown next to directories that you aren't authorized to access.

Navigate to subaccounts.

When you enter your global account, you are by default taken to the Account Explorer page of that global account. To navigate to a subaccount, choose the corresponding entry from one of the views.

Once you've entered a subaccount, the breadcrumbs look like this:  <global account name> /  <subaccount name>

Note

To access a subaccount your user must either have authorizations in the subaccount tenant or, in the case of a subaccount that has the Cloud Foundry environment enabled, have authorizations in the Cloud Foundry org or space of the subaccount. See [About User Management in the Cloud Foundry Environment](#).

The  (Locked) icon is shown next to subaccounts that you aren't authorized to access.

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/org-administration-using-cockpit>

Title: [Org Administration Using the Cockpit](#) | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformAdministration and OperationsAdministration and Operations in the Cloud Foundry EnvironmentOrg Administration Using the Cockpit

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Org Administration Using the Cockpit

In the Cloud Foundry environment, manage orgs, spaces and space quota plans using the SAP BTP cockpit. In addition to global accounts and subaccounts, the Cloud Foundry environment includes another hierarchical level represented by orgs and spaces.

When you enable Cloud Foundry in a subaccount, you create a Cloud Foundry org in which you can then create multiple spaces. Each subaccount can contain only one Cloud Foundry org. There is no limit to how many spaces you can have within one org.

In the Cloud Foundry environment, you deploy applications and consume services at space level. Similar to subaccounts, spaces enable you to once again structure and sub-divide quota if you want to. You can do this by managing space quota plans.

Managing Orgs

Managing Spaces

Managing Space Quotas

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/register-sap-integrated-business-planning-system-in-global-account-in-sap-btp>

Title: SAP Help Portal | SAP Online Help

ProductsWhat's NewExplore SAP

Loading Document...

âf

â„

â¿

à PDF

àFavorite

á=Share

áÀ

áTable of Contents

Loading Table of Contents...

Loading Topic...

âWas this page helpful?

â"Yes

â#No

Copyright

Disclaimer

Privacy Statement

Legal Disclosure

Trademark

Terms of Use

Cookie Preferences

Accessibility & Sustainability

Ask a Question about the SAP Help Portal

Find us on

Share

á=

Your choices regarding cookies on this site

This site uses cookies and related technologies, as described in our Cookie Statement, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

Privacy Statement | Cookie Statement

Accept All

Deny All

Manage Settings

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/setting-up-global-account-via-command-line>

Title: Setting Up a Global Account via the Command Line | SAP Help Portal

Provide feedback on our search

à

Setting Up a Global Account via the Command Line

Your global account is the entry point for managing the resources, landscape, and entitlements for your departments and projects in a self-service manner in SAP BTP. You can use the command-line tool `btcli` to set it up, and the `cf` CLI to manage Cloud Foundry instances.

Set up your account model using the `btcli` CLI by creating subaccounts in your enterprise account. You can create any number of subaccounts in the Cloud Foundry environment and region.

To manage Cloud Foundry, i.e. for managing service instances and members in orgs and spaces, creating spaces, as well as assigning quota to orgs and spaces, you use the `cf` CLI.

Prerequisites

You have purchased an enterprise global account.

You have downloaded and extracted the following command-line tools:

SAP BTP command line interface (`btcli` CLI). See [Download and Start Using the btcli CLI Client](#)

Cloud Foundry CLI (`cf` CLI). See [Download and Install the Cloud Foundry Command Line Interface](#)

Procedure

Tip

In the `btcli` CLI, you can view the command help of each command to get information about how to use the command, its syntax, and input parameters. See [Get Help](#).

Step No.

Task

Performed By

Do This

More Information

1.

Log in to your global account using the URL of the `btcli` CLI server and the subdomain of your global account.

Global account administrator or viewer

Run this command in the `btcli` CLI:

```
btcli login
```

See [Log in](#).

2.

View details of your global account.

Global account admin or viewer

Run this command in the `btcli` CLI:

```
btcli get accounts/global-account
```

See [Working with Global Accounts, Directories, and Subaccounts Using the btcli CLI](#).

3.

Add admins to your global account.

Global account admin

Assign the role collection Global Account Administrator to a user by running the following command in the `btcli` CLI:

```
btcli assign security/role-collection "Global Account Administrator" --to-user <user> --create-user-if-missing
```

See [Managing Users and Their Authorizations Using the btcli CLI and Security Administration: Managing Authentication and Authorization](#).

4.

View all the regions that are available to your global account and subaccounts.

Global account admin or viewer

Run this command in the `btcli` CLI:

```
btcli list accounts/available-region
```

This command also provides information about the environments and infrastructure provider of each region.

5.

Create subaccounts in your global account.

Global account admin

Run this command in the btp CLI:

```
btp create accounts/subaccount --display-name <my-subaccount> --region <my-region> --subdomain <my-subaccount-subdomain>
```

See [Working with Global Accounts, Directories, and Subaccounts Using the btp CLI](#).

6.

View the details of the subaccounts in your global account.

Global account admin or viewer

Run this command in the btp CLI:

```
btp get accounts/subaccount <ID of new subaccount>
```

See [Working with Global Accounts, Directories, and Subaccounts Using the btp CLI](#).

7.

Add admins to your subaccounts.

Subaccount admin

Assign the role collection Subaccount Administrator to the user by running the following command in the btp CLI:

```
btp assign security/role-collection "Subaccount Administrator" --to-user <user> --create-user-if-missing
```

See [Managing Users and Their Authorizations Using the btp CLI](#) and [Security Administration: Managing Authentication and Authorization](#).

8.

View all the services and applications that are entitled to your global account, including quota information per service plan.

Global account admin or viewer

Run this command in the btp CLI:

```
btp list accounts/entitlement
```

See [Setting Entitlements Using the btp CLI](#).

9.

Assign quotas to your subaccounts.

Global account admin

Run this command in the btp CLI:

```
btp assign accounts/entitlement --to-subaccount <my-subaccount-id> --for-service <my-service> --plan <my-service-plan> --amount <number>
```

Validate with this command:

```
btp list accounts/entitlement
```

See [Setting Entitlements Using the btp CLI](#).

10.

View all the entitlements in your subaccounts.

Subaccount admin or viewer

Run this command in the btp CLI:

```
btp list accounts/entitlement --subaccount <my-subaccount-id>
```

See [Setting Entitlements Using the btp CLI](#).

11.

Create a Cloud Foundry org (environment instance) in your subaccounts.

Subaccount admin

Run this command in the btp CLI:

```
btp create accounts/environment-instance --subaccount <my-subaccount-id> --display-name <my-environment> --environment <cloudfoundry> --plan standard --parameters "{\"instance_name\":\"myOrg\"}"
```

See [Working with Environments Using the btp CLI](#) and [Org Management Using the SAP BTP Command Line Interface \(btp CLI\)](#).

12.

View details of the environment instances in your subaccounts.

Subaccount admin or viewer

Run this command in the btp CLI:

btpl list accounts/environment-instance --subaccount <my-subaccount-id>

See Working with Environments Using the btpl CLI.

13.

Create a Cloud Foundry space.

Org manager

Run these cf CLI commands:

cf login

cf create-space

See Create Spaces Using the Cloud Foundry Command Line Interface.

14.

Add Cloud Foundry org and space members.

Org manager

Run these cf CLI commands:

cf set-org-role <USERNAME> <ORG> <ROLE>

cf set-space-role <USERNAME><ORG><SPACE><ROLE>

See Add Organization Members Using the Cloud Foundry Command Line Interface and Add Space Members Using the Cloud Foundry Command Line Interface.

15.

Display all available services in the Cloud Foundry marketplace.

Org manager

Run this cf CLI command:

cf

marketplace

cf marketplace

See Using Services in the Cloud Foundry Environment.

Using the btpl CLI, you can perform additional account maintenance tasks, such as updating global account and subaccount details, deleting subaccounts, and deleting environment instances.

Subaccount members can also use the btpl CLI to work with multitenant applications. See Working with Multitenant Applications Using the btpl CLI.

Next Steps

Org/space members can create service instances, which are entitled to the subaccount, using also the cf create-service <allowed-service-plan> command in the cf CLI. Use the cf CLI command cf services to verify that the service instances exist.

For further documentation about developer tasks, see Development in the Cloud Foundry Environment.

Related Information

Command Syntax of the btpl CLI

Download and Start Using the btpl CLI Client

btpl CLI Command Reference

URL: <https://help.sap.com/docs/btpl/sap-business-technology-platform/subscribe-to-multitenant-applications-using-cockpit>

Title: SAP Help Portal | SAP Online Help

ProductsWhat's NewExplore SAP

Loading Document...

âf

â„

âç

â PDF

âFavorite

â=Share

âÀ

âTable of Contents

Loading Table of Contents...

Loading Topic...

âWas this page helpful?

â"Yes

â#No

Copyright

Disclaimer

Privacy Statement

Legal Disclosure

Trademark

Terms of Use

Cookie Preferences

Accessibility & Sustainability

Ask a Question about the SAP Help Portal

Find us on

Share

â=

Your choices regarding cookies on this site

This site uses cookies and related technologies, as described in our Cookie Statement, for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

Privacy Statement | Cookie Statement

Accept All

Deny All

Manage Settings

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/trial-accounts-and-free-tier>

Title: Trial Accounts and Free Tier | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformBasic Platform

ConceptsTrial Accounts and Free Tier

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Trial Accounts and Free Tier

Explore the different options for trying out SAP BTP.

Trial Account or Free Tier Offering: When to Use Which?â

Before setting up your account, you need to decide which free offering for SAP BTP is suitable for your needs: Pay-As-You-Go or CPEA accounts with free tier service plans are open to customers, partners, and let you try out SAP BTP in a per service defined time span for free. These account types enable you to test your scenarios and generally offer the option to upgrade to paid service plans. These accounts also allow you to store data long-term and move projects to production. You also get access to our community, including free technical resources such as tutorials and blog posts. For more information, see Enterprise Accounts and Using Free Service Plans.

Note

When using Kyma, the free plan is available only once in a global account for up to 30 days. For more information, see Available Plans in the Kyma Environment.

You can self-register for an enterprise account with free tier service plans. For more information, see Get an Account on SAP BTP to Try Out Free Tier Service Plans.

Note

Only community support is available for free tier service plans and these are not subject to SLAs.

Note

The option to upgrade from free tier service plans to paid service plans is not yet available for all services and runtimes, such as Kyma. See Using Free Service Plans to read more about upgrading from free tier service plans to paid service plans.

A trial account lets you try out SAP BTP for free for 90 days. The services provided for the trial account allow restricted use of the platform resources and services. Access is open to everyone. Trial accounts are intended for personal exploration, your own non-productive testing, and evaluation of the services in accordance with SAP BTP trial terms and conditions. A SAP BTP trial account must not be used for production use or team development. You are not permitted to use the trial account in any productive or commercial manner.

You can self-register for a trial account. For more information on how to do that, see [Get a Free Account on SAP BTP Trial](#)

[Free Tier and Always Free Tags in the SAP Discovery Center](#)

In the SAP Discovery Center service catalog overview, some services display the tag Free Tier, which indicates the service is offering a free tier service plan. Some services display the tag Always Free, which indicates the service is offering a service plan that comes free of additional charges, as it is already included in your overall SAP BTP contract. You can use the filter function of the SAP Discovery Center to filter for services that offer Free Tier and Always Free plans. The Always Free service plans include the following note in their service plan description: "This service plan is included in the overall SAP Business Technology Platform contract".

Note

Always Free service plans might not be available in all regions or for all providers.

[Trial Lifecycle](#)

Use your SAP BTP trial account:

Familiarize yourself with the Trial Scope or try out one of our Starter Scenarios on the Tutorial Navigator.

Extend your SAP BTP trial account in intervals:

Your 90-day trial period is divided in intervals. If you sign in to your trial account regularly, the intervals are extended automatically for you by up to 30 days or until your overall 90-day trial is finished.

If you don't sign in to your trial account for 30 days or more, your account will be suspended. All suspended accounts will be deleted and you won't be able to use applications or services.

Delete your SAP BTP trial account:

After 90 days, your trial account is automatically deleted. But if you want to proactively delete your SAP BTP trial account, you can navigate to the global accounts scope and select the Account Explorer page, then click the Delete Trial Account button.

If you want to continue to use an SAP BTP trial account after deletion, you need to set up a new account.

If you want to explore SAP BTP without time limit, create an enterprise account with free tier service plans allowing you to test your scenarios. See: [Get an Account on SAP BTP to Try Out Free Tier Service Plans](#).

Caution

Environments enabled on your trial account may not be valid for your whole trial period. To learn about the validity period for the Kyma environment, see [About the Trial Account](#).

[Trial Scope](#)

A trial account enables you to explore the basic functionality of SAP BTP.

SAP BTP trial accounts are available in several regions. For more information, see [Regions](#).

You can create directories in your trial account. For more information, see [Managing Directories Using the Cockpit](#)

You can use productive and beta services. To consume beta services, you must enable the subaccount for beta features during the subaccount creation or when you edit the subaccount details.

You can manage platform users by assigning them role collections. For more information, see [Working with Role Collections](#).

A trial account includes 4 GB of memory for applications.

You can use 8 GB of instance memory.

There are 10 total routes and 40 total services available.

You can use 2 configured on-premise systems with the Cloud connector.

There's no service level agreement with regards to the availability of the platform.

You can use HDI containers in a shared SAP HANA database (only available on cf-us10).

For cleanup purposes, applications stop automatically on a daily basis. You need to manually restart them when needed.

Note

Applications are stopped at midnight (or some time later depending on server load) relative to the region in which you created your trial account. If you're working in a time zone that is far from the region where your trial account was created, then your applications may stop during business hours.

You can have a trial tenant of SAP Cloud identity Services, see [Get Your Tenant](#).

[Related Information](#)

[Getting Started with a Trial Account in the Cloud Foundry Environment](#)

[Getting Started with a Trial Account in the Kyma Environment](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/trigger-registration-in-sap-marketing-cloud-tenant>

Title: *Trigger the Registration in the SAP Marketing Cloud Tenant | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Register an SAP Marketing Cloud System in a Global Account in SAP...Trigger the Registration in the SAP Marketing Cloud Tenant

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

Trigger the Registration in the SAP Marketing Cloud Tenant

Use this procedure to trigger the registration process for an SAP Marketing Cloud system that you want to pair with your global account in SAP BTP.

Prerequisitesà^

You are an SAP Marketing Cloud tenant administrator.

Procedureà^

Log on to the SAP Marketing Cloud tenant, go to Home, Communication Management tab and then choose the Maintain Extensions on SAP BTP tile.

In the Maintain Extensions on SAP BTP screen, in the Extensions section, choose New.

In the Integration Token field, enter the content of the registration token from the SAP BTP cockpit.

Choose Save. A new entry in the table appears with status Enabling.

After the integration has finished successfully, you can refresh the table.

The status of the integration should have changed to Enabled.

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/user-and-member-management>

Title: *User and Member Management | SAP Help Portal*

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology PlatformBasic Platform ConceptsUser and Member Management

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

User and Member Management

On SAP BTP, user management takes place at all levels from global account to environment. There are different types of users, such as depending on their roles in the company.

User Accountsà^

A user account corresponds to a particular user in an identity provider. The user is always stored in an external identity provider, such as a custom tenant of SAP Cloud Identity Services - Identity Authentication or the default identity provider.

Recommendation

We strongly recommend that you configure your custom tenant of SAP Cloud Identity Services as the identity provider and connect SAP Cloud Identity Services to your own corporate identity provider.

For more information, see Trust and Federation with Identity Providers.

User accounts enable users to log on to SAP BTP, access subaccounts, and to use applications according to the permissions granted to them.

Note

A user name alone doesn't determine a concrete user account with associated authorizations, as you can have users with the same user name in different identity providers. Accessible data and allowed operations also depend on the identity provider. The concrete user is identified by the combination of user name and identity provider.

Example

There are two users with the same user name, which is the email address here. The two users with different identity providers have different authorizations and can access different applications.

julia.moore@acme.com from the custom identity provider has authorizations to access her favorite industrial applications. She needs the logon with the custom identity provider for her actual work.

julia.moore@acme.com from the default identity provider has no authorizations.

Before diving into the different user and member management concepts, it's important to understand the

difference between the two types of users we're referring to: platform users and business users.

For more information, see [Platform Users and Business Users](#).

Exceptions

There are some exceptions from the separation of platform and business users. Typical cases are the ABAP environment, which doesn't distinguish between these two types, and SAP Build Code or SAP Build applications, which developers currently access as business users.

ABAP Environment

Typical cases are the ABAP environment, which doesn't distinguish between these two types, and SAP Build Code or SAP Build applications, which developers currently access as business users.

The user and authorization concept used in the ABAP environment is completely decoupled and independent from the authorization concept of SAP BTP or within Cloud Foundry. The ABAP environment runs within the SAP BTP, Cloud Foundry environment. Therefore, administrators or developers need the right authorizations in Cloud Foundry to create the ABAP environment or other services, which get consumed in an application running in the ABAP environment.

For more information, see [Administration and Operations in the ABAP Environment](#).

Kyma Environment

To enable a Kyma environment, you need the subaccount administrator role collection (see [Role Collections and Roles in Global Accounts, Directories, and Subaccounts](#)). All other authorizations and trust are managed in the Kyma cluster.

Kyma uses Kubernetes Role-Based Access Control (RBAC) and assures during provisioning that a user who creates and owns a particular runtime is given the cluster-admin role. Users with the cluster-admin role can define any additional cluster roles or use those defined in Kyma and bind them to other users from Kyma dashboard or with the kubectl CLI tool. See [Assign Roles in the Kyma Environment](#). For recommendations on setting up roles and permissions in Kyma, see [Role-Based Access Control \(RBAC\) in Kyma](#).

Related Information

[Working with Users](#)

[Roles and Role Collections](#)

[Attributes](#)

[Trust and Federation with Identity Providers](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/using-free-service-plans>

Title: [Using Free Service Plans | SAP Help Portal](#)

Home [SAP Business Technology Platform \(SAP BTP\)](#) [SAP Business Technology Platform Basic Platform](#)

[Concepts](#) [Enterprise Accounts](#) [Using Free Service Plans](#)

[SAP Business Technology Platform English](#)

[Provide feedback on our search](#)

à

Using Free Service Plans

The free tier model for SAP BTP lets you try out services in global accounts without any additional cost using the consumption-based commercial model and an enterprise account.

We offer free service plans for many services within SAP BTP. Free service plans are limited in scope and capacity. They are designed to allow you and your team to explore new SAP BTP capabilities before committing to subscribing to a full capacity paid service.

The free tier model for SAP BTP is added automatically to new and existing contracts using the consumption-based commercial model. There, the free service plans are visible.

Note

The use of the consumption-based commercial model is subject to its availability in your country or region.

The consumption-based commercial model is available in the following flavors: the SAP BTPEA (SAP BTP Enterprise Agreement), the CPEA (Cloud Platform Enterprise Agreement) and Pay-As-You-Go for SAP BTP.

For more information, see [What Is the Consumption-Based Commercial Model?](#).

To try out services that participate in the free tier model for SAP BTP, create a service instance using the Free service plan offered by the service.

Tip

To find out which services offer the free plans, see [Discover Free Services](#). Here, you also find information on how to identify the technical limitations of the free plan of each service. Access Free Services by assigning

entitlements to subaccounts and creating service instances.

Once you reach the technical limits of a service and want to continue using it, you must move to a paid service plan. Upgrading an existing service instance from free tier to paid usually doesn't require creating a new service instance. Find out how to upgrade a service plan at [Upgrade to a Paid Service Plan](#).

Use of free tier service plans is subject to additional terms and conditions as provided in the Business Technology Platform Supplemental Terms and Conditions. Only community support is available for Free service plans and these aren't subject to SLAs.

[Discover Free Services](#)

Find out which services offer Free plans and what the limitations are.

Free Tier services can be explored in the service catalog of SAP Discovery Center. A free tier service appears as a "Free" plan offering for a service.

Access the Service Catalog in the SAP Discovery Center.

In the Categories section, select Free Tier Services.

Select one of the services displayed in the catalog.

Navigate to the Pricing tab.

On this page, you can see all available plans for this service, including the limitations of each plan. Plans that participate in the free tier model for SAP BTP are labeled Free.

[Access Free Service Plans](#)

To try out the free tier model for SAP BTP, you must entitle your subaccount for the free plan and create a service instance using this plan.

Note

The free tier model for SAP BTP is available for accounts that use the consumption-based commercial model.

Enter your global account.

For more information, see [Access the Cockpit](#).

Configure entitlements for the subaccount in which you want to use the free service plans. Select the service and choose the free plan.

For more information, see [Managing Entitlements and Quotas Using the Cockpit](#).

Navigate into the subaccount and go to the Service Marketplace.

Find the service you want to try out and select it.

You find a description of the available service plans, including the free service plan. By clicking More, you find the scope and limitations of the free plan for this service.

Create an instance of the service and select the free service plan.

For more information, see [View and Manage Services from the Service Marketplace](#).

You can now start using this service.

[Update to a Paid Service Plan](#)

Once you've reached the limits of the free plan, you can upgrade the free service plan to a paid plan.

To upgrade, first configure the required entitlements and quotas. Make sure the appropriate paid service plan and quotas are assigned to your subaccount.

Note

For subaccounts that are located under a directory that is configured to manage entitlements, the global account admin must first distribute the required quota to the managed directory. For more information, see [Configure Entitlements and Quotas for Subaccounts](#).

Note

The option to upgrade from free tier service plans to paid service plans is not yet available for all services and runtimes, such as Kyma. To use a paid service plan for Kyma runtime, you will need a new Kyma cluster. It is possible to have both - free and paid clusters - in parallel.

Note

It's not possible to switch from a paid plan to a free plan.

If the service instance has been created in the Cloud Foundry environment, make sure that you have the Space Developer role for the space of the service instance (otherwise, ignore this step).

In your Cloud Foundry subaccount, navigate to the space, in which you have created your service instance.

Navigate to Space Members and check if your user is listed there.

If your user is not listed there, add your user and assign it the Space Developer role. For more information, see [Add Space Members](#).

In your subaccount, navigate to the Instances and Subscriptions page.

Find the instance of the service and click ⚙️ (Actions) and Update.

In the Update Instance dialog, change the plan to a paid service plan.

Click Update Instance to save your changes.

You can now use the service without the limitations of the free service plan.

Scope^

The free tier model for SAP BTP is available for CPEA and Pay-As-You-Go for SAP BTP contracts. For more information, see [What Is the Consumption-Based Commercial Model?](#).

Services using the free tier service plans run on the same platform as paid services.

Services are technically limited. This limit depends on the service. You can find a description of the service plans in the Service Marketplace in the cockpit or in the SAP Discovery Center.

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/view-directory-usage-analytics>

Title: [View Directory Usage Analytics | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing Directories Using the CockpitView Directory Usage Analytics

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

View Directory Usage Analytics

You can explore, compare, and analyze all your actual usage data for the services and applications that are available in your directory.

To monitor and track usage in a directory, open your directory from the Account Explorer in the SAP BTP cockpit, and then go to the Usage Analytics page in the navigation area.

Note

This cockpit page is available only for directories that have user management enabled.

You must also be assigned as an admin of the directory. For the more information, see [Create a Directory and Manage Users in Directories](#).

Views in the Directory 'Usage Analytics' Page^

The directory Usage Analytics page contains two views that display the same usage information; however, your entry point is different – either from a service/subscription or a directory/subaccount:

View

Description

Service Usage

Displays high-level usage information for a selected service or business application subscriptions according to the directory from which you accessed the Usage Analytics page. You can also drill down and view usage data for specific subdirectories and subaccounts that are located in this directory.

Directory/Subaccount Usage

Displays high-level usage information for all services and business application subscriptions according to the directory from which you accessed the Usage Analytics page. You can also drill down and view usage data for specific subdirectories and subaccounts that are located in this directory.

Information is shown only for those services and subscriptions whose metered consumption in the directory is greater than zero.

Usage values are updated every 24 hours. Usage data displayed in this cockpit page refers to actual usage, not billed usage.

The Space filter is available only when you've selected a subaccount and the subaccount has the Cloud Foundry environment enabled.

Tip

If your directory is in a global account that uses the consumption-based commercial model, you can view information about your billed usage for billable services in your global account's Usage Analytics page. The global account's Usage Analytics page also provides information about cloud-credit usage. For more information, see [Monitoring Usage and Consumption Costs in Your Global Account](#).

You can also view usage information by subaccount directly in a subaccount's Usage Analytics page. For more information, see [View Subaccount Usage Analytics](#).

Working with the Tables and Charts^

Both the Service Usage and Directory/Subaccount Usage views display the usage information in tabular and chart formats.

The tables present accumulated usage values based on the aggregation logic of each service plan and its metric over the selected time period. The usage values are broken down by resource.

The charts present usage values for one or more service plans that you select in the adjacent tables.

Select a table row to display the usage information in the chart. You can also compare usage between service plans in the same service by selecting multiple rows. To compare usage, the rows items must also share the same metric.

In the charts, you can view the data as a column chart or as a line chart.

To display a larger view of a chart, choose the  (Zoom) button.

Some rounding or shortening is applied to large values. You can mouse over values in the table to view the exact values as tooltips.

Related Information[^]

Org Administration Using the Cockpit

Monitoring Usage and Consumption Costs in Your Global Account

What Is the Consumption-Based Commercial Model?

View Subaccount Usage Analytics

Monitoring Usage Information Using APIs of the SAP Usage Data Management Service

Manage Users in Directories

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/view-subaccount-usage-analytics>

Title: View Subaccount Usage Analytics | SAP Help Portal

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Managing

Subaccounts Using the CockpitView Subaccount Usage Analytics

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

View Subaccount Usage Analytics

You can explore, compare, and analyze all your actual usage data for the services and applications that are available in your subaccount.

To monitor and track usage in a subaccount, open the subaccount in the SAP BTP cockpit and choose Usage Analytics in the navigation area.

Views in the Subaccount 'Usage Analytics' Page[^]

The subaccount Usage Analytics page contains views that display usage at different levels of detail:

View

Description

Subaccount

Displays high-level usage information for your subaccount relating to services, business application subscriptions, and Cloud Foundry org spaces.

Some information in this view is displayed only for global account admins.

Services

Displays usage per service plan for the region of the subaccount, and the selected metric and period.

Information is shown for all services whose metered consumption in the subaccount is greater than zero.

Spaces

(Cloud Foundry environment only) Displays service plan usage per space for the services shown in the Services view.

Note

The information displayed in this page depends on the environments that are enabled for your subaccount. For example, information about spaces is displayed only for subaccounts in the Cloud Foundry environment.

Usage values are updated every 24 hours.

Usage data displayed in this cockpit page refers to actual usage, not billed usage.

Tip

If your subaccount is in a global account that uses the consumption-based commercial model, you can view information about your billed usage for billable services in your global account's Usage Analytics page. The global account's Usage Analytics page also provides information about cloud-credit usage. A directory's Usage

Analytics page also allows you to view usage information for each subaccount that is located in the directory. If you use directories to group your subaccounts, you can view usage information by directory in your global account's Usage Analytics page or directly in the directory's Usage Analytics page.

For more information, see [Monitoring Usage and Consumption Costs in Your Global Account](#) and [View Directory Usage Analytics](#).

Working with the Tables and Charts

In the Services and Spaces views, the usage information is displayed in both tabular and chart formats.

The tables present accumulated usage values based on the aggregation logic of each service plan and its metric over the selected time period. The usage values are broken down by resource.

The charts present usage values for one or more service plans or spaces that you select in the adjacent tables.

The resolution of the charts is automatically set to days, weeks, or months, depending on the range of the selected time period.

You can perform various actions within the tables and charts:

In the Services and Spaces views, select a table row to display the usage information in the chart. You can also select multiple rows to compare usage in the following ways:

In the Services view, you can compare usage between service plans in the same service. Multi-row selection in the table is possible only when you have selected a single service in the Service filter and the row items share the same metric.

In the Spaces view, you can compare usage between spaces for the same service and service plan. Multi-row selection in the table is possible only when you have selected a single service plan in the Service Plan filter.

In the charts, you can view the data as a column chart or as a line chart.

To display a larger view of a chart, choose the  (Zoom) button.

Some rounding or shortening is applied to large values. You can mouse over values in the table to view the exact values as tooltips.

Using the Filters

Use the filters in the Services and Spaces views to choose which usage information to display.

The Spaces view inherits the filter settings, except for the Period, from the Services view above it. In other words, when you modify filters in the Services view, it affects the information that is displayed in the Spaces view. You can apply the Period filter independently to each view.

In the Services view, you can apply the Metric filter only when you have selected a service with more than one metric.

Click the  (Reset) icon in each view to reset the filters to their default settings. If you reset the filters in the Services view, the filters in the Spaces are also reset.

Related Information

[Org Administration Using the Cockpit](#)

[Monitoring Usage and Consumption Costs in Your Global Account](#)

[What Is the Consumption-Based Commercial Model?](#)

[View Directory Usage Analytics](#)

[Monitoring Usage Information Using APIs of the SAP Usage Data Management Service](#)

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/what-is-subscription-based-commercial-model>

Title: [What Is the Subscription-Based Commercial Model? | SAP Help Portal](#)

HomeSAP Business Technology Platform (SAP BTP)SAP Business Technology Platform...Commercial ModelsWhat Is the Subscription-Based Commercial Model?

SAP Business Technology PlatformEnglish

Provide feedback on our search

à

What Is the Subscription-Based Commercial Model?

Your organization receives a fixed price and period (typically a 1 to 3-year period) for access to your subscribed SAP BTP services.

Under this commercial agreement:

You are entitled to use only the subscribed services.

To access additional services, at an extra cost, you can modify your contract via your sales representative or account executive.

You pay at a fixed cost, regardless of consumption of subscribed services.

You pay in advance when the contract period starts.

Your organization can renew the subscription at the end of the contract period.

For information about available services and pricing, see SAP Store.

You can also access the SAP BTP service catalog via the SAP Discovery Center to identify the availability of services by data center, and also to determine licensing model compatibility per service plan.

Note that some services can be subscribed based on a user metric or a resource metric. For example, a Portal service can be based on the number of site visits or user metrics. A resource-based metric is more common when dealing with a large number of users; for example, suppliers accessing a portal to interact with your organization. Since it isn't always possible to predict how many resources would be required upfront for a three-year period, you can increase your original order if resource usage exceeds your subscribed quota. Using SAP BTP cockpit, you can view resource consumption within your global account on a monthly basis.

In the subscription-based model, you also get access to bundles or packages that comprise several related services and apps. Most of the time, this works out to be more cost effective when compared to subscribing to individual SAP BTP services.

Can an existing global account under a consumption-based contract be transformed to the subscription-based model?

You can change your existing contract from the consumption-based commercial model to a subscription license. Keep in mind that not all services that are eligible for the consumption-based model are compatible with the subscription-based model. We recommend that you contact your SAP account executive or sales representative to discuss feasibility and terms of transforming your contract.

Note that you can use both consumption and subscription-based commercial models either in separate global accounts or in the same global account depending on your business needs. Contact your SAP account executive or sales representative for more information.

Related Information

What Is the Consumption-Based Commercial Model?

Monitoring Usage and Consumption Costs in Your Global Account

View Subaccount Usage Analytics

Managing Global Accounts Using the Cockpit

Managing Directories Using the Cockpit

Managing Subaccounts Using the Cockpit

Managing Entitlements and Quotas Using the Cockpit

URL: <https://help.sap.com/docs/btp/sap-business-technology-platform/working-with-global-accounts-directories-and-subaccounts-using-btp-cli>

Title: SAP Help Portal | SAP Online Help

ProductsWhat's NewExplore SAP

Loading Document...

âf

â„

âĸ

à PDF

à Favorite

á=Share

áÀ

áPTable of Contents

Loading Table of Contents...

Loading Topic...

âWas this page helpful?

â"Yes

â#No

Copyright

Disclaimer

Privacy Statement

Legal Disclosure

Trademark

[Terms of Use](#)

[Cookie Preferences](#)

[Accessibility & Sustainability](#)

[Ask a Question about the SAP Help Portal](#)

[Find us on](#)

[Share](#)

â=

[Your choices regarding cookies on this site](#)

This site uses cookies and related technologies, as described in our [Cookie Statement](#), for purposes that may include site operation, analytics, enhanced user experience, or advertising. You may choose to consent to our use of these technologies, or manage your own preferences.

[Privacy Statement](#) | [Cookie Statement](#)

[Accept All](#)

[Deny All](#)

[Manage Settings](#)
