




Gordon

Containers

Images

Logs

Volumes

Kubernetes

Builds

Models

MCP Toolkit BETA

Docker Hub

Extensions

[Images](#) / k8s-frontend:latest

< **k8s-frontend:latest**

5245f485f707

CREATED

21 seconds ago

SIZE

256.44 MB

Recommended fixes

Run



Analyzed by docker scout

Layers (20)

[Vulnerabilities](#)

[Packages](#)

[Give feedback](#)

0 # debian.sh --arch 'arm64' out/ 'trixie'... 109.36 MB

1 LABEL maintainer=NGINX Docker M... 0 B

2 ENV NGINX_VERSION=1.31.4 0 B

3 ENV NJS_VERSION=1.0.0 0 B

4 ENV NJS_RELEASE=1~trixie 0 B

5 ENV ACME_VERSION=0.4.1 0 B

6 ENV PKG_RELEASE=1~trixie 0 B

7 ENV DYNPKG_RELEASE=1~trixie 0 B

8 RUN /bin/sh -c set -x && groupadd --... 85.31 MB

This image has not been analyzed

You can use Docker Scout to analyze local images and list its vulnerabilities.

Start analysis

[Enable background indexing in Settings](#) so your results are always ready.

Upgrade plan

Engine running

RAM 2.59 GB CPU 1.21% Disk: 19.55 GB used (limit 223.63 GB)

Update version

Chrome

File

Edit

View

History

Bookmarks

Profiles

Tab

Window

Help

127.0.0.1:8000

Learn Experiments 20

Code Optimization M

how to start a mysql v

Kubernetes Dashboar

Kubernetes Frontend

Kubernetes Dashboar

Ask Gemini

localhost:8001/api/v1/namespaces/kubernetes-dashboard/services/https:kubernetes-dashboard:/proxy/#/workloads?namespace=default

Y

kubernetes

default

Search

+

🔔

👤

Workloads

Workloads N

Cron Jobs

Daemon Sets

Deployments

Jobs

Pods

Replica Sets

Replication Controllers

Stateful Sets

Service

Ingresses N

Ingress Classes

Services N

Config and Storage

Config Maps N

Persistent Volume Claims N

Secrets N

Storage Classes

Cluster

Cluster Role Bindings

Cluster Roles

Events N

Namespaces

Network Policies N

Workload Status

Running: 3

Deployments

Running: 5

Pods

Running: 3

Replica Sets

Deployments

Name	Images	Labels	Pods	Created ↑
● backend	k8s-backend:latest	-	1 / 1	10 minutes ago
● frontend	k8s-frontend:latest	-	3 / 3	10 minutes ago
● database	mysql:8.0	-	1 / 1	13 minutes ago

Pods

Name	Images	Labels	Node	Status	Restarts	CPU Usage (cores)	Memory Usage (bytes)	Created ↑
● frontend-6b7f4d748c-2k6xj	k8s-frontend:latest	app: frontend pod-template-hash: 6b7f4d748c	desktop-control-plane	Running	0	-	-	7 minutes ago
		app: frontend						

Ln 65, Col 1

Spaces: 2

UTF-8

LF

()

YAML


🔍

🔔


```
Last login: Mon Aug 31 23:38:32 on ttys001
[lithish@Lithishs-MacBook-Air ~ % kubectl scale deployment frontend --replicas=3
deployment.apps/frontend scaled
[lithish@Lithishs-MacBook-Air ~ % kubectl get pods
NAME                                READY   STATUS    RESTARTS   AGE
backend-55b697b4f4-5fnsw            1/1     Running   0           2m47s
database-7ddbd994c9-xr28p          1/1     Running   0           6m8s
frontend-6b7f4d748c-2k6xj          1/1     Running   0           8s
frontend-6b7f4d748c-fbq5p          1/1     Running   0           8s
frontend-6b7f4d748c-wv99b          1/1     Running   0           2m47s
[lithish@Lithishs-MacBook-Air ~ % kubectl get deployments
NAME          READY   UP-TO-DATE   AVAILABLE   AGE
backend       1/1     1             1           3m18s
database      1/1     1             1           6m39s
frontend      3/3     3             3           3m18s
lithish@Lithishs-MacBook-Air ~ % █
```



```
Last login: Mon Aug 31 23:38:32 on ttys001
lithish@Lithishs-MacBook-Air ~ % kubectl scale deployment frontend --replicas=3
deployment.apps/frontend scaled
lithish@Lithishs-MacBook-Air ~ % kubectl get pods
NAME                                READY   STATUS    RESTARTS   AGE
backend-55b697b4f4-5fnsw            1/1     Running   0           2m47s
database-7ddb994c9-xr28p           1/1     Running   0           6m8s
frontend-6b7f4d748c-2k6xj          1/1     Running   0           8s
frontend-6b7f4d748c-fbq5p          1/1     Running   0           8s
frontend-6b7f4d748c-wv99b          1/1     Running   0           2m47s
lithish@Lithishs-MacBook-Air ~ % █
```

Hello from Kubernetes!

This is the frontend application.


```
=> => exporting layers 0.0s
=> => exporting manifest sha256:313d6b7de92f1595dffe030245ff61ef6adbfe2a014fe392a7a8f42d77bbe60f 0.0s
=> => exporting config sha256:8e2363c86e85e485477cef5e631cfc1305a2b4af99c3c451b021db12b7eeae4f 0.0s
=> => exporting attestation manifest sha256:84714bc162e2d0ec06a801278bc690b5d6062d962d076f9db0c2ffbf40bd67d4 0.0s
=> => exporting manifest list sha256:5245f485f707a7ff8c8397f94e0c3c3ba179a950d119076b3e7dd69bbf81b24a 0.0s
=> => naming to docker.io/library/k8s-frontend:latest 0.0s
=> => unpacking to docker.io/library/k8s-frontend:latest 0.0s

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/o4tpcdrdyaehvvgkbwkc1flp
[lithish@Lithishs-MacBook-Air frontend % cd cd /Users/lithish/college/CSA1016/k8s-multi-container
cd: string not in pwd: cd
[lithish@Lithishs-MacBook-Air frontend % cd backend
cd: no such file or directory: backend
[lithish@Lithishs-MacBook-Air frontend % cd /Users/lithish/college/CSA1016/k8s-multi-container
[lithish@Lithishs-MacBook-Air k8s-multi-container % cd backend
[lithish@Lithishs-MacBook-Air backend % touch app.py requirements.txt Dockerfile
[lithish@Lithishs-MacBook-Air backend % docker build -t k8s-backend .
[+] Building 1.8s (11/11) FINISHED docker:desktop-linux
=> [internal] load build definition from Dockerfile 0.0s
=> => transferring dockerfile: 205B 0.0s
=> [internal] load metadata for docker.io/library/python:3.11-slim 1.7s
=> [auth] library/python:pull token for registry-1.docker.io 0.0s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [1/5] FROM docker.io/library/python:3.11-slim@sha256:1042b61448fef4ba92d16a8c7eb4996d027568ce64792a7877fd8851 0.0s
=> => resolve docker.io/library/python:3.11-slim@sha256:1042b61448fef4ba92d16a8c7eb4996d027568ce64792a7877fd8851 0.0s
=> [internal] load build context 0.0s
=> => transferring context: 361B 0.0s
=> CACHED [2/5] WORKDIR /app 0.0s
=> CACHED [3/5] COPY requirements.txt . 0.0s
=> CACHED [4/5] RUN pip install --no-cache-dir -r requirements.txt 0.0s
=> [5/5] COPY app.py . 0.0s
=> exporting to image 0.0s
=> => exporting layers 0.0s
=> => exporting manifest sha256:01ca0db16a11931c4df43ed7db6c2d0a73189d61ba65e5602a0b29004154d641 0.0s
=> => exporting config sha256:5dbe76269e4ca7e5ee9e2d91451ab47529d7a68af2c341aaeba4c767d59ddb1a 0.0s
=> => exporting attestation manifest sha256:d2a1762f8dc7c51a8d98a08ae5a1089096881a25807381a0c885bc2148bbba8b 0.0s
=> => exporting manifest list sha256:8b459b51a511d55dd0416cc6d5589c4fd965e01d560502268dc767fee91ad057 0.0s
=> => naming to docker.io/library/k8s-backend:latest 0.0s
=> => unpacking to docker.io/library/k8s-backend:latest 0.0s

View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux/3u8bpkuo6uvypywww9e2akv4v
[lithish@Lithishs-MacBook-Air backend % cd /Users/lithish/college/CSA1016/k8s-multi-container
[lithish@Lithishs-MacBook-Air k8s-multi-container % cd /Users/lithish/college/CSA1016/k8s-multi-container
[lithish@Lithishs-MacBook-Air k8s-multi-container % touch k8s.yaml
[lithish@Lithishs-MacBook-Air k8s-multi-container % kubectl get nodes
NAME STATUS ROLES AGE VERSION
desktop-control-plane Ready control-plane 18d v1.36.1
[lithish@Lithishs-MacBook-Air k8s-multi-container % kubectl apply -f k8s.yaml
deployment.apps/frontend created
service/frontend-service created
deployment.apps/backend created
service/backend-service created
deployment.apps/database created
service/database-service created
[lithish@Lithishs-MacBook-Air k8s-multi-container % kubectl apply -f k8s.yaml
deployment.apps/frontend unchanged
service/frontend-service unchanged
deployment.apps/backend unchanged
service/backend-service unchanged
deployment.apps/database unchanged
service/database-service unchanged
[lithish@Lithishs-MacBook-Air k8s-multi-container % kubectl get services
NAME TYPE CLUSTER-IP EXTERNAL-IP PORT(S) AGE
backend-service ClusterIP 10.96.241.237 <none> 5000/TCP 18s
database-service ClusterIP 10.96.79.51 <none> 3306/TCP 18s
flask-service NodePort 10.96.233.215 <none> 5000:30007/TCP 18d
frontend-service NodePort 10.96.98.1 <none> 80:30778/TCP 18s
kubernetes ClusterIP 10.96.0.1 <none> 443/TCP 18d
lithish@Lithishs-MacBook-Air k8s-multi-container % █
```


[Images](#) / k8s-backend:latest

```
k8s-backend:latest
```

8b459b51a511

CREATED

21 seconds ago

SIZE

236.55 MB

Recommended fixes ▾

Run

Analyzed by  docker.
scout

Layers (16)

Vulnerabilities

Packages

Give feedback

0	# debian.sh --arch 'arm64' out/ 'trixie'...	109.36 MB
1	ENV PATH=/usr/local/bin:/usr/local/...	0 B
2	ENV LANG=C.UTF-8	0 B
3	RUN /bin/sh -c set -eux; apt-get upda...	4.98 MB
4	ENV GPG_KEY=A035C8C19219BA82...	0 B
5	ENV PYTHON_VERSION=3.11.16	0 B
6	ENV PYTHON_SHA256=91bcdeb added...	0 B
7	RUN /bin/sh -c set -eux; savedAptMa...	52.08 MB
8	RUN /bin/sh -c set -eux; for src in idl...	16.38 KB

This image has not been analyzed

You can use Docker Scout to analyze local images and list its vulnerabilities.

Start analysis