

Door Location Summary

Created: 05-13-2025  
Creator: Derek Smith (@DSM)  
Status:  
Dates: 04-04-2024 - 05-13-2025


**Recipients**  
derek@codifyconsulting.com

Description

N/A


● **#1 - Icon No.**

Fail | Derek Smith | 1-Hour Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Consult  
Asset ID: 0789



● **#2 - Icon No.**

Fail | Derek Smith | 1-Hour Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Nurse Mgr. Office  
Asset ID: 0788



● **#3 - Icon No.**

Pass | Derek Smith | 1-Hour Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Sched. Office  
Asset ID: 0787



● **#4 - Icon No.**

Fail | Derek Smith | 1-Hour Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Pre-Op Corridor  
Asset ID: 0786



● **#5 - Icon No.**

Fail | Derek Smith | 1-Hour Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Corridor at Soiled Holding  
Asset ID: 0766



● **#6 - Icon No.**

Fail | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Soiled Holding  
Asset ID: 0767




● **#7 - Icon No.**

Fail | Derek Smith | Smoke Barrier  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Smoke Barrier at Control  
Asset ID: 0777




● **#8 - Icon No.**

Pass | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Soiled Utility  
Asset ID: 0782



● **#9 - Icon No.**

Pass | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Clean Supply  
Asset ID: 0783



● **#10 - Icon No.**

Fail | Derek Smith | Smoke Barrier  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Smoke Barrier at Procedure Room  
Asset ID: 0778





● **#11 - Icon No.**

Fail | Derek Smith | Smoke Barrier  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Smoke Barrier at Procedure Room  
Asset ID: 0779




● **#12 - Icon No.**

Fail | Derek Smith | Smoke Barrier  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Smoke Barrier at Procedure Room  
Asset ID: 0780



● **#13 - Icon No.**

Fail | Derek Smith | Smoke Barrier  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Smoke Barrier at Recovery  
Asset ID: 0781



● **#14 - Icon No.**

Fail | Derek Smith | 1-Hour Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Women's Lockers  
Asset ID: 0768




● **#15 - Icon No.**

Pass | Derek Smith | 1-Hour Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Men's Lockers  
Asset ID: 0769




● **#16 - Icon No.**

Fail | Derek Smith | 1-Hour Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Corridor at Receiving  
Asset ID: 0770




● **#17 - Icon No.**

Fail | Derek Smith | 1-Hour Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Receiving  
Asset ID: 0772



● **#18 - Icon No.**

Fail | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Receiving  
Asset ID: 0771




● **#19 - Icon No.**

Pass | Derek Smith | 2-Hour Fire  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Emergency Electrical  
Asset ID: 0773



● **#21 - Icon No.**

Fail | Derek Smith | 1-Hour Fire  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Mechanical  
Asset ID: 0775




● **#22 - Icon No.**

Pass | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Mechanical  
Asset ID: 0776



● **#23 - Icon No.**

Fail | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Receiving  
Asset ID: 0792




● **#27 - Icon No.**

Pass | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Files/Storage  
Asset ID: 0794




● **#28 - Icon No.**

Fail | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Soiled Hold at Scope Processing  
Asset ID: 6390



● **#29 - Icon No.**

Pass | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Storage at Recovery N  
Asset ID: 3487




● #30 - Icon No.


Fail | Derek Smith | Smoke Partition  
Plan: McLaren Flint ASC- Composite Life Safety Drawing (Existing-Suites) 0519\_22 - FIRST FLOOR - LIFE SAFETY PLAN  
Tags: #door\_inspection\_master\_checklist  
Floor: First  
Physical Location: Supplies at Business Office  
Asset ID: 6389








2 SMOKE COMPARTMENTS - FIRST FLOOR



3 NON SPRINKLERED AREAS - FIRST FLOOR



1 FIRST FLOOR - LIFE SAFETY PLAN

| BUILDING SUMMARY   |   |
|--|---|
| 1 FLOOR  |   |
| OCCUPANCY THIS FLOOR: BUSINESS AND AMBULATORY HEALTHCARE |   |
| CONSTRUCTION TYPE II(000)                                |   |
| PARTITION LEGEND   |   |
| WALL RATING  | NFPA 101 - LIFE SAFETY CODE - 2012 EDITION  |
| Smoke Resistive  | * Corridor construction in fully sprinklered smoke compartments.<br>* Walls shall be constructed to limit the transfer of smoke.<br>* Walls permitted to terminate at the ceiling where the ceiling is constructed to limit the transfer of smoke.<br>* Doors shall resist the passage of smoke.<br>* Doors shall be equipped with positive latching hardware.<br>* Door undercuts shall be a maximum of 1".  |
| 30 minute  | * Corridor construction in existing facilities where smoke compartments are not fully sprinklered.<br>* Walls are to extend to the structure above or a fire rated ceiling assembly.<br>* Doors shall resist the passage of smoke.<br>* Doors shall be constructed of 1 3/4" thick, solid-bonded core wood or material that resists fire for a minimum of 20 minutes.<br>* Doors shall be equipped with positive latching hardware.<br>* Door undercuts shall be a maximum of 1".   |
| One - Hour   | * Opening protectives shall be self closing or release upon activation of the fire alarm.<br>* Positive latching doors.<br>* Gap at doors to be maximum 1/8".<br>* Double doors require astragals if gap between doors is greater than 1/8".<br>* Door undercuts to be a maximum 3/4".<br>* Maximum measurement for doors that are skewed or out of plumb 1/2".<br>* No fire dampers required.<br>* 34 hour door required.<br>* All penetrations shall be sealed with approved fire stopping - floor to deck.   |
| Two - Hour   | * Opening protectives shall be self closing or release upon activation of the fire alarm.<br>* Positive latching doors.<br>* Gap at doors to be maximum 1/8".<br>* Double doors require astragals if gap between doors is greater than 1/8".<br>* Door undercuts to be a maximum 3/4".<br>* Maximum measurement for doors that are skewed or out of plumb 1/2".<br>* Fire dampers required.<br>* 1 1/2 hour door required.<br>* All penetrations shall be sealed with approved fire stopping - floor to deck.   |
| Three - Hour   | * Opening protectives shall be self closing or release upon activation of the fire alarm.<br>* Positive latching doors.<br>* Gap at doors to be maximum 1/8".<br>* Double doors require astragals if gap between doors is greater than 1/8".<br>* Door undercuts to be a maximum 3/4".<br>* Maximum measurement for doors that are skewed or out of plumb 1/2".<br>* Fire dampers required.<br>* 3 hour door required.<br>* All penetrations shall be sealed with approved fire stopping - floor to deck.   |
| Smoke Barrier  | * Walls built to one hour construction.<br>* Opening protectives shall be self closing or release upon activation of the fire alarm.<br>* Positive latching doors not required unless in a corridor wall or fire barrier.<br>* Gap at doors to be maximum 1/8".<br>* Double doors require astragals if gap between doors is greater than 1/8".<br>* Door undercuts to be a maximum 3/4".<br>* Maximum measurement for doors that are skewed or out of plumb 1/2".<br>* Smoke dampers where required.<br>* 20 minute door or 1 3/4" thick solid core bonded wood door.<br>* 45 minute opening protectives required for doors enclosing fire service access elevator lobbies.<br>* No positive latching required for cross corridor doors.<br>* All penetrations shall be sealed with approved fire stopping - floor to deck.<br>* Center door mullions are prohibited. |
| One - Hour Fire Partition                                | * Walls built to one hour construction.<br>* Doors required to be 1 3/4" thick, solid-bonded wood core or the equivalent.<br>* Opening protectives shall be self-closing or release upon activation of the fire alarm.<br>* Doors shall be equipped with positive latching hardware.  |
| Smoke Resistant Partition                                | * Separation of sprinklered hazardous areas in existing buildings.<br>* Separation of sprinklered hazardous areas 50-100 square feet in new buildings.<br>* Walls shall be constructed to limit the transfer of smoke.<br>* Walls permitted to terminate at the ceiling where the ceiling is constructed to limit the transfer of smoke.<br>* Doors shall resist the passage of smoke.<br>* Doors shall be self-closing.<br>* Doors shall be equipped with positive latching hardware.<br>* Door undercuts shall be a maximum of 3/4".  |
| One - Hour   | * Must meet the requirements of the most stringent.   |
| Two - Hour   | * Must meet the requirements of the most stringent.   |
| Alternate Occupancy                                      | * Alternative Occupancy Type areas.   |
| Egress Corridors   | * Minimum smoke light construction.<br>* No combustible storage open to corridor.<br>* No clear width obstruction allowed.  |
| Exit Stairwells  | * 3 levels or less - 1 hour<br>* 4 levels or more - 2 hours<br>* Positive latching doors.<br>* Opening protectives shall be self closing doors or release upon activation of the fire alarm system.<br>* No storage allowed.<br>* Only utilities that serve the stair can run in the stair.<br>* No clear width obstruction allowed.<br>* All penetrations in walls and ceilings to be sealed with approved fire-stopping.<br>* Penetrations in landings do not need to be sealed.  |
| Connecting Stairwell                                     |   |
| Suite of Rooms   | * Non-rated doors do not require positive latching within suite.<br>* Hallways within suites are not required to be smoke tight.<br>* Corridor entry doors to suites require positive latching.<br>* Perimeter suite walls abutting corridors required to limit the transfer of smoke.<br>* Sleeping suites are noted on plans.   |
| Color Pattern Will Vary for Adjacent Suites              |   |
| Non-Sprinklered  | * Non-sprinklered areas.  |
| Ambulatory Care  | * Ambulatory Health Care Occupancy.   |
| Variance   | * Variance granted by Authority having Jurisdiction as follows:   |

INFORMATION SHOWN ON THIS DRAWING IS STRICTLY FOR THE PURPOSE OF ILLUSTRATING BUILDING LIFE SAFETY FEATURES IN ACCORDANCE WITH THE LIFE SAFETY CODE. THIS DRAWING IS NOT INTENDED TO REFLECT INITIAL CONSTRUCTION, ADOPTED BUILDING CODES OR OTHER STATE/LOCAL JURISDICTIONAL REQUIREMENTS.

| SYMBOL LEGEND |                 |
|---------------|-----------------|
|               | EXIT            |
|               | EXIT DISCHARGE  |
|               | HORIZONTAL EXIT |
|               | HAZARDOUS AREA  |

MCLAREN HEALTHCARE  
SURGERY AND ENDOSCOPY  
CENTER  
501 S. Ballenger Hwy  
Flint, MI 48532  
CODIFY  
CONSULTING

SHEET NAME:  
FIRST FLOOR - LIFE SAFETY  
PLAN

DR. BY: FR  
4/11/2025

CK. BY: DS

SHEET NUMBER:  
LS-101