

Vagrant + WordPress + Amazon S3で ブログをセキュア&快適に運用する方法

2015.02.08 WordPressもくもく勉強会 at コエド第4回

Yusuke Takahashi

自己紹介



Yusuke Takahashi (@youthkee)

都内で働くWebデベロッパー。

趣味でWordPressを使ったサイトの制作やWebサービスの運営をしています。

運営サイト



IG Fan

instagramと
iPhoneographyに関する
総合情報サイト


<http://igfan.jp>



castella

TwitterやFacebookなど、
色んなSNSでプロフが作れる
ソーシャルプロフィールサイト

<http://twpr.jp>



マインクラフトきっず

こどものためのゲーム情報サ
イト（準備中）

<http://minecraftkids.jp>

今回お話する内容

昨年末に個人ブログを立ちあげ



Vagrant (ローカル仮想環境) +

WordPress (プラグインで静的化) +

Amazon S3 (クラウドストレージ)

で運用フローを構築してみた

このプロジェクトのきっかけ

【WordPress特別セミナー】StaticPress × S3 × Vagrant 勉強会

～WordPressからHTMLを出力しS3に上げて、セキュリティもパフォーマンスもコストも安心なサイトを作る!!!

Tweet 0

Like 0

+1 0

0

LINEで送る



このイベントは終了しました

株式会社リクルートテクノロジーズの
求人情報

▶ 次世代のビックデータ向け
インフラ構築エンジニア
(リサーチ含)

リクルートグループを支えるシステムインフラ
の企画、設計、構築、運用



日時： 2013/10/13 13:00 to 18:00

定員： 200 人

会場： グラントウキヨウサウスタワー41F アカデミーホール [\(東京都千代田区丸の内1-9-2\)](#)

URL： <http://www.recrutecareer.co.jp/company/map/index.php>

管理者： siroi_mogutan



参加希望者 **173** / 200 人

参加 : 173 / キャンセル : 26

▼ 参加者 (173 人)

- toto_1212 : よろしくお願ひします。
- ichipoo : よろしくお願ひいたします。
- ナギー : よろしくお願ひします
- shinyaa31 : よろしくお願ひします。
- tebora : よろしくお願ひします。



<http://www.slideshare.net/naokomc/wordpress-27138322>



<http://www.slideshare.net/megumithemes/staticpress-27139158>




<https://speakerdeck.com/masuidrive/amazon-s3dewordpresswodong-kasu>



<http://www.slideshare.net/horiyasu/amazon-s3web-27138902>

ローカル仮想環境の構築



Development environments made easy.

Create and configure lightweight, reproducible, and portable development environments.

[DOWNLOAD](#)[GET STARTED](#)

VAGRANT WILL CHANGE HOW YOU WORK



**Vagrant based development environment for
WordPress plugins, themes, or websites.**

/ Vagrant + Chef + WordPress

This is a [Vagrant](#) configuration designed for development of WordPress plugins, themes, or websites.

VCCW includes customizable variables for setting the WordPress version (or beta release), language, hostname, subdirectory, admin credentials, default plugins, default theme, multisite, SSL and other options. These variables give you a lot of flexibility in tailoring your development environment to your specific needs.

- [Requires](#)
- [Getting Started](#)
- [Environments](#)
- [Customizing](#)
- [Run pre/post provisioning scripts](#)
- [Changelog](#)

// Requires

- Vagrant 1.5 or later
- VirtualBox 4.3 or later

[↑ Back to top](#)


Star 223 Fork 71



! Issues

No issues to show.
[Create a new issue.](#)

👤 Contributors



Virtual BoxとVagrantのインストール

公式サイトからパッケージをダウンロードして、インストールを実行

<https://www.virtualbox.org/wiki/Downloads>

<https://www.vagrantup.com/downloads.html>

VCCWのインストール

プロジェクト用フォルダの作成

```
$ mkdir ~/prj/littlebird/  
$ cd ~/prj/littlebird/
```

VCCWのダウンロード

```
$ git clone git@github.com:miya0001/vccw.git
```

設定ファイルの編集

VCCWディレクトリへ移動して、設定ファイルをコピー

```
$ cd vccw  
$ cp provision/default.yml site.yml
```

site.ymlを編集

```
hostname: littlebird.local  
ip: 192.168.33.10  
version: latest  
lang: ja  
title: littlebird  
wp_home: "  
wp_siteurl: "  
db_prefix: lb_  
...
```

プロビジョニングの実行

以下のコマンドを実行するだけ

```
$ vagrant up
```

初回の環境構築だけ7分ほどかかりますが、気長に待ちましょう。

/wordpress/フォルダにファイルが入っていれば構築完了！

仮想環境の動作確認

The screenshot shows a WordPress dashboard with the following details:

- Header:** lottlebird blog, 1 comment, 0 messages, + 新規 (New), こんにちは、adminさん! (Hello, admin), SAMPLE PAGE, 検索 (Search).
- Post Content:** **HELLOWORLD!** (Published on November 24, 2014, 1 comment, Edit).
Content: Welcome to WordPress. This is your first post. Edit or delete it, then start blogging!
- Sidebar (Left):**
 - 最近の投稿: Hello world!
 - 最近のコメント: Hello world! に Mr WordPress より
 - アーカイブ: 2014年11月
 - カテゴリー: Uncategorized
 - メタ情報: サイト管理

IPアドレス（192.168.33.10）にアクセスして表示されたらOK。

管理画面は、<http://192.168.33.10/wp-login.php>にアクセスして、admin/adminでログイン。

ホストネームでアクセスするには


vagrant-hostsupdaterというプラグインを別途インストール

```
$ vagrant plugin install vagrant-hostsupdater
```

一度「vagrant halt」で仮想マシンを停止してから再度「vagrant up」で起動すれば有効化される。

Manage your vagrant machines in one place with **Vagrant Manager for OS X**.

One place. All access.



ローカルでのテーマ制作

```
<article id="post-<?php the_ID(); ?>" <?php post_class(); ?>
  <header class="entry-header">
    <h1 class="entry-title"><a href="<?php the_permalink(); ?>" title="<?php echo esc_attr( sprintf( __( 'Permalink to %s', '_s' ), the_title_attribute( 'url' ) ) ); ?>" rel="bookmark"><?php the_title(); ?></a></h1>

    <?php if ( 'post' == get_post_type() ) : ?>
    <div class="entry-meta">
      <?php _s_posted_on(); ?>
    </div><!-- .entry-meta -->
    <?php endif; ?>
  </header><!-- .entry-header -->

  <?php if ( is_search() ) : // Only display Excerpts for Search
  <div class="entry-summary">
    <?php the_excerpt(); ?>
  </div><!-- .entry-summary -->
  <?php else : ?>
  <div class="entry-content">
    <?php the_content( __( 'Continue reading <span class="meta-nav">&rarr;</span>', '_s' ) ); ?>
    <?php wp_link_pages( array( 'before' => '<div class="page-links">', __( 'Pages:', '_s' ), 'after' => '</div>' ) ); ?>
  </div><!-- .entry-content -->
```

UNDERSCORES

A STARTER THEME FOR WORDPRESS

CREATE YOUR UNDERSCORES BASED THEME

Theme Name

GENERATE

Advanced Options

Based on `_s` from github

Hi, I'm a starter theme called `_s`, or *underscores*, if you like. I'm a theme meant for hacking so don't use me as a Parent Theme. Instead try turning me into the next, most awesome, WordPress theme out there. That's what I'm here for.

My ultra-minimal CSS might make me look like theme tartare but that means less stuff to get in your way when you're designing your awesome theme. Here are some of the other more interesting things you'll find here:

A just right amount of lean, well-commented, modern, HTML5 templates.

A helpful 404 template.

An optional sample custom header implementation in `inc/custom-header.php`

Custom template tags in `inc/template-tags.php` that keep your templates clean and neat and prevent code duplication.

Some small tweaks in `inc/extras.php` that can improve your theming experience.

A script at `js/navigation.js` that makes your menu a toggled dropdown on small screens (like your phone), ready for CSS artistry.

2 sample CSS layouts in `layouts/`: A sidebar on the right side of your content and a sidebar on the left side of your content.

Underscores | A Starter Theme for WordPress: <http://underscores.me/>


Smartly organized starter CSS in `style.css` that will help you to quickly get your design off the



Bootstrap is the most popular HTML, CSS, and JS framework for developing responsive, mobile first projects on the web.

[Download Bootstrap](#)

Currently v3.3.2



Free email marketing for
small business.
ads via Carbon

詳しくはGitHubで…

The screenshot shows the GitHub repository page for 'littlebirdjp / littlebird-theme'. The repository has 91 commits, 1 branch, 0 releases, and 1 contributor (youthkee). The master branch is selected. The commit history lists various changes, including content addition, README updates, style adjustments, and OGP settings. The right sidebar provides links to Code, Issues, Pull Requests, Wiki, Pulse, Graphs, and Settings, along with clone options via HTTPS, SSH, or Subversion.

A simple WordPress theme build with _s and Bootstrap 3. — Edit

91 commits 1 branch 0 releases 1 contributor

branch: master littlebird-theme / +

コンテンツの追加	author	date
youthkee authored 4 days ago	latest commit 4a99bec5d8	
really-static	コンテンツの追加	4 days ago
screenshots	Readmeの追記	28 days ago
wp-content/themes/littlebird	スタイルの調整	4 days ago
LICENSE	Initial commit	2 months ago
README.md	Readmeの修正	7 days ago
apple-touch-icon-114x114.png	OGPの設定	a month ago
apple-touch-icon-120x120.png	OGPの設定	a month ago
apple-touch-icon-144x144.png	OGPの設定	a month ago
apple-touch-icon-152x152.png	OGPの設定	a month ago
apple-touch-icon-180x180.png	OGPの設定	a month ago
apple-touch-icon-57x57.png	OGPの設定	a month ago
apple-touch-icon-60x60.png	OGPの設定	a month ago

Code Issues Pull Requests Wiki Pulse Graphs Settings

HTTPS clone URL
https://github.com/

You can clone with [HTTPS](#), [SSH](#), or [Subversion](#).

Clone in Desktop Download ZIP

littlebird-theme: <https://github.com/littlebirdjp/littlebird-theme>

WordPressコンテンツの静的化



Plugin Directory

Username

Password

[Log in](#)[\(forgot?\) or Register](#)

Extending WordPress

Plugins

[Developer Center](#)

Themes

Mobile

Ideas

Kvetch!

Search Plugins

Popular

Tags

[More »](#)

widget (4,916)

Post (3,078)

plugin (3,022)

admin (2,529)

posts (2,346)

sidebar (1,892)

google (1,729)



The image shows the StaticPress plugin page on the WordPress.org Plugin Directory. The main title "staticpress" is displayed in large white font on a red background. Below it, the tagline "Transform your WordPress into static websites and blogs." is shown. A prominent "StaticPress" button is visible. To the right is a large, stylized graphic of a hand holding a smartphone displaying the StaticPress logo. The overall design is clean and modern.

Transform your WordPress into static websites and blogs.

[Download Version 0.4.3.7](#)[Description](#)[Installation](#)[FAQ](#)[Screenshots](#)[Changelog](#)[Stats](#)[Support](#)[Reviews](#)[Developers](#)

Transform your WordPress into static websites and blogs.

Requires: 3.5 or higher

Compatible up to: 4.0.1

Last Updated: 2014-12-25

Downloads: 6,215

Localization

"Static Press" has been translated into languages. Our thanks and appreciation must go to the following for their contributions:

Ratings

StaticPress: <https://wordpress.org/plugins/staticpress/>

• Japanese (ja) - OKAMOTO Wataru (plugin author)

German (de) - Olaf Schettler



Plugin Directory

Username Password Log in ([forgot?](#)) or Register

Extending WordPress

Plugins

▪ [Developer Center](#)

Themes

Mobile

Ideas

Kvetch!

Search Plugins

Popular

Tags [More »](#)

widget (4,916)

Post (3,078)

plugin (3,022)

admin (2,529)

posts (2,346)

sidebar (1,892)

google (1,729)

Really Static Settings

[Source](#)[Destination](#)[Settings](#)[Reset](#)[Manual Refresh](#)[Advanced](#) work with ftp work with sftp work with local filesystem

Internalfilepath from to cachedfiles
Really Static

Domainprefix for your cached files

Generates static HTML-files from your Blog. That makes your Blog incredible fast! Better than any other cache.

[Download Version 0.31](#)[Description](#) [Installation](#) [FAQ](#) [Screenshots](#) [Other Notes](#) [Changelog](#) [Stats](#) [Support](#) [Reviews](#)

Really-static generates static html-files out of your blog. Every time a Post is published/edited/deleted or a comment is posted, changes will be automatically written to the static blog.

Requires: 2.5.0 or higher

Compatible up to: 4.0.1

Last Updated: 2014-9-5

Downloads: 132,173

If you have problems, informations about bugs or ideas report them to us([no](#)

registration required, the user can write on the page on the project, also use the [wordpress.org forum](#) for question.

[Ratings](#)

StaticPressとReally Staticの比較

StaticPress

- ・ 全てのアーカイブのHTMLを生成
- ・ テーマやプラグインのディレクトリ内にある画像、CSS、JSなども全て生成

→アップ漏れの心配なし

Really Static

- ・ 指定したアーカイブのHTMLとアップロードしたメディア（画像）のみ生成

→必要なファイルのみアップ可能

Really Staticの使い方

The screenshot shows the WordPress admin dashboard with the Really Static plugin settings page open. The left sidebar shows standard WordPress menu items like Dashboard, Posts, Media, Pages, Comments, Appearance, Plugins, Users, Tools, and Settings. Under Settings, 'Really Static' is highlighted. The main content area has a title 'Really Static 設定'. A navigation bar at the top includes links for Sources, Location, Settings, Reset, Manual Refresh, Details, Log File, Debug, Preview, and Send. Below this, two input fields are shown: 'WordPress 本体への URL' (localhost) and '実際に使用しているテンプレートフォルダへの URL パス' (wp-content/themes/littlebird). A link to the manual page is provided, and a 'Save' button is visible. A checkbox for 'show Expertsettings' is checked.

WordPress本体のURLとテーマディレクトリのパスを設定。
ここはローカルのホストネームでOK！

The screenshot shows the WordPress admin dashboard with the 'Really Static' plugin settings page open. The left sidebar is dark-themed, showing various menu items like Dashboard, Posts, Media, Fixed Pages, Comments, Appearance, Plugins, Users, Tools, and Settings. The 'Settings' item is currently selected. The main content area has a light background and displays the 'Really Static 設定' (Really Static Settings) page. At the top, there's a navigation bar with tabs: ソース (Source), 設置場所 (Deployment Location), 設定 (Settings), リセット (Reset), 手動リフレッシュ (Manual Refresh), 詳細 (Details), ログファイル (Log File), デバッグ (Debug), ブリーズ (Breeze), and 寄付 (Contribute). The '設定' (Settings) tab is active. The configuration includes:

- 作動方法 (Operation Method):
 - FTP で作動させる (Operate via FTP)
 - SFTP で作動させる (Operate via SFTP)
 - ローカルのファイルシステムで作動させる (Operate via local file system)
- キャッシュされたファイルへの内部ファイルパス (Internal file path for cached files): [?]
- キャッシュされたファイルのドメインプリフィックス (Domain prefix for cached files): [?]
- テンプレートフォルダへのパス (Path to template folder): [?]
- Different prefix for every saving routine (Different prefix for every saving routine): [?]
- 保存 (Save) button
- テストして保存 (Test and Save) button
- show Expertsettings (Show Expert settings) checkbox (checked)

ローカルで静的ファイルを生成させる場所を設定。 (/really-static/など)
公開するサイトのURLとテーマディレクトリのパスを設定。

W littlebird 0 新規 こんにちは、youthkee さん!

Really Static 設定

Really-static

ソース 設置場所 設定 リセット 手動リフレッシュ 詳細 ログファイル テバグ プリーズ 寄付

カテゴリー/タグページなどにコメントカウンター(非推奨) [\[?\]](#)
 静的ファイルファルダーにリンクしているファイルをコピーせずに、静的なWordPressファイルだけコピーする
 各 <http://littlebird.local/> を <http://littlebird.mobi/> にリライトする(ハイセキュリティ) [\[?\]](#)

ページを静的にします: [\[?\]](#)

タグのページを静的にします
 カテゴリーのページを静的にします
 作成者のページを静的にします
 日アーカイブページを静的にします 日アーカイブページ 月アーカイブページ 年アーカイブページ
 index ページを静的にします

保存

次の拡張子を持つすべての添付ファイルを配置先サーバにコピーする: [\[?\]](#)

削除	.jpg
削除	.png
削除	.jpeg
削除	.gif
削除	.swf
削除	.gz
削除	.tar
削除	.zip

メニューを開じる

生成するアーカイブの種類を選択。

「indexページ」のみ選択すると、トップページと投稿ページしか生成されない。

The screenshot shows the WordPress admin dashboard with the Really Static plugin settings page open. The left sidebar has a dark theme with white text. The 'Really Static' option is highlighted in blue. The main content area has a light background. At the top, there's a navigation bar with tabs like 'ソース', '設定場所', '設定', etc. Below that, there are two sections: '一つのサイトを手動でリフレッシュ' and 'すべてのサイトを手動でリフレッシュ'. A button labeled 'すべてのファイルを書き込む' is visible. A note in Japanese explains that this button should be clicked after changing themes or plugins. A checkbox for 'show Expertsettings' is checked. The header features the 'Really-static' logo.

ページ単位、またはサイト全体を手動でリフレッシュ（再構築）。
「すべてのファイルを書き込む」ボタンをクリックすると、サイト全体の再構築が可能。

コンテンツのアップロード

共通ファイルのアップロード

```
└── wp-content
    └── themes
        └── littlebird
            ├── bower_components
            │   └── jbootstrap
            │       └── dist
            │           ├── css
            │           │   ├── bootstrap-theme.min.css
            │           │   ├── bootstrap.min.css
            │           │   └── littlebird-site.min.css
            │           ├── fonts
            │           │   ├── glyphicons-halflings-regular.eot
            │           │   ├── glyphicons-halflings-regular.svg
            │           │   ├── glyphicons-halflings-regular.ttf
            │           │   └── glyphicons-halflings-regular.woff
            │           └── js
            │               └── bootstrap.min.js
            └── fonts
                ├── Marck_Script
                │   ├── MarckScript-Regular.ttf
                │   └── OFL.txt
                └── Source_Sans_Pro
                    ├── OFL.txt
                    ├── SourceSansPro-Black.ttf
                    ├── SourceSansPro-BlackItalic.ttf
                    ├── SourceSansPro-Bold.ttf
                    ├── SourceSansPro-BoldItalic.ttf
                    ├── SourceSansPro-ExtraLight.ttf
                    ├── SourceSansPro-ExtraLightItalic.ttf
                    ├── SourceSansPro-Italic.ttf
                    ├── SourceSansPro-Light.ttf
                    ├── SourceSansPro-LightItalic.ttf
                    ├── SourceSansPro-Regular.ttf
                    ├── SourceSansPro-Semibold.ttf
                    └── SourceSansPro-SemiboldItalic.ttf
            └── img
                ├── bt_facebook@2x.png
                ├── bt_instagram@2x.png
                ├── bt_twitter@2x.png
                ├── logo@2x.png
                ├── ogimage.png
                ├── service01@2x.png
                ├── service02@2x.png
                ├── service03@2x.png
                └── youthkee@2x.png
            └── js
                ├── customizer.js
                ├── navigation.js
                └── skip-link-focus-fix.js
            └── style.css
```

テーマ側で使用している画像、CSS、JSのうち
サイトの表示・動作に必要な物だけをアップロード

コンテンツのアップロード

```
└── really-static
    ├── 2014
    |   └── 12
    |       └── firstpost
    |           └── index.html
    ├── index.html
    └── wp-content
        └── uploads
            └── 2014
                └── 12
                    ├── firstpost.jpg
                    └── littlebird_theme.jpg
```

/really-static/ → ドキュメントルートなど、適宜階層を置き換えてアップロードする。
初回以降は、差分のみアップする運用でOK！

Amazon S3での静的サイト公開

製品&サービス

Amazon S3

製品の詳細

料金表

ご利用開始にあたって

開発者用リソース

よくある質問

Amazon S3 サービスレベルアグリーメント

関連リンク

AWS マネジメントコンソール

ドキュメント

リリースノート

ディスカッションフォーラム

アマゾン ウェブ サービス

製品&サービス

Amazon S3

製品の詳細


料金表

Amazon S3

Amazon Simple Storage Service (Amazon S3) は、安全で耐久性があり拡張性の高いオブジェクトストレージを、開発者や IT チームに提供します。Amazon S3 は、シンプルなウェブサービスインターフェイスにより、ウェブのどこからでもお好みの量のデータを簡単に保存し取得します。Amazon S3 では、実際に使用したストレージ分のみお支払いいただきます。最低料金や初期費用はありません。

Amazon S3 は、単独で使用することも、Amazon Elastic Compute Cloud (Amazon EC2)、Amazon Elastic Block Store (Amazon EBS)、Amazon Glacier など、その他の AWS サービスやサードパーティ製のストレージリポジトリやゲートウェイと組み合わせて使用することもできます。Amazon S3 は、クラウドアプリケーション、コンテンツ配信、バックアップとアーカイブ、災害対策、ビッグデータ分析などのさまざまなユースケースに対して、費用効果の高いオブジェクトストレージを提供します。

Amazon S3 のご紹介（日本語字幕） (3:08)



今すぐ無料でデータ保存用のバケットをお試しください

[Amazon S3 を無料お試し](#)

AWS の無料利用枠には Amazon S3 のストレージ 5 GB、20,000 Get リクエスト、2,000 Put リクエストが含まれます。

[AWS 無料利用枠の詳細はこちら](#)

[AWS アカウント作成の流れはこちら](#)

[日本担当チームへお問い合わせ](#)

最新のニュース

新機能: Amazon S3 のイベント通知

Amazon S3 は、S3 でオブジェクトが変化したときにイベント通知を送信できるようになりました。[ブログを読む](#)

新機能: Amazon S3 による AWS Key Management Service (AWS KMS) のサポート

Amazon S3 は、[AWS KMS](#) で管理されているキーを使用してデータを暗号化できます。[ブログを読む](#)

堅牢性99.999999999%

可用性99.9%

バックアップの必要がほぼいらない

サイトが落ちる心配もほぼいらない

使った分だけ払えばOK

1ヶ月辺り10円／1GB～

Amazon S3設定のポイント

- ・ 独自ドメインで利用するには、ドメイン名と同じ名前でバケットを作成
- ・ ルートドメインの場合は「www」付きのドメイン名でもバケットを作成

littlebird.mobi

www.littlebird.mobi (リダイレクト用)

- ・ 閲覧できるようにバケットポリシーを変更
- ・ AWSで提供しているRoute 53というDNSサービスを利用する

詳しくはGitHubで…

The screenshot shows the GitHub repository page for 'littlebirdjp / littlebird-theme'. The repository has 91 commits, 1 branch, 0 releases, and 1 contributor (youthkee). The master branch is selected. The commit history lists various changes, including content addition, README updates, style adjustments, and OGP settings. The right sidebar provides links to Code, Issues, Pull Requests, Wiki, Pulse, Graphs, and Settings, along with clone options via HTTPS, SSH, or Subversion.

A simple WordPress theme build with _s and Bootstrap 3. — Edit

91 commits 1 branch 0 releases 1 contributor

branch: master littlebird-theme / +

コンテンツの追加	author	date
youthkee authored 4 days ago	latest commit 4a99bec5d8	
really-static	コンテンツの追加	4 days ago
screenshots	Readmeの追記	28 days ago
wp-content/themes/littlebird	スタイルの調整	4 days ago
LICENSE	Initial commit	2 months ago
README.md	Readmeの修正	7 days ago
apple-touch-icon-114x114.png	OGPの設定	a month ago
apple-touch-icon-120x120.png	OGPの設定	a month ago
apple-touch-icon-144x144.png	OGPの設定	a month ago
apple-touch-icon-152x152.png	OGPの設定	a month ago
apple-touch-icon-180x180.png	OGPの設定	a month ago
apple-touch-icon-57x57.png	OGPの設定	a month ago
apple-touch-icon-60x60.png	OGPの設定	a month ago

Code Issues Pull Requests Wiki Pulse Graphs Settings

HTTPS clone URL
https://github.com/

You can clone with [HTTPS](#), [SSH](#), or [Subversion](#).

Clone in Desktop Download ZIP

littlebird-theme: <https://github.com/littlebirdjp/littlebird-theme>

Really StaticとS3の連携

The screenshot shows the WordPress admin dashboard under the 'Plugins' section. A red box highlights the 'Really Static Amazon S3 Plugin' entry. The sidebar on the left includes links for Dashboard, Posts, Media, Fixed Pages, Comments, Appearance, Plugins (which is selected), Install Plugins, Add New, Plugin Editor, and Plugin Check. The main content area lists various plugins:

- Dynamic Hostname
- Hello Dolly
- Plugin-Check
- Really Static
- Really Static Amazon S3 Plugin
- StaticPress
- Theme Check
- WP Multibyte Patch

Each plugin entry includes its name, status (checkbox), version, author, and a 'Details' link.

「Really Static Amazon S3 Plugin」というプラグインを追加でインストール。
配布されているzipファイルを解凍して、プラグインディレクトリに設置すると、プラグインが認識される。

※要アクセスコード

The screenshot shows the WordPress admin interface with the 'Really Static' plugin active. The left sidebar has a 'Really Static' section under '設定'. The main area shows the 'Really Static 設定' page with tabs for 'ソース', '設置場所', '設定', etc. A red box highlights the 'work with Amazon S3' configuration section, which includes fields for 'accessKey', 'SecretKey', 'Bucket' (set to 'littlebird.mobi'), and 'path from rootfolder to folder with staticfiles' (set to '/'). Below this, there are three radio buttons for 'FTP', 'SFTP', or 'ローカルのファイルシステム' (Local File System), all of which are unselected. Further down, there are fields for 'キャッシュされたファイルのドメインプレフィックス' (Domain Prefix) set to 'http://littlebird.mobi/' and 'テンプレートフォルダへのパス' (Template Path) set to 'http://littlebird.mobi/wp-content/themes/littlebird/'. There is also a checkbox for 'Different prefix for every saving routine' which is unchecked. At the bottom are '保存' (Save) and 'テストして保存' (Test and Save) buttons, and a checked 'show Expertsettings' checkbox.

AWSの「Security Credentials」で設定した『Access Key ID』と『Secret Access Key』を設定し、バケット名（例：littlebird.mobi）を入力。
記事を投稿すると、自動的にS3にアップされるようになる。

まとめ

WordPressを静的化 + ローカルで運用すると
セキュリティのことを気にしなくていいので、とっても安心

ロード時間も速くて快適！

さらにReally Static + Amazon S3で連携すると
普段と全く変わらないフローで更新できる

ツールの導入で困った時は…

GitHubを活用しよう！



Unwatch 40

Star 223

Fork 71

Vagrant + Chef + WordPress <http://vccw.cc/>

294 commits

3 branches

28 releases

16 contributors



branch: master

vccw / +

oops

miya0001 authored 4 days ago

latest commit 2a605e698c ↗

provision

oops

4 days ago

spec

oops

4 days ago

.gitattribute

Force Unix line endings for all files

3 months ago

.gitignore

oops

4 days ago

.rspec

Upgrade serverspec from 1.x to 2.x and update tests

5 days ago

Gemfile

delete sample text

4 months ago

Gemfile.lock

upgrade serverspec from 1.x to 2.x and update tests

9 days ago

LICENSE

add license file

9 days ago

README.md

oops

4 days ago

Rakefile

upgrade serverspec from 1.x to 2.x and update tests

9 days ago

Vagrantfile

oops

4 days ago

README.md

① Issuesをチェック

同じような不具合が報告されてないか？

Code

Issues 0

Pull Requests 0

Wiki

Pulse

Graphs

HTTPS clone URL

<https://github.com/> ↗You can clone with [HTTPS](#), [SSH](#), or [Subversion](#). ⓘ

Clone in Desktop

Download ZIP



vccw-team / vccw

Unwatch 40

Star 223

Fork 71

Vagrant + Chef + WordPress <http://vccw.cc/>

294 commits

3 branches

28 releases

16 contributors



branch: master

vccw / +

Code

Issues 0

Pull Requests 0

Wiki

Pulse

Graphs

HTTPS clone URL

<https://github.com/>

You can clone with HTTPS, SSH, or Subversion.

Clone in Desktop

Download ZIP

②

Pull Requestsをチェック

同じような不具合に対する提案が上がってないか？

oops

miya0001 authored 4 days ago

latest commit 2a03e698c

provision

spec

.gitattribute

Force Unix line endings for all files

3 months ago

.gitignore

oops

4 days ago

.rspec

upgrade serverspec from 1.x to 2.x and update tests

9 days ago

Gemfile

delete sample text

4 months ago

Gemfile.lock

upgrade serverspec from 1.x to 2.x and update tests

9 days ago

LICENSE

add license file

9 days ago

README.md

oops

4 days ago

Rakefile

upgrade serverspec from 1.x to 2.x and update tests

9 days ago

Vagrantfile

oops

4 days ago

README.md



vccw-team / vccw

[Unwatch](#) 40[Star](#) 223[Fork](#) 71Vagrant + Chef + WordPress <http://vccw.cc/>

294 commits

3 branches

28 releases

16 contributors



branch: master

vccw / +



oops

miya0001 authored 4 days ago

latest commit 2a605e698c

provision

oops

4 days ago

spec

oops

4 days ago

.gitattribute

Force Unix line endings for all files

3 months ago

.gitignore

oops

4 days ago

.rspec

upgrade serverspec from 1.x to 2.x and update tests

9 days ago

Gemfile

delete sample text

4 months ago

Gemfile.lock

upgrade serverspec from 1.x to 2.x and update tests

9 days ago

LICENSE

add license file

9 days ago

README.md

oops

4 days ago

Rakefile

upgrade serverspec from 1.x to 2.x and update tests

9 days ago

Vagrantfile

oops

4 days ago

README.md

③ Commitsをチェック

最近大きな仕様変更がなかったか？

Code

Issues 0

Pull Requests 0

Wiki

Pulse

Graphs

HTTPS clone URL

<https://github.com/> You can clone with [HTTPS](#), [SSH](#), or [Subversion](#).

Clone in Desktop

Download ZIP



vccw-team / vccw

[Unwatch](#) 40[Star](#) 223[Fork](#) 71Vagrant + Chef + WordPress <http://vccw.cc/>

294 commits

3 branches

28 releases

16 contributors



branch: master

vccw / +

oops

miya0001 authored 4 days ago

provision

oops

spec

oops

.gitattribute

Force Unix line endings for all files

.gitignore

oops

.rspec

upgrade serverspec from 1.x to 2.x and update tests

Gemfile

delete sample text

Gemfile.lock

upgrade serverspec from 1.x to 2.x and update tests

LICENSE

add license file

README.md

oops

Rakefile

upgrade serverspec from 1.x to 2.x and update tests

Vagrantfile

oops

README.md

何はともあれ、
まずはWatchしておく

メールで随時通知を受け取れる

Code

Issues 0

Pull Requests 0

Wiki

Pulse

Graphs

HTTPS clone URL

<https://github.com/>You can clone with [HTTPS](#), [SSH](#), or [Subversion](#). [?](#)[Clone in Desktop](#)[Download ZIP](#)



Unwatch 40

Star 223

Fork 71

Issues

Pull requests

Labels

Milestones



Title

Write

Preview

Markdown supported

Edit in fullscreen

Leave a comment

それでも分からなかつたら
Issueを投稿して聞いてみる

Attach images by dragging & dropping, [selecting them](#), or pasting from the clipboard.

Submit new issue

作者が忙しいこともあるけど、
きっと誰かが助けてくれるはず…

WordPressのことなら…

Slackも活用しよう

WordSlack ▾

#theme ▾

CHANNELS

- # codex
- # community
- # forum
- # general
- # plugin
- # random
- # slack-help
- # theme**
- # translate

wapuu-channel

wptv

DIRECT MESSAGES

- slackbot
- hibiki
- kanjy
- mayuge
- megane9988
- nao
- nukaga
- show-ko
- taisuke
- webnist
- wokamoto

youthkee online

Search ? ... < 45

(翻訳者は誰だか多分お判りですよね)
この翻訳ファイルを流用すれば、テーマが古い関数等を使っていた場合にレビューのコメントとして出すべき文言が、そのまま流用できるかもしれません。 (可能性の話ですが、、、)
調べてみてはどうでしょうか？

January 19th, 2015

 **syamn** 4:24 AM joined #theme

January 24th, 2015

 **wapuu** 10:33 AM [ERROR] <https://ja.forums.wordpress.org/rss/tags/themereview> - ETIMEDOUT

 **miyauchi** 9:02 PM テーマレビュー用のVagrantを作りなおしました。
<https://github.com/vccw-team/vccw-for-theme-review>

GitHub
vccw-team/vccw-for-theme-review
vccw-for-theme-review - VCCW for theme reviewing.

VCCW

January 26th, 2015

 **nukaga** 12:19 AM テーマ作成にも便利と聞いたので使ってみます！

Upload emoji



このサイトについて

目次

Codexとは
コミュニティ・ポータル

ヘルプ

最近の更新

索引

特集

WordPress 4.1
WordPress 4.0
WordPress 3.9

サーバ別情報

レンタルサーバ情報
自動アップグレード対応
マルチサイト機能対応

リファレンス

用語集
バージョン一覧
テンプレート階層
テンプレートタグ
条件分岐タグ
インクルードタグ
関数
データベース
アクションフック
フィルターフック

ドキュメント整備

コミュニティ・ポータル
編集案内
Wiki記法早見表
ページ名対応表

ページ 議論

閲覧 ソース表示 履歴表示

表示 検索

- サイトデザイン工事中です。ご意見をお寄せください。
 - 赤色のリンクは、まだ日本語Codexに存在しないページ・画像です。英語版と併せてご覧ください。（詳細）
- 【このWikiはいつでも誰でも編集できます】

WordSlackへの参加方法

(WordPress日本語"非公式"Slackの参加方法から転送)

WordSlack(日本語Slack)への参加にはchat.wordpress.orgドメインのメールアドレスが必要です。chat.wordpress.orgドメインのメールアドレスは以下の方法で取得します。

目次 [非表示]

- 1.1. WordPress + Slackに登録
2. WordSlackに登録
- 3.3. SlackデスクトップアプリでTeamを追加する場合
- 4.4. SlackモバイルアプリでTeamを追加する場合

1. WordPress + Slackに登録

1. WordPress.orgサイトにログインしてください。
2. WordPress.orgへ未登録の場合は登録画面から登録してください。
3. ログインしたらWordPress+Slackを開いてください。
4. 「Joining the WordPress team on Slack」を読んで理解し、合意したら「I understand. Please send me an invite.」をクリックします。
5. すると転送専用の「あなたのwordpress.orgアカウント@chat.wordpress.org」のメールアドレスが作成され、wordpress.orgアカウントに登録されたメールアドレスにinvitationメールが送信されます。

2. WordSlackに登録

1. <https://wpja.slack.com/>を開き、「create an account」をクリックします。
2. @chat.wordpress.orgの左側にあなたのwordpress.orgアカウントを入力し「Create Account」をクリックします。
3. するとinvitationメールが送られてくるので「Confirm your Email address」をクリックします。

3. SlackデスクトップアプリでTeamを追加する場合

1. Window > Sign in to another team.. をクリックします。
2. Sign in ウィンドウが立ち上がりりますので、Slack domainを入力します。（WordPress日本語"非公式"に参加する場合は、"wpja"）
3. 「Continue」をクリックします。
4. 参照：[Apps | WordPress ja Slack](#)

4. SlackモバイルアプリでTeamを追加する場合

1. 右上サブメニューをタップします。
2. サブメニュー内より「Switch Teams」をタップします。
3. 「Add a team」をタップします。
4. Enter your team's Slack domainと入力します。
5. 「Continue」をタップします。

参加方法はこちら：<http://bit.ly/1LyAMjX>