Chomp - Change and Testing Record

Date: November 1, 2026

Contributor: Shan (test account display name: Shannon)

Collaborative tester: Jimmy

Stack: React Native, Expo, TypeScript, and Supabase

Branch: feat/group-sync

Commit: 6ac34e06f941d38e8bcd41fd591134a3822935ac

1. Objective

Implement authenticated multiplayer rooms, shared preferences, voting, persistent results, and Lucky Diner tie resolution. Refine the interface against the final Hi-Fi Version 3 design and enable dynamically generated fictional restaurants for demonstrations.

2. Changes Implemented

Area	Change	Result
Multiplayer rooms	Added Supabase room, membership, vote, and restaurant catalog tables with an authenticated RPC	Signed-in users can create a room or join using an invitation code
Synchronization	Added polling approximately every two seconds for membership, readiness, preferences, and votes	Actual participants replace simulated members in live rooms
Permissions and persistence	Enforced membership checks, host-only start, and serialized result updates	Server records the shared result and prevents repeated random draws
Group size	Removed the four-person limit and fixed capacity labels	Actual participant count is displayed; at least two ready participants are required
Room details	Restored the complete Group Name and Date, Time & Scope card	Hosts can edit details before voting; members receive saved updates
Date and time	Added Date, Time placeholder and connected both confirmation controls to saving	Addresses the calendar closing without saving the selected value
Location	Added Location placeholder and allowed omission of a specific location	Location description remains separate from individual distance preferences
Entry screen	Removed room status and room controls from the create/join landing screen	Landing screen retains the intended entry flow
Room controls	Removed Open room and My preferences toolbar buttons	Reduces duplicate navigation controls
Host action	Moved Ready to vote to the bottom of the host summary and replaced View Recommended Restaurants	Hosts have one primary action; other participants retain the recommendation entry
Unlimited distance	Replaced the internal distance sentinel with No distance limit	Avoids displaying an artificial 100000-mile value

Area	Change	Result
Random voting	Used the server-recorded choice and corrected fixed restaurant text on the confirmation page	Confirmation reflects the selected restaurant
Change vote	Preserved vote replacement while voting remains open and explained the locked state	Completed rounds direct users toward the result or tie resolution
Tie resolution	Supported two-person ties, four-person 2-2 ties, and five-person 2-2-1 ties	Lucky Diner is selected from voters for tied leading restaurants; the result persists
Dynamic demonstration restaurants	Generated three fictional options from group preferences	Shared budget limits, distance, restrictions, and cuisine preferences inform the options
Conflicts	Rejected non-overlapping budgets	The application does not invent a fully compatible result when budgets conflict
GitHub delivery	Committed and pushed code, migrations, and tests	25 files changed, 907 insertions, and 39 deletions; no merge into main

3. Issues Found and Resolutions

1. **Room creation reported missing database support.** The initial multiplayer migration was installed. Subsequent room-detail and demonstration migrations were applied successfully.

2. **Direct page refresh returned a 404.** SPA route fallback was added to the local and shared preview servers.

3. **No restaurants matched the two participants.** Explicit fictional menu fixtures and restriction labels were added first. These were subsequently extended into dynamic demonstration generation.

4. **Restaurant voting controls were unavailable.** The interface now distinguishes the lobby from active voting and explains readiness requirements.

5. **Room details were incomplete or read-only.** The complete card, editable name, date/time controls, and location field were restored with a flowing layout.

6. **The room assumed four diners.** Both the server capacity check and fixed interface labels were removed.

7. **Start voting appeared too early.** It was removed from the create/join and room-detail screens and placed at the bottom of the host summary.

8. **The date remained a placeholder.** Both the date/time confirmation button and the modal Done action were connected to saving.

9. **Participants saw different restaurant names.** Screenshots showed different loaded client versions. Participants were instructed to reload; dynamic menus now derive deterministically from shared member preferences.

10. **Random confirmation displayed fixed design text.** Restaurant text binding was corrected to reflect the server-recorded selection.

11. **Change my vote appeared ineffective after completion.** The interface now explains that all votes have been received and the round is locked.

4. Automated Testing

The final full TypeScript test suite was executed before the GitHub push:

node --import tsx --test tests/*.test.ts

Final result: 43 passed, 0 failed.

Coverage included:

• Rejection of anonymous access and unauthorized direct table access.

• Two-account room membership, voting, vote replacement, shared results, and result recovery.

• Host-only start, membership validation, minimum participation, and readiness checks.

• Persistent four-person 2-2 tie resolution without repeated draws.

• Five-person membership and a 2-2-1 tie restricted to leading-restaurant voters.

• Host detail updates, shared reads, invalid input rejection, and unauthorized edit rejection.

• Dynamic fictional menus with arbitrary recorded restrictions.

• Budget intersection, distance boundaries, and deterministic output across member ordering.

• Rejection of non-overlapping budgets.

• Preference conversion, navigation, registration validation, billing, and existing flow regression checks.

Database tests used PGlite, a local PostgreSQL environment, with simulated JWT identities. These tests are distinct from simultaneous testing on two physical devices.

A separate bill-splitting model suite also passed all six tests during the day. Those six tests are not included in the final total of 43.

TypeScript checks and Expo Web exports passed during the relevant revisions. After the final static fixture regression correction, the complete 43-test suite was rerun successfully.

5. Manual Testing and Evidence

Test area	Evidence source	Recorded outcome
Initial database installation	User execution and success screenshot	Migration completed successfully
Authenticated two-account rooms	Shannon and Jimmy testing; user screenshots	Rooms including RVJ-802 and RJG-555 displayed actual members and readiness or voting status
Online room-detail saving	Assistant browser inspection	Group details saved for everyone confirmation appeared
Dynamic participant count and entry layout	Browser inspection and user screenshots	Actual count and removal of entry-screen room controls were verified
Recommendation list	Assistant browser inspection	Three test matches were displayed for two diners
Date selection, Random, and change-vote flow	User reports, revisions, and subsequent user testing	User reported repeated testing without further problems
Dynamic preference demonstrations	Final user feedback	User reported several successful tests and requested GitHub synchronization

The manual conclusion reflects the user's overall feedback. No complete session recordings, per-task timing sheets, exact choices for every test round, or independently signed participant reports were supplied. These details have not been invented. Automated test counts are not presented as participant session counts.

6. Scope and Limitations

• Restaurants, menus, prices, and distances are fictional demonstration data. Images are illustrative and do not establish real menu contents or allergy safety.

• Cuisine preferences influence ordering. Different cuisine preferences do not imply that every participant likes every generated option.

• Non-overlapping budgets remain a blocking conflict.

• Each room supports a single voting round. Once all participants vote, the round locks; a persisted Lucky Diner result cannot be rerolled.

• Synchronization uses polling rather than Supabase Realtime subscriptions.

• Participants must reload to receive a newly exported client version. Automatic client version enforcement was not added today.

• This record does not claim real restaurant integration, verified allergen information, or comprehensive native-device certification.

7. Delivery and Traceability

Branch: https://github.com/littlec721010-hue/Chomp/tree/feat/group-sync

Commit: https://github.com/littlec721010-hue/Chomp/commit/6ac34e06f941d38e8bcd41fd591134a3822935ac

After pushing, the local HEAD and remote branch SHA were confirmed identical, and the repository working tree was clean. This report was generated afterward as a separate local attachment.

Database migration files:

• 202611010001_group_voting.sql

• 202611010002_test_restaurant_restrictions.sql

• 202611010003_group_details.sql

• 202611010004_seafood_fixture.sql

• 202611010005_dynamic_demo.sql

Local connection configuration remains in .env.local and was not uploaded. The branch has not been merged into main.