Roll No	
---------	--

## AU/IP/IEM/ME/AE/PR - 304

## **B.E. III Semester** Examination, December 2014

# **Thermodynamics**

Time: Three Hours

Maximum Marks: 70

*Note:* i) Answer five questions. In each question part A, B, C is compulsory and D part has internal choice.

- ii) All parts of each questions are to be attempted at one place.
- iii) All questions carry equal marks, out of which part A and B (Max.50 words) carry 2 marks, part C (Max.100 words) carry 3 marks, part D (Max.400 words) carry 7 marks.
- iv) Except numericals, Derivation, Design and Drawing etc.

## Unit - I

- 1. a) What is meant by thermodynamic equilibrium?
  - b) What is an ideal gas? How does it differ from a perfect gas?
  - c) State and derive characteristic gas equation.
  - d) A high altitude chamber, the volume of which is 30 m<sup>3</sup>, is put into operation by reducing the pressure from 1.013 bar to 0.35 bar and temperature from 27°C to 5°C. How many kg of air must be removed from the chamber during the process? Express this mass as volume measured at 1.013 bar and 27°C. Take R = 287 J/kg K for air.

OR

3 kg of air kept at an absolute pressure of 100 kPa and temperature of 300 K is compressed polytropically until the pressure and temperature become 1500 kPa and 500K respectively. Evaluate the polytropic exponent, the final volume, the work of compression and the heat interaction.

## **Unit - II**

- 2. a) What is a heat engine? Write characteristic features of a heat engine.
  - b) Define thermal efficiency of a heat engine.
  - c) Show that COP of a heat pump is greater than COP of a refrigerator by unity.
  - d) Three real heat engines have the same thermal efficiency and are connected in series. The first engine absorbs 2400 kJ of heat from a thermal reservoir at 1250 K and the third engine rejects its waste of 300 kJ to a sink at 150 K. Determine the work output from each engine.

OR

A lump of steel of mass 8 kg at 1000 K is dropped in 80 kg of oil at 300 K. Make calculations for the entropy change of steel, the oil and the universe. Take specific heats of steel and oil a 0.5 kJ/kg K and 3.5 kJ/kg K, respectively.

#### Unit - III

- 3. a) Define compressibility and explain its significance.
  - b) What is a real gas? How does it differ from an ideal gas?

- c) Derive Van der Waal's equation in terms of reduced parameters.
- d) 5 kg of carbon dioxide occupies 1.5 m<sup>3</sup> at 300 K. Determine the pressure exerted by  $CO_2$  gas using Van der Waal's equation. How this result would compare with the one obtained by treating  $CO_2$  as an ideal gas. The constants a and b appearing in Van der Waal's equation have the values  $a = 3.6285 \times 10^5$  Nm/(kg mol)<sup>2</sup> and b = 0.0423 m<sup>3</sup>/kg mol.

#### OR

Derive the first and second T ds equations and set up the expression for the difference in heat capacities  $C_p$  and  $C_v$ . State the significance of this expression.

#### Unit - IV

- 4. a) What is a pure substance?
  - b) What information do you get from a Mollier Chart?
  - c) Describe the process of formation of steam and give its graphical representation.
  - d) Calculate the internal energy of 0.3 m<sup>3</sup> of steam at 4 bar and 0.95 dryness. If this steam is superheated at constant pressure through 30°C, determine the heat added and change in internal energy.

## OR

The following data were obtained in a test on a combined separating and throttling calorimeter: Pressure of steam sample = 15 bar, pressure of steam at exit = 1 bar, temperature of steam at exit =  $150^{\circ}$ C, discharge from separating calorimeter = 0.5 kg/min, discharge from throttling calorimeter = 10 kg/min.

Determine the dryness fraction of the sample steam.

#### Unit - V

- 5. a) What is a cycle? What is the difference between ideal and actual cycle?
  - b) Enumerate all the four processes of the Carnot cycle and draw its P-V diagram.
  - c) Derive an expression for the efficiency of Otto cycle.
  - d) The stroke and cylinder diameter of a compression ignition engine are 250 mm and 150 mm respectively. If the clearance volume is 0.0004 m³ and fuel injection takes place at constant pressure for 5 per cent of the stroke, determine the efficiency of the engine. Assume the engine working on the diesel cycle.

## OR

Given that air consists of 21% oxygen and 79% nitrogen by volume. Determine:

- i) The moles of nitrogen per mole of oxygen.
- ii) The partial pressure of oxygen and nitrogen if the total pressure is 1 atm.
- iii) The kg of nitrogen per kg of mixture.

\*\*\*\*\*