



2607 Commerce Boulevard  
Birmingham, AL 35210  
205-951-3400  
1-800-23WATER  
Fax 205-951-0808  
[www.EMCbham.com](http://www.EMCbham.com)

## STORM WATER FIELD SAMPLING DOCUMENTATION

*(Please attach a copy of this sheet to Chain of Custody)*

Facility Name: \_\_\_\_\_ Permit # (if known): \_\_\_\_\_

Facility Location: \_\_\_\_\_

Previous qualifying rainfall PRIOR to sample collection:

Date(s): \_\_\_\_\_ Time Ended: \_\_\_\_\_ Total Rain Depth: \_\_\_\_\_

Greater than 72 hours since the END of the last qualifying storm:  
(>0.1") Yes No

Documentation for storm event sampled:

Date Began: \_\_\_\_\_ Time Began: \_\_\_\_\_ Total Depth: \_\_\_\_\_

Does this event quality (i.e., greater than 0.1" total depth)?  
Yes No

Outfall documentation: DSN \_\_\_\_\_ - \_\_\_\_\_  
(Enter appropriate outfall DSN, i.e. 001, 002)

Time flow began at outfall: \_\_\_\_\_ Time sample was taken: \_\_\_\_\_

pH Meter calibrated: (\*)Yes No pH \_\_\_\_\_ Time: \_\_\_\_\_  
\*Buffers used \_\_\_\_\_

Samples properly collected in the sample containers provided by the lab?  
Yes No

Sample containers properly packed in ice in the cooler?  
Yes No NA

Chain of Custody Record completed?  
Yes No

Field observations (if any):

Person collecting samples:

\_\_\_\_\_  
(Print Name)

\_\_\_\_\_  
(Signature)