



Guide for running scASK from the command line:


Unzip all of the files in scASKcmd-master.zip to the initial working folder of Matlab



Download example datasets, then copy the mat-files to the data directory respectively



Enter the following statements in Command Window, scASK will be launching soon



- [1] 5 example datasets <https://github.com/BatzoglouLabSU/SIMLR/tree/SIMLR/MATLAB/data>
- [2] 9 example datasets <https://github.com/ishspsy/project/tree/master/MPSSC/Data>

1. The running parameters and output figures for *Buettner* dataset

Table S1: The running parameters for *Buettner* dataset.

```

load('SIMLR\Pollen.mat');

[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.01:0.5);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'jaccard','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'cosine','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle, SLC_Model_ABS);

```




Figure S1: The global view of *Buettner* dataset with scaled colors.

Distribution of Data Excluding 37.9430% Zero Values




Figure S2: The distribution of *Buettner* dataset excluding all zero values.




Figure S3: The distribution of *Buettner* dataset on every classes.




Figure S4: The growth increment with scaled colors for *Buettner* dataset.




Figure S5: The slice points with more increment for *Buettner* dataset.




Figure S6: The accuracy of models on every slice points for *Buettner* dataset.




Figure S7: The weighted accuracy on every slice points for *Buettner* dataset.




Figure S8: The RWS mode of meta classifiers for *Buettner* dataset.




Figure S9: The ABS mode of meta classifiers for *Buettner* dataset.

Confusion Matix of SLC_Model_RWS				
Output Class	Target Class			
	1	2	3	
1	11 30.6%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	12 33.3%	0 0.0%	100% 0.0%
3	0 0.0%	0 0.0%	13 36.1%	100% 0.0%
	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%

Figure S10: The confusion matrix of ensemble classifier with RWS mode for *Buettner* dataset.

Confusion Matix of SLC_Model_ABS				
Output Class	Target Class			
	1	2	3	
1	11 30.6%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	12 33.3%	0 0.0%	100% 0.0%
3	0 0.0%	0 0.0%	13 36.1%	100% 0.0%
	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%

Figure S11: The confusion matrix of ensemble classifier with ABS mode for *Buettner* dataset.

2. The running parameters and output figures for *Kolod* dataset

Table S2: The running parameters for *Kolod* dataset.

```

load('SIMLR\Kolod.mat');

[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.03:2);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'jaccard','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'cosine','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',6);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S12: The global view of *Kolod* dataset with scaled colors.

Distribution of Data Excluding 27.8699% Zero Values




Figure S13: The distribution of *Kolod* dataset excluding all zero values.




Figure S14: The distribution of *Kolod* dataset on every classes.




Figure S15: The growth increment with scaled colors for *Kolod* dataset.




Figure S16: The slice points with more increment for *Kolod* dataset.




Figure S17: The accuracy of models on every slice points for *Kolod* dataset.




Figure S18: The weighted accuracy on every slice points for *Kolod* dataset.




Figure S19: The RWS mode of meta classifiers for *Kolod* dataset.




Figure S20: The ABS mode of meta classifiers for *Kolod* dataset.

Confusion Matix of SLC_Model_RWS				
Output Class	Target Class			
	1	2	3	
1	59 42.1%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	31 22.1%	0 0.0%	100% 0.0%
3	0 0.0%	0 0.0%	50 35.7%	100% 0.0%
	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%

Figure S21: The confusion matrix of ensemble classifier with RWS mode for *Kolod* dataset.

Confusion Matix of SLC_Model_ABS				
Output Class	Target Class			
	1	2	3	
1	59 42.1%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	31 22.1%	0 0.0%	100% 0.0%
3	0 0.0%	0 0.0%	50 35.7%	100% 0.0%
	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%

Figure S22: The confusion matrix of ensemble classifier with ABS mode for *Kolod* dataset.

3. The running parameters and output figures for *Pollen* dataset

Table S3: The running parameters for *Pollen* dataset.

```

load('SIMLR\Pollen.mat');

[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.05:4);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'jaccard','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'cosine','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S23: The global view of *Pollen* dataset with scaled colors.



Figure S24: The distribution of *Pollen* dataset excluding all zero values.




Figure S25: The distribution of *Pollen* dataset on every classes.




Figure S26: The growth increment with scaled colors for *Pollen* dataset.




Figure S27: The slice points with more increment for *Pollen* dataset.




Figure S28: The accuracy of models on every slice points for *Pollen* dataset.




Figure S29: The weighted accuracy on every slice points for *Pollen* dataset.




Figure S30: The RWS mode of meta classifiers for *Pollen* dataset.




Figure S31: The ABS mode of meta classifiers for *Pollen* dataset.

Confusion Matix of SLC_Model_RWS												
Output Class	1	2	3	4	5	6	7	8	9	10	11	
	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	5 10.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	1 2.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 6.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	9 18.4%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 16.3%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 6.1%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 8.2%	100% 0.0%
100% 0.0%												98.0% 2.0%

Figure S32: The confusion matrix of ensemble classifier with RWS mode for *Pollen* dataset.

Confusion Matix of SLC_Model_ABS												
Output Class	1	2	3	4	5	6	7	8	9	10	11	
	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	5 10.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	1 2.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 6.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	9 18.4%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 16.3%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 6.1%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 8.2%	100% 0.0%
100% 0.0%												98.0% 2.0%

Figure S33: The confusion matrix of ensemble classifier with ABS mode for *Pollen* dataset.

4. The running parameters and output figures for *Usoskin* dataset

Table S4: The running parameters for *Usoskin* dataset.

```

load('SIMLR\Usoskin.mat'); in_X = 0.3*in_X;
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.05:2.6);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,21);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'jaccard','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'cosine','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',6);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S34: The global view of *Usoskin* dataset with scaled colors.




Figure S35: The distribution of *Usoskin* dataset excluding all zero values.




Figure S36: The distribution of *Usoskin* dataset on every classes.




Figure S37: The growth increment with scaled colors for *Usoskin* dataset.




Figure S38: The slice points with more increment for *Usoskin* dataset.




Figure S39: The accuracy of models on every slice points for *Usoskin* dataset.




Figure S40: The weighted accuracy on every slice points for *Usoskin* dataset.




Figure S41: The RWS mode of meta classifiers for *Usoskin* dataset.




Figure S42: The ABS mode of meta classifiers for *Usoskin* dataset.

Confusion Matix of SLC_Model_RWS					
Output Class	1	2	3	4	
1	23 18.5%	0 0.0%	4 3.2%	0 0.0%	85.2% 14.8%
2	0 0.0%	30 24.2%	4 3.2%	0 0.0%	88.2% 11.8%
3	0 0.0%	0 0.0%	17 13.7%	0 0.0%	100% 0.0%
4	0 0.0%	0 0.0%	7 5.6%	39 31.5%	84.8% 15.2%
	100% 0.0%	100% 0.0%	53.1% 46.9%	100% 0.0%	87.9% 12.1%

Figure S43: The confusion matrix of ensemble classifier with RWS mode for *Usoskin* dataset.

Confusion Matix of SLC_Model_ABS					
Output Class	1	2	3	4	
1	27 21.8%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	33 26.6%	1 0.8%	0 0.0%	97.1% 2.9%
3	0 0.0%	0 0.0%	17 13.7%	0 0.0%	100% 0.0%
4	0 0.0%	1 0.8%	1 0.8%	44 35.5%	95.7% 4.3%
	100% 0.0%	97.1% 2.9%	89.5% 10.5%	100% 0.0%	97.6% 2.4%

Figure S44: The confusion matrix of ensemble classifier with ABS mode for *Usoskin* dataset.

5. The running parameters and output figures for *Usoskin* dataset (all 'correlation')

Table S5: The running parameters for *Usoskin* dataset.

```

load('SIMLR\Usoskin.mat'); in_X = 0.3*in_X;
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,1.4:0.01:1.8);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,27);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,6,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,9,'correlation','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,12,'correlation','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S45: The global view of *Usoskin* dataset with scaled colors.

Distribution of Data Excluding 78.0989% Zero Values




Figure S46: The distribution of *Usoskin* dataset excluding all zero values.




Figure S47: The distribution of *Usoskin* dataset on every classes.




Figure S48: The growth increment with scaled colors for *Usoskin* dataset.




Figure S49: The slice points with more increment for *Usoskin* dataset.




Figure S50: The accuracy of models on every slice points for *Usoskin* dataset.




Figure S51: The weighted accuracy on every slice points for *Usoskin* dataset.




Figure S52: The RWS mode of meta classifiers for *Usoskin* dataset.




Figure S53: The ABS mode of meta classifiers for *Usoskin* dataset.

Confusion Matix of SLC_Model_RWS					
	1	2	3	4	
1	27 21.8%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	33 26.6%	1 0.8%	0 0.0%	97.1% 2.9%
3	0 0.0%	0 0.0%	17 13.7%	0 0.0%	100% 0.0%
4	0 0.0%	0 0.0%	3 2.4%	43 34.7%	93.5% 6.5%
		100% 0.0%	100% 0.0%	81.0% 19.0%	100% 0.0%
					96.8% 3.2%

Figure S54: The confusion matrix of ensemble classifier with RWS mode for *Usoskin* dataset.

Confusion Matix of SLC_Model_ABS					
	1	2	3	4	
1	27 21.8%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	33 26.6%	1 0.8%	0 0.0%	97.1% 2.9%
3	0 0.0%	1 0.8%	16 12.9%	0 0.0%	94.1% 5.9%
4	0 0.0%	0 0.0%	0 0.0%	46 37.1%	100% 0.0%
		100% 0.0%	97.1% 2.9%	94.1% 5.9%	100% 0.0%
					98.4% 1.6%

Figure S55: The confusion matrix of ensemble classifier with ABS mode for *Usoskin* dataset.

6. The running parameters and output figures for *Zeisel* dataset (9 classes)

Table S6: The running parameters for *Zeisel* dataset.

```

load('SIMLR\Zeisel.mat'); in_X = full(in_X); in_X = log(1+in_X); clear label2;
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.3:5.1);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'jaccard','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'cosine','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S56: The global view of *Zeisel* dataset with scaled colors.

Distribution of Data Excluding 46.0103% Zero Values




Figure S57: The distribution of *Zeisel* dataset excluding all zero values.




Figure S58: The distribution of *Zeisel* dataset on every classes.




Figure S59: The growth increment with scaled colors for *Zeisel* dataset.




Figure S60: The slice points with more increment for *Zeisel* dataset.




Figure S61: The accuracy of models on every slice points for *Zeisel* dataset.




Figure S62: The weighted accuracy on every slice points for *Zeisel* dataset.




Figure S63: The RWS mode of meta classifiers for *Zeisel* dataset.




Figure S64: The ABS mode of meta classifiers for *Zeisel* dataset.

Confusion Matix of SLC_Model_RWS										
	1	2	3	4	5	6	7	8	9	
Output Class	55 9.2%	0 0.0%	2 0.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 0.2%	94.8% 5.2%
1	0 0.0%	74 12.3%	2 0.3%	1 0.2%	0 0.0%	1 0.2%	0 0.0%	0 0.0%	0 0.0%	94.9% 5.1%
2	0 0.0%	0 0.0%	187 31.1%	1 0.2%	0 0.0%	0 0.0%	1 0.2%	0 0.0%	0 0.0%	98.9% 1.1%
3	0 0.0%	0 0.0%	161 26.8%	0 0.0%	1 0.2%	1 0.2%	1 0.2%	0 0.0%	0 0.0%	98.2% 1.8%
4	0 0.0%	0 0.0%	0 0.0%	0 0.0%	19 3.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
5	0 0.0%	1 0.2%	0 0.0%	1 0.2%	0 0.0%	34 5.7%	0 0.0%	0 0.0%	0 0.0%	94.4% 5.6%
6	0 0.0%	0 0.0%	0 0.0%	1 0.2%	0 0.0%	39 6.5%	0 0.0%	0 0.0%	0 0.0%	97.5% 2.5%
7	0 0.0%	0 0.0%	0 0.0%	1 0.2%	0 0.0%	0 0.0%	1 0.2%	4 0.7%	0 0.0%	80.0% 20.0%
8	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 0.2%	0 0.0%	10 1.7%	83.3% 16.7%
9	100% 0.0%	98.7% 1.3%	97.4% 2.6%	97.6% 2.4%	100% 0.0%	89.5% 10.5%	92.9% 7.1%	100% 0.0%	90.9% 9.1%	97.0% 3.0%

Figure S65: The confusion matrix of ensemble classifier with RWS mode for *Zeisel* dataset.

Confusion Matix of SLC_Model_ABS										
	1	2	3	4	5	6	7	8	9	
Output Class	54 9.0%	0 0.0%	2 0.3%	1 0.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 0.2%	93.1% 6.9%
1	0 0.0%	74 12.3%	2 0.3%	1 0.2%	0 0.0%	1 0.2%	0 0.0%	0 0.0%	0 0.0%	94.9% 5.1%
2	0 0.0%	1 0.2%	185 30.8%	2 0.3%	0 0.0%	0 0.0%	0 0.0%	1 0.2%	0 0.0%	97.9% 2.1%
3	0 0.0%	0 0.0%	0 0.0%	1 0.2%	161 26.8%	0 0.0%	1 0.2%	1 0.2%	0 0.0%	98.2% 1.8%
4	0 0.0%	0 0.0%	0 0.0%	1 0.2%	0 0.0%	18 3.0%	0 0.0%	0 0.0%	0 0.0%	94.7% 5.3%
5	0 0.0%	1 0.2%	0 0.0%	1 0.2%	0 0.0%	34 5.7%	0 0.0%	0 0.0%	0 0.0%	94.4% 5.6%
6	0 0.0%	0 0.0%	0 0.0%	1 0.2%	0 0.0%	39 6.5%	0 0.0%	0 0.0%	0 0.0%	97.5% 2.5%
7	0 0.0%	0 0.0%	0 0.0%	1 0.2%	0 0.0%	0 0.0%	1 0.2%	4 0.7%	0 0.0%	80.0% 20.0%
8	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 0.2%	0 0.0%	10 1.7%	83.3% 16.7%
9	100% 0.0%	97.4% 2.6%	97.4% 2.6%	95.8% 4.2%	100% 0.0%	89.5% 10.5%	95.1% 4.9%	80.0% 20.0%	90.9% 9.1%	96.3% 3.7%

Figure S66: The confusion matrix of ensemble classifier with ABS mode for *Zeisel* dataset.

7. The running parameters and output figures for *Zeisel* dataset (48 classes)

Table S7: The running parameters for *Zeisel* dataset.

```

load('SIMLR\Zeisel.mat'); in_X = full(in_X); in_X = log(1+in_X); true_labs = label2'; clear label2;
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.3:5.1);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'correlation','inverse',3);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'jaccard','inverse',3);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'cosine','inverse',3);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S67: The global view of *Zeisel* dataset with scaled colors.

Distribution of Data Excluding 46.0103% Zero Values




Figure S68: The distribution of *Zeisel* dataset excluding all zero values.




Figure S69: The distribution of *Zeisel* dataset on every classes.




Figure S70: The growth increment with scaled colors for *Zeisel* dataset.




Figure S71: The slice points with more increment for *Zeisel* dataset.




Figure S72: The accuracy of models on every slice points for *Zeisel* dataset.




Figure S73: The weighted accuracy on every slice points for *Zeisel* dataset.




Figure S74: The RWS mode of meta classifiers for *Zeisel* dataset.




Figure S75: The ABS mode of meta classifiers for *Zeisel* dataset.




Figure S76: The confusion matrix of ensemble classifier with RWS mode for *Zeisel* dataset.
 (Note: the confusion matrix is too large to display completely in one figure)




Figure S77: The confusion matrix of ensemble classifier with ABS mode for *Zeisel* dataset.
 (Note: the confusion matrix is too large to display completely in one figure)

8. The running parameters and output figures for *Data_Buettner* dataset

Table S8: The running parameters for *Data_Buettner* dataset.

```

load('MPSSC\Data_Buettner.mat'); in_X = 0.2*in_X;
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.1:2.5);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'jaccard','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'cosine','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S78: The global view of *Data_Buettner* dataset with scaled colors.

Distribution of Data Excluding 36.2895% Zero Values




Figure S79: The distribution of *Data_Buettner* dataset excluding all zero values.




Figure S80: The distribution of *Data_Buettner* dataset on every classes.




Figure S81: The growth increment with scaled colors for *Data_Buettner* dataset.




Figure S82: The slice points with more increment for *Data_Buettner* dataset.




Figure S83: The accuracy of models on every slice points for *Data_Buettner* dataset.




Figure S84: The weighted accuracy on every slice points for *Data_Buettner* dataset.




Figure S85: The RWS mode of meta classifiers for *Data_Buettner* dataset.




Figure S86: The ABS mode of meta classifiers for *Data_Buettner* dataset.



Figure S87: The confusion matrix of ensemble classifier with RWS mode for *Data_Buettner* dataset.




Figure S88: The confusion matrix of ensemble classifier with ABS mode for *Data_Buettner* dataset.

9. The running parameters and output figures for *Data_Deng* dataset

Table S9: The running parameters for *Data_Deng* dataset.

```

load('MPSSC\Data_Deng.mat'); in_X = in_X*0.4;
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.1:4.3);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'correlation','inverse',3);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'jaccard','inverse',3);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,5,'cosine','inverse',3);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S89: The global view of *Data_Deng* dataset with scaled colors.

Distribution of Data Excluding 31.8484% Zero Values




Figure S90: The distribution of *Data_Deng* dataset excluding all zero values.




Figure S91: The distribution of *Data_Deng* dataset on every classes.




Figure S92: The growth increment with scaled colors for *Data_Deng* dataset.




Figure S93: The slice points with more increment for *Data_Deng* dataset.




Figure S94: The accuracy of models on every slice points for *Data_Deng* dataset.




Figure S95: The weighted accuracy on every slice points for *Data_Deng* dataset.




Figure S96: The RWS mode of meta classifiers for *Data_Deng* dataset.




Figure S97: The ABS mode of meta classifiers for *Data_Deng* dataset.

Confusion Matix of SLC_Model_RWS							
	1	0	0	0	0	0	100%
Output Class	1	3.7%	0.0%	0.0%	0.0%	0.0%	0.0%
1	1 3.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
2	0 0.0%	2 7.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
3	0 0.0%	1 3.7%	1 3.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
4	0 0.0%	0 0.0%	0 0.0%	2 7.4%	0 0.0%	0 0.0%	0 0.0%
5	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 29.6%	0 0.0%	0 0.0%
6	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	11 40.7%	0 0.0%
7	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 3.7%
	100% 0.0%	66.7% 33.3%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%
							96.3% 3.7%

Figure S98: The confusion matrix of ensemble classifier with RWS mode for *Data_Deng* dataset.

Confusion Matix of SLC_Model_ABS							
	1	0	0	0	0	0	100%
Output Class	1	3.7%	0.0%	0.0%	0.0%	0.0%	0.0%
1	1 3.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
2	0 0.0%	2 7.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
3	0 0.0%	1 3.7%	1 3.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
4	0 0.0%	0 0.0%	0 0.0%	2 7.4%	0 0.0%	0 0.0%	0 0.0%
5	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 29.6%	0 0.0%	0 0.0%
6	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	11 40.7%	0 0.0%
7	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 3.7%
	100% 0.0%	66.7% 33.3%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%
							96.3% 3.7%

Figure S99: The confusion matrix of ensemble classifier with ABS mode for *Data_Deng* dataset.

10. The running parameters and output figures for *Data_Ginhoux* dataset

Table S10: The running parameters for *Data_Ginhoux* dataset.

```

load('MPSSC\Data_Ginhoux.mat'); in_X = 0.3*in_X;
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,linspace(0,1.6,100));
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,21);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,15,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,15,'jaccard','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,15,'cosine','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S100: The global view of *Data_Ginhoux* dataset with scaled colors.

Distribution of Data Excluding 66.5411% Zero Values




Figure S101: The distribution of *Data_Ginhoux* dataset excluding all zero values.




Figure S102: The distribution of *Data_Ginhoux* dataset on every classes.




Figure S103: The growth increment with scaled colors for *Data_Ginhoux* dataset.




Figure S104: The slice points with more increment for *Data_Ginhoux* dataset.




Figure S105: The accuracy of models on every slice points for *Data_Ginhoux* dataset.




Figure S106: The weighted accuracy on every slice points for *Data_Ginhoux* dataset.



Figure S107: The RWS mode of meta classifiers for *Data_Ginhoux* dataset.




Figure S108: The ABS mode of meta classifiers for *Data_Ginhoux* dataset.



Figure S109: The confusion matrix of ensemble classifier with RWS mode for *Data_Ginhoux* dataset.



Figure S110: The confusion matrix of ensemble classifier with ABS mode for *Data_Ginhoux* dataset.

11. The running parameters and output figures for *Data_Macosko* dataset (with PCA)

Table S11: The running parameters for *Data_Macosko* dataset.

```

load('MPSSC\Dataset_Macosko.mat'); [coeff,score,latent,~,explained] = pca(in_X); in_X_pca = in_X*coeff(:,1:100);
in_X = in_X_pca; in_X = in_X-min(min(in_X)); in_X = log(in_X+1);
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,linspace(1.6,4.6,60));
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'correlation','inverse',2);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'jaccard','inverse',2);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'cosine','inverse',2);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMEsRws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMEsAbs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S111: The global view of *Data_Macosko* dataset with scaled colors.

Distribution of Data Excluding 0.0002% Zero Values




Figure S112: The distribution of *Data_Macosko* dataset excluding all zero values.




Figure S113: The distribution of *Data_Macosko* dataset on every classes.




Figure S114: The growth increment with scaled colors for *Data_Macosko* dataset.




Figure S115: The slice points with more increment for *Data_Macosko* dataset.




Figure S116: The accuracy of models on every slice points for *Data_Macosko* dataset.




Figure S117: The weighted accuracy on every slice points for *Data_Macosko* dataset.




Figure S118: The RWS mode of meta classifiers for *Data_Macosko* dataset.




Figure S119: The ABS mode of meta classifiers for *Data_Macosko* dataset.




Figure S120: The confusion matrix of ensemble classifier with RWS mode for *Data_Macosko* dataset. (Note: the confusion matrix is too large to display completely in one figure)




Figure S121: The confusion matrix of ensemble classifier with ABS mode for *Data_Macosko* dataset. (Note: the confusion matrix is too large to display completely in one figure)

12. The running parameters and output figures for *Data_Pollen* dataset

Table S12: The running parameters for *Data_Pollen* dataset.

```

load('MPSSC\Data_Pollen.mat'); in_X = 0.3*in_X;
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,linspace(0,1.3,60));
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'jaccard','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'cosine','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S122: The global view of *Data_Pollen* dataset with scaled colors.

Distribution of Data Excluding 50.7867% Zero Values




Figure S123: The distribution of *Data_Pollen* dataset excluding all zero values.




Figure S124: The distribution of *Data_Pollen* dataset on every classes.




Figure S125: The growth increment with scaled colors for *Data_Pollen* dataset.




Figure S126: The slice points with more increment for *Data_Pollen* dataset.




Figure S127: The accuracy of models on every slice points for *Data_Pollen* dataset.




Figure S128: The weighted accuracy on every slice points for *Data_Pollen* dataset.




Figure S129: The RWS mode of meta classifiers for *Data_Pollen* dataset.




Figure S130: The ABS mode of meta classifiers for *Data_Pollen* dataset.

Confusion Matix of SLC_Model_RWS												
Output Class	1	2	3	4	5	6	7	8	9	10	11	
	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	5 10.2%	0 0.0%	100% 0.0%						
	0 0.0%	0 0.0%	0 0.0%	1 2.0%	0 0.0%	100% 0.0%						
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 6.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	9 18.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 16.3%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 6.1%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 8.2%	100% 0.0%
100% 0.0%	100% 0.0%	100% 0.0%	83.3% 16.7%	NanN% NaN%	100% 0.0%	98.0% 2.0%						

Figure S131: The confusion matrix of ensemble classifier with RWS mode for *Data_Pollen* dataset.

Confusion Matix of SLC_Model_ABS												
Output Class	1	2	3	4	5	6	7	8	9	10	11	
	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	5 10.2%	0 0.0%	100% 0.0%						
	0 0.0%	0 0.0%	0 0.0%	1 2.0%	0 0.0%	100% 0.0%						
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 6.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 8.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	9 18.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 16.3%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 6.1%	0 0.0%	0 0.0%	100% 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 8.2%	0 0.0%	100% 0.0%
100% 0.0%	100% 0.0%	100% 0.0%	83.3% 16.7%	NanN% NaN%	100% 0.0%	98.0% 2.0%						

Figure S132: The confusion matrix of ensemble classifier with ABS mode for *Data_Pollen* dataset.

13. The running parameters and output figures for *Data_Tasic* dataset

Table S13: The running parameters for *Data_Tasic* dataset.

```

load('MPSSC\Data_Tasic.mat'); true_labs = true_labs-double(true_labs>25);
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.1:3);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,6);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'correlation','inverse',3);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'jaccard','inverse',3);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'cosine','inverse',3);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S133: The global view of *Data_Tasic* dataset with scaled colors.

Distribution of Data Excluding 32.7119% Zero Values





Figure S134: The distribution of *Data_Tasic* dataset excluding all zero values.






Figure S136: The growth increment with scaled colors for *Data_Tasic* dataset.




Figure S137: The slice points with more increment for *Data_Tasic* dataset.




Figure S138: The accuracy of models on every slice points for *Data_Tasic* dataset.




Figure S139: The weighted accuracy on every slice points for *Data_Tasic* dataset.




Figure S140: The RWS mode of meta classifiers for *Data_Tasic* dataset.




Figure S141: The ABS mode of meta classifiers for *Data_Tasic* dataset.




Figure S142: The confusion matrix of ensemble classifier with RWS mode for *Data_Tasic* dataset.
 (Note: the confusion matrix is too large to display completely in one figure)




Figure S143: The confusion matrix of ensemble classifier with ABS mode for *Data_Tasic* dataset.
 (Note: the confusion matrix is too large to display completely in one figure)

14. The running parameters and output figures for *Data_Tasic* dataset (all 'correlation')

Table S14: The running parameters for *Data_Tasic* dataset.

```

load('MPSSC\Data_Tasic.mat'); true_labs = true_labs-double(true_labs>25);
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,linspace(0,0.06,60));
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,8);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,6,'correlation','inverse',3);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,8,'correlation','inverse',3);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,10,'correlation','inverse',3);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',6);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S144: The global view of *Data_Tasic* dataset with scaled colors.

Distribution of Data Excluding 32.7119% Zero Values




Figure S145: The distribution of *Data_Tasic* dataset excluding all zero values.




Figure S146: The distribution of *Data_Tasic* dataset on every classes.




Figure S147: The growth increment with scaled colors for *Data_Tasic* dataset.




Figure S148: The slice points with more increment for *Data_Tasic* dataset.




Figure S149: The accuracy of models on every slice points for *Data_Tasic* dataset.




Figure S150: The weighted accuracy on every slice points for *Data_Tasic* dataset.




Figure S151: The RWS mode of meta classifiers for *Data_Tasic* dataset.




Figure S152: The ABS mode of meta classifiers for *Data_Tasic* dataset.




Figure S153: The confusion matrix of ensemble classifier with RWS mode for *Data_Tasic* dataset.
 (Note: the confusion matrix is too large to display completely in one figure)




Figure S154: The confusion matrix of ensemble classifier with ABS mode for *Data_Tasic* dataset.
 (Note: the confusion matrix is too large to display completely in one figure)

15. The running parameters and output figures for *Data_Ting* dataset

Table S15: The running parameters for *Data_Ting* dataset.

```

load('MPSSC\Data_Ting.mat'); true_labs = true_labs';
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,linspace(0,0.4,60));
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,9);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'correlation','inverse',5);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'jaccard','inverse',5);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'cosine','inverse',5);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S155: The global view of *Data_Ting* dataset with scaled colors.

Distribution of Data Excluding 52.1729% Zero Values




Figure S156: The distribution of *Data_Ting* dataset excluding all zero values.




Figure S157: The distribution of *Data_Ting* dataset on every classes.




Figure S158: The growth increment with scaled colors for *Data_Ting* dataset.




Figure S159: The slice points with more increment for *Data_Ting* dataset.




Figure S160: The accuracy of models on every slice points for *Data_Ting* dataset.




Figure S161: The weighted accuracy on every slice points for *Data_Ting* dataset.




Figure S162: The RWS mode of meta classifiers for *Data_Ting* dataset.




Figure S163: The ABS mode of meta classifiers for *Data_Ting* dataset.

Confusion Matix of SLC_Model_RWS						
	1	2	3	4	5	
Output Class	2 9.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
1	0 0.0%	8 36.4%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	0 0.0%	4 18.2%	0 0.0%	0 0.0%	100% 0.0%
3	0 0.0%	0 0.0%	0 0.0%	6 27.3%	0 0.0%	100% 0.0%
4	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 9.1%	100% 0.0%
5	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 9.1%	100% 0.0%
	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%

Figure S164: The confusion matrix of ensemble classifier with RWS mode for *Data_Ting* dataset.

Confusion Matix of SLC_Model_ABS						
	1	2	3	4	5	
Output Class	2 9.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
1	0 0.0%	8 36.4%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	0 0.0%	4 18.2%	0 0.0%	0 0.0%	100% 0.0%
3	0 0.0%	0 0.0%	0 0.0%	6 27.3%	0 0.0%	100% 0.0%
4	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 9.1%	100% 0.0%
5	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 9.1%	100% 0.0%
	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%

Figure S165: The confusion matrix of ensemble classifier with ABS mode for *Data_Ting* dataset.

16. The running parameters and output figures for *Data_Treutlin* dataset

Table S16: The running parameters for *Data_Treutlin* dataset.

```

load('MPSSC\Data_Treutlin.mat'); in_X = 0.3*in_X;
[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,linspace(0,max(max(in_X)),90));
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,21);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'correlation','squaredinverse',2);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'jaccard','squaredinverse',2);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'cosine','squaredinverse',2);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',9);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S166: The global view of *Data_Treutlin* dataset with scaled colors.

Distribution of Data Excluding 51.6462% Zero Values




Figure S167: The distribution of *Data_Treutlin* dataset excluding all zero values.




Figure S168: The distribution of *Data_Treutlin* dataset on every classes.




Figure S169: The growth increment with scaled colors for *Data_Treutlin* dataset.




Figure S170: The slice points with more increment for *Data_Treutlin* dataset.




Figure S171: The accuracy of models on every slice points for *Data_Treutlin* dataset.




Figure S172: The weighted accuracy on every slice points for *Data_Treutlin* dataset.




Figure S173: The RWS mode of meta classifiers for *Data_Treutlin* dataset.




Figure S174: The ABS mode of meta classifiers for *Data_Treutlin* dataset.

Confusion Matix of SLC_Model_RWS						
	1	2	3	4	5	
Output Class	8 50.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
1	0 0.0%	2 12.5%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	0 0.0%	3 18.8%	0 0.0%	0 0.0%	100% 0.0%
3	0 0.0%	1 6.3%	0 0.0%	1 6.3%	0 0.0%	50.0% 50.0%
4	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 6.3%	100% 0.0%
5	100% 0.0%	66.7% 33.3%	100% 0.0%	100% 0.0%	100% 0.0%	93.8% 6.3%
Target Class						

Figure S175: The confusion matrix of ensemble classifier with RWS mode for *Data_Treutlin* dataset.

Confusion Matix of SLC_Model_ABS						
	1	2	3	4	5	
Output Class	8 50.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
1	0 0.0%	2 12.5%	0 0.0%	0 0.0%	0 0.0%	100% 0.0%
2	0 0.0%	0 0.0%	3 18.8%	0 0.0%	0 0.0%	100% 0.0%
3	0 0.0%	0 0.0%	0 0.0%	2 12.5%	0 0.0%	100% 0.0%
4	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 6.3%	100% 0.0%
5	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%	100% 0.0%
Target Class						

Figure S176: The confusion matrix of ensemble classifier with ABS mode for *Data_Treutlin* dataset.

17. The running parameters and output figures for *Data_Zeisel* dataset

Table S17: The running parameters for *Data_Zeisel* dataset.

```

load('MPSSC\Data_Zeisel.mat');

[in_X_SLC,class_num,slice_tik,binary_mod] = slicematrix(in_X,true_labs,0:0.3:2.1);
[in_X_SLC_diff,in_X_SLC_SRCIstd,slice_bst,slice_vle] = slicediffer(in_X_SLC,slice_tik,6);
[SLC_Model_DIS1,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'correlation','inverse',3);
[SLC_Model_DIS2,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'jaccard','inverse',3);
[SLC_Model_DIS3,istrain,istest] = slicemethod(in_X_SLC,true_labs,slice_tik,slice_bst,1,'cosine','inverse',3);
[SLC_Model_All,SLC_Model_All_SMARwit] = sliceweight(SLC_Model_DIS1,SLC_Model_DIS2,SLC_Model_DIS3);
[SLC_Model_RWS,SLC_Model_All_SMESrws] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'rws',2);
[SLC_Model_ABS,SLC_Model_All_SMESabs] = sliceswitch(SLC_Model_All,SLC_Model_All_SMARwit,'abs',6);
[SLC_Model_FIT1,FIT1_accuracy] = sliceprerws(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_RWS);
[SLC_Model_FIT2,FIT2_accuracy] = slicepreabs(in_X(istest,:),true_labs(istest),binary_mod,class_num,slice_vle,SLC_Model_ABS);

```




Figure S177: The global view of *Data_Zeisel* dataset with scaled colors.

Distribution of Data Excluding 46.0103% Zero Values




Figure S178: The distribution of *Data_Zeisel* dataset excluding all zero values.




Figure S179: The distribution of *Data_Zeisel* dataset on every classes.




Figure S180: The growth increment with scaled colors for *Data_Zeisel* dataset.




Figure S181: The slice points with more increment for *Data_Zeisel* dataset.




Figure S182: The accuracy of models on every slice points for *Data_Zeisel* dataset.




Figure S183: The weighted accuracy on every slice points for *Data_Zeisel* dataset.




Figure S184: The RWS mode of meta classifiers for *Data_Zeisel* dataset.




Figure S185: The ABS mode of meta classifiers for *Data_Zeisel* dataset.




Figure S186: The confusion matrix of ensemble classifier with RWS mode for *Data_Zeisel* dataset.
 (Note: the confusion matrix is too large to display completely in one figure)




Figure S187: The confusion matrix of ensemble classifier with ABS mode for *Data_Zeisel* dataset.
 (Note: the confusion matrix is too large to display completely in one figure)

Dataset References

SIMLR:

Buettner.mat refers to <http://www.ncbi.nlm.nih.gov/pubmed/25599176>

Kolod.mat refers to <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4595712/>

Pollen.mat refers to <http://www.ncbi.nlm.nih.gov/pubmed/25086649>

Usoskin.mat refers to <http://www.ncbi.nlm.nih.gov/pubmed/25420068>

Zeise.mat refers to <https://www.ncbi.nlm.nih.gov/pubmed/25700174>

MPSSC:

Data_Buettner.mat refers to <https://www.ncbi.nlm.nih.gov/pubmed/25599176>

Data_Deng.mat refers to <http://science.sciencemag.org/content/343/6167/193>

Data_Ginhoux.mat refers to <https://www.ncbi.nlm.nih.gov/pubmed/26054720>

Data_Macosko.mat refers to <https://www.ncbi.nlm.nih.gov/pubmed/26000488>

Data_Pollen.mat refers to <https://www.nature.com/articles/nbt.2967>

Data_Tasic.mat refers to <https://www.ncbi.nlm.nih.gov/pubmed/26727548>

Data_Ting.mat refers to <https://www.ncbi.nlm.nih.gov/pubmed/25242334>

Data_Treutlin.mat refers to <https://www.ncbi.nlm.nih.gov/pubmed/24739965>

Data_Zeisel.mat refers to <https://www.ncbi.nlm.nih.gov/pubmed/25700174>