

Canyon: Permanent Storage Layer for Limitless Scalability

Liu-Cheng Xu

Abstract

TODO

Contents

1	Introduction	2
1.1	Motivation	2
1.2	Organization	2
2	Related works	2
2.1	Filecoin	2
2.2	Crust	2
2.3	Arweave	2
3	System design	2
3.1	Consensus	2
3.1.1	Proof of Access	2
3.1.2	Proof of Stake	3
3.2	Economy Model	3
3.2.1	Perpetual Storage Cost	3
3.2.2	Transaction Fee	3
3.2.3	Data Oblivion	4
3.2.4	Multi-currency Payment	4
3.3	Transaction Pool	4
4	Roadmap	4
5	Conclusion	4
5.1	Future work	4
A	Appendix	4

1 Introduction

1.1 Motivation

TODO

1.2 Organization

TODO

2 Related works

2.1 Filecoin

TODO

2.2 Crust

TODO

2.3 Arweave

TODO

3 System design

3.1 Consensus

3.1.1 Proof of Access

$$P(\text{win}) = P(\text{has recall block}) * P(\text{finds hash first}) \quad (1)$$

$$P(\text{win}) = P(\text{has recall block}) * P(\text{claims slot}) \quad (2)$$

$$\hat{x} = \frac{1}{N} \sum_{i=1}^N x_i$$

$$R = \frac{1}{\hat{x}_{N \rightarrow +\infty}}$$

Algorithm 1: Generation of POA

Input :

The random seed S ;
The weave size W ;

Output:

The proof of accesing the recall block POA ;

```
1 Initialize the number of repeats  $x$  with 1;  
2 repeat  
3   Draw a random byte  $B$  with  $\text{MULTIHASH}(S, x) \bmod W$ ;  
4   Find the  $TX$  in which the random byte  $B$  is included;  
5    $x \leftarrow x + 1$ ;  
6 until The data of  $TX$  is available;  
7  $POA \leftarrow \text{CONSTRUCTPOA}(TX)$ ;  
8 return  $POA$ ;
```

3.1.2 Proof of Stake

3.1.2.1 Staking Rewards

3.1.2.2 Stake

3.2 Economy Model

3.2.1 Perpetual Storage Cost

$$P_{GBH} = \frac{HDD_{price}}{HDD_{capacity} * HDD_{mtbf}} \quad (3)$$

- $P_{GBH} =$
- HDD_{price}
- $HDD_{capacity}$
- HDD_{mtbf}

$$P_{store} = \sum_{i=0}^{\infty} (Data_{size} * P_{GBH}[i]) \quad (4)$$

3.2.2 Transaction Fee

$$TX_{permacost} = TX_{data_size} * Sum \quad (5)$$

$$TX_{bandwidthcost} = TX_{data_size} * C_{network_per_byte} \quad (6)$$

$$TX_{reward} = TX_{permacost} * C_{fee} + TX_{bandwidthcost} \quad (7)$$

$$TX_{total} = TX_{permacost} + TX_{reward} \quad (8)$$

- $TX_{permacost}$

- TX_{data_size}
- $TX_{bandwidthcost}$
- TX_{reward}
- TX_{total}

3.2.3 Data Oblivion

TODO

3.2.4 Multi-currency Payment

TODO

3.3 Transaction Pool

TODO

4 Roadmap

TODO

5 Conclusion

5.1 Future work

References

- [1] Protocol Labs, Filecoin: A Decentralized Storage Network, <https://filecoin.io/filecoin.pdf>.
- [2] <https://crust.network/>
- [3] Sam Williams, Viktor Diordiiev, Lev Berman, India Raybould, Ivan Uemlianin. Arweave: A Protocol for Economically Sustainable Information Permanence.
- [4] Gavid wood. Polkadot: Vision for A Heterogeneous Multi-chain Framework. <https://polkadot.network/PolkaDotPaper.pdf>
- [5] <https://github.com/paritytech/substrate>
- [6] Vitalik buterin. An Incomplete Guide to Rollups, <https://vitalik.ca/general/2021/01/05/rollup.html>
- [7] A Storage-based Computation Paradigm Enabled by Arweave, <https://medium.com/everfinance/a-storage-based-computation-paradigm-enabled-by-arweave-de799ae8c424>
- [8] <https://ever.finance/>

A Appendix