

SimpleGrid

SlideshowBox

Note: This template is embedded into the SlideshowBox component by default and does not need to be placed into the Library when used by code.

Requirements

IDE: Adobe Flash CS3/CS4/CS5

Flash Player: 9+

Properties

Name	Type	Description
autoHideControls	Boolean	<p>Allows for the album controls/control bar to hide automatically if there is no user interaction after a specified amount of time set by the <i>controlsHideSpeed</i> property. If it is set to <i>false</i>, the controls will remain visible at all times. The control bar will be positioned at the bottom of the album.</p> <p>The default value is <i>false</i>.</p>
autoSlideShow	Boolean	<p>If set to <i>true</i>, allows for the image slide show to start automatically after the SlideshowBox component and the album template have been initialized.</p> <p>Changing the value of the property has affect regardless of whether the property is set from the SlideshowBox configuration panel (by checking the autoSlideShow option) or dynamically, by ActionScript code, while the album is playing.</p> <p>The default value is <i>true</i>.</p>
autoArrange	Boolean	<p>Allows for the thumbnails to be arranged automatically on each page so they fit on the entire album size taking into consideration the thumbnail size and the distance between the thumbnails. If this property is set to true, the <i>thumbRows</i> and <i>thumbColumns</i> properties are disregarded.</p> <p>The default value is <i>true</i>.</p>
backgroundColor	uint	<p>The color of the background displayed by the album. The background is displayed only if the <i>backgroundVisible</i> property of the SlideshowBox component is set to <i>true</i>.</p>

		The default value is 0x333333.
backgroundImage	String	The URL or file path and name of an image displayed as the background of the album. The background image is displayed only if the <i>backgroundVisible</i> property of the SlideshowBox component is set to <i>true</i> .
backgroundVisible	Boolean	<p>A Boolean value that specifies whether the album template will display the background color or the background image. If it is set to <i>false</i>, the album will have a transparent background (the colored background or the background image will be invisible). The color of the album background can be set through the <i>backgroundColor</i> property while the background image can be specified through the <i>backgroundImage</i> property.</p> <p>The default value is <i>true</i>.</p>
bold	Boolean	<p>A Boolean value that, if set to <i>true</i>, sets the text from the title and description to bold. Please note that the font with its bold styling has to be embedded into the .swf file. If the <i>italic</i> property is also set to <i>true</i>, you would have to embed the bold-italic style of the font. To find out how to embed the font, please consult the <i>Applying new fonts.pdf</i> document.</p> <p>Note: The font settings from the SlideshowBox Panel will not apply to the Preview of the album within the SlideshowBox Panel. To view the font setting changes, you will have to compile your SlideshowBox project.</p> <p>The default value is <i>false</i>.</p>
controlBarAlpha	Number	<p>The alpha transparency value for the album's control bar. The control bar contains buttons for navigating through the album, for changing the full screen mode and for playing or pausing the slide show. The values for the transparency range from 0 (invisible) to 1 (completely visible).</p> <p>The default value is 1.</p>
controlBarPrimaryColor	uint	<p>The primary color is the background of the control bar.</p> <p>The default value is 0x141414.</p>
controlBarSecondaryColor	uint	<p>The secondary color is the color of the controls in the control bar.</p> <p>The default value is 0xFFFFFF.</p>
controlsHideSpeed	Number	<p>The speed measured in seconds in which the control bar will hide if there is no mouse movement over the album or if the mouse moves off the album's surface.</p> <p>The default value is 2 seconds.</p>
fontName	String	Sets the text from the title and description to the specified font. Please note that the font with its appropriate styling has to be embedded into the .swf file. To find out how to embed the font, please consult the <i>Applying new fonts.pdf</i> document.

		<p>Note: The font settings from the SlideshowBox Panel will not apply to the Preview of the album within the SlideshowBox Panel. To view the font setting changes, you will have to compile your SlideshowBox project.</p>
fontSize	uint	<p>Sets the size of the description text. The size of the title is either the same or is set automatically by the template, depending on the template.</p> <p>Note: The font settings from the SlideshowBox Panel will not apply to the Preview of the album within the SlideshowBox Panel. To view the font setting changes, you will have to compile your SlideshowBox project.</p> <p>The default value is 11.</p>
fullScreenButton	Boolean	<p>A Boolean value that specifies whether the full screen button will be displayed in the control bar. This button allows for the album to enter in full screen mode or normal screen mode.</p> <p>The default value is <i>true</i>.</p>
imageBorderColor	uint	<p>The color for the image borders.</p> <p>The default value is 0xFFFFFF.</p>
imageBorderSize	uint	<p>The size of the border applied to the images.</p> <p>The default value is 4 pixels.</p>
italic	Boolean	<p>A Boolean value that, if set to <i>true</i>, sets the text from the title and description to italic. Please note that the font with its italic styling has to be embedded into the .swf file. If the <i>bold</i> property is also set to <i>true</i>, you would have to embed the bold-italic style of the font. To find out how to embed the font, please consult the <i>Applying new fonts.pdf</i> document.</p> <p>Note: The font settings from the SlideshowBox Panel will not apply to the Preview of the album within the SlideshowBox Panel. To view the font setting changes, you will have to compile your SlideshowBox project.</p> <p>The default value is <i>false</i>.</p>
loadOriginalImages	Boolean	<p>A Boolean value which specifies whether the images will be displayed with their original size or if they will be resized to fit the size of the album. This only happens if the images are larger than the size of the album.</p> <p>The default value is <i>false</i>.</p>
navigationControls	Boolean	<p>A Boolean value that specifies whether the control bar displays the navigation buttons or not. The navigation controls are the previous/next image buttons displayed in the control bar, used for navigating through the albums.</p> <p>The default value is <i>true</i>.</p>
overrideFullScreenChange	Boolean	<p>A Boolean value that allows for the user to override the</p>

		<p><i>FullScreenEvent.FULL_SCREEN</i> event of the album and handle the full screen event separately. If set to <i>true</i>, the component will not react to the full screen changes and will remain at the same size after entering full screen mode. If set to <i>false</i>, the component will handle the full screen event and when entering in full screen mode, it will resize to the full size of the screen, covering any other visual elements that the Flash application might contain in layers below the SlideshowBox component.</p> <p>The default value is <i>false</i>.</p>
preloaderPosition	String	<p>Set the position of the wheel preloader. Possible values: <i>topLeft</i>, <i>centered</i> (in the center of the large image) or <i>topRight</i>. When the preloader position is set to top-right, the audio player will hide while the preloader is displayed, if there is any audio file set.</p> <p>The default value is <i>centered</i>.</p>
scaleBackground	Boolean	<p>A Boolean value that specifies whether the background image is displayed using scale-crop (the aspect ratio of the image is maintained) or whether it is displayed as it is, with its original size and centered on the album background. The background image is specified using the <i>backgroundImage</i> property.</p> <p>The default value is <i>true</i>.</p>
showImageIndex	Boolean	<p>A Boolean value which specifies whether the index of the currently displayed image will be shown. The image index will be displayed only if the album template supports this feature and if <i>showImageInfos</i> is set to <i>true</i>.</p> <p>The default value is <i>true</i>.</p>
showImageInfos	Boolean	<p>A Boolean value that specifies whether the image information (title and description) will be displayed. The place where the title and description are displayed differs from one album to another.</p> <p>The default value is <i>true</i>.</p>
slideShowControls	Boolean	<p>A Boolean value that specifies whether the control bar displays the slideshow buttons or not. The slide show controls are the play and pause slide show buttons displayed in the control bar.</p> <p>The default value is <i>true</i>.</p>
slideShowSpeed	Number	<p>The time interval expressed in seconds at which the images will change during the slide show.</p> <p>The default value is 6 seconds.</p>
textBackgroundAlpha	Number	<p>The alpha transparency value of the background for the image information (title and description). The values for the transparency range from 0 (invisible) to 1 (completely visible).</p> <p>The default value is 0.5.</p>

textBackgroundColor	uint	<p>The color of the background for the image information (title and description)</p> <p>The default value is 0x000000.</p>
textColor	uint	<p>The color of the text for the image title and description.</p> <p>The default value is 0xFFFFFFFF.</p>
textTopOffset	Number	<p>The top offset for the title and description text. The text can be positioned lower or higher than its default setting. Use this setting if you're not pleased with the position of the text inside the template.</p> <p>Note: <i>The font settings from the SlideshowBox Panel will not apply to the Preview of the album within the SlideshowBox Panel. To view the font setting changes, you will have to compile your SlideshowBox project.</i></p> <p>The default value is 0 pixels.</p>
thumbBorderColorOver	uint	<p>The border color of the thumbnails used when the mouse rolls over the them.</p> <p>The default value is 0xA3FD.</p>
thumbBorderColorUp	uint	<p>The border color of the thumbnails used when the mouse rolls out the them (the normal state of the thumbnails).</p> <p>The default value is 0xFFFFFFFF.</p>
thumbBorderSize	uint	<p>The size of the border applied to the thumbnails.</p> <p>The default value is 3 pixels.</p>
thumbColumns	Number	<p>The number of columns used to display the thumbnails. This property is used only if <i>autoArrange</i> is set to <i>false</i>.</p> <p>The default value is 4.</p>
thumbDistance	Number	<p>The distance measured in pixels between two consecutive thumbnails (on the same row or column).</p> <p>The default value is 20 pixels.</p>
thumbHeight	Number	<p>The height of the thumbnails including the size of the border. In this case the thumbnail images will have a smaller size.</p> <p>The default value is 100 pixels.</p>
thumbRows	Number	<p>The number of rows used to display the thumbnails. This property is used only if <i>autoArrange</i> is set to <i>false</i>.</p> <p>The default value is 3.</p>
thumbWidth	Number	<p>The width of the thumbnails including the size of the border. In this case the thumbnail images will have a smaller size.</p>

		The default value is 100 pixels.
--	--	----------------------------------