

POST http://localhost:8080/messages

Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings

Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify

```
1 { "sessionId": "c2388b16-4d10-4154-a216-9a7e15a79a66", "id": "123", "content": "KKKKKKKK", "sender": "user", "timeSent": "2020-08-28T12:00:10Z" }
```

ody Cookies Headers (3) Test Results

Status: 201 Created Time: 15 ms Size: 153 B Save as example

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   "status": "Message sent"
3 }
```

The screenshot shows the MongoDB Atlas web interface. On the left, the 'mongodb localhost:27017 [direct]' sidebar lists the 'admin' database and its collections. The 'chat\_sessions' collection is selected. The main panel shows the 'chat\_sessions' collection with a table view of documents. The table has columns: '\_id', 'id', 'userid', and 'messages'. The first document is highlighted in blue.

_id	id	userid	messages
6626110d64bf2cb10ffb799d	c2308b16-4d10-4154-a216-0a7e15a79a66	user123	3 elements
6626179464bf2cb10ffb7c52	3ff8c0f6-4ac0-4d79-a75f-bf374f6f197be	user123	0 elements
662777b664bf2cb10ffb7b75	16afd574-c33d-4f58-b9b8-9ce63bc31f9	user123	0 elements
662777cd64bf2cb10ffb7be82	ed1b8c43-4515-4798-89c9-b8188b4678e9	user123	0 elements

ns

+

☰

...

刘洪明gmail★

神机★

Chatbot API Test

POST Start Chat Session

GET Get Chat Session

POST Send Message

GET Get Message History

DEL Delete Message

chatbotTemple

POST Create Message Template

GET Get Template

DEL Delete Template

GET Get All Templates

Feedback Session API Tests

POST Create Feedback Session

GET Get Feedback Session

gorm

looklook

Postman Echo

Spring C lou d

Springboot

Chatbot API Test / Get Message History

GET

http://localhost:8080/messages/c2308b16-4d10-4154-a216-0a7e15a79a66

Send

Params

Authorization

Headers (7)

Body

Pre-request Script

Tests

Settings

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body

Cookies

Headers (3)

Test Results

Status: 200 OK

Time: 20 ms

Size: 542 B

Save as example

...

Pretty

Raw

Preview

Visualize

JSON

☰

1

[

2

{

3

"ID": "",

4

"SessionID": "c2308b16-4d10-4154-a216-0a7e15a79a66",

5

"Content": "Hello, how can I help you?",

6

"Sender": "user",

7

"TimeSent": "2020-08-28T12:00:10Z"

8

},

9

{

10

"ID": "",

11

"SessionID": "c2308b16-4d10-4154-a216-0a7e15a79a66",

12

"Content": "KKKKKKKK",

13

"Sender": "user",

14

"TimeSent": "2020-08-28T12:00:10Z"

15

},

16

{

17

"ID": "123",

+

☰

...

chatbotTemple / Create Message Template

Save

✎

📄

+

☰

...

chatbotTemple / Create Message Template

Save

✎

📄

刘洪明gomall

神机

Chatbot API Test

- POST Start Chat Session
- GET Get Chat Session
- POST Send Message
- GET Get Message History
- DEL Delete Message

chatbotTemple

- POST Create Message Template
- GET Get Template
- DEL Delete Template
- GET Get All Templates

Feedback Session API Tests

- POST Create Feedback Session
- GET Get Feedback Session

gorm

looklook

Postman Echo

Spring C lou d

Springboot

chatbottemple / Create Message Template

POST http://localhost:8080/templates

Send

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

```
1 {
2   "templateId": "temp123",
3   "content": "Hello, this is a template",
4   "usageContext": "welcome_email"
5 }
```

BodyCookiesHeaders (3)Test Results

Status: 201 CreatedTime: 7 msSize: 2218Save as example

PrettyRawPreviewVisualizeJSON

```
1 {
2   "TemplateID": "temp123",
3   "Content": "Hello, this is a template",
4   "UsageContext": "welcome_email"
5 }
```

> 刘洪明gmail★

> 神机★

> Chatbot API Test

- POST Start Chat Session
- GET Get Chat Session
- POST Send Message
- GET Get Message History
- DEL Delete Message

> chatbotTemplate

- POST Create Message Template
- GET Get Template
- DEL Delete Template
- GET Get All Templates

> Feedback Session API Tests

- POST Create Feedback Session
- GET Get Feedback Session

> gorm

> looklook

> Postman Echo

> Spring Cloud

> Springboot

GEThttp://localhost:8080/templates/ec98d876-0e57-42d8-801e-cd692822271eSend

ParamsAuthorizationHeaders (7)BodyPre-request ScriptTestsSettingsCookies

Query Params

Key	Value	Description	...	Bulk Edit
Key	Value	Description		

BodyCookiesHeaders (3)Test ResultsStatus: 200 OKTime: 16 msSize: 246 BSave as example

PrettyRawPreviewVisualizeJSON

```
1 {
2   "TemplateID": "ec98d876-0e57-42d8-801e-cd692822271e",
3   "Content": "Hello, this is a template",
4   "UsageContext": "welcome_email"
5 }
```

+

☰

刘洪明gmail

★

神机

★

Chatbot API Test

POST Start Chat Session

GET Get Chat Session

POST Send Message

GET Get Message History

DEL Delete Message

chatbotTemplate

POST Create Message Template

GET Get Template

DEL Delete Template

GET Get All Templates

Feedback Session API Tests

POST Create Feedback Session

GET Get Feedback Session

gorm

looklook

Postman Echo

Spring C lou d

Springboot

chatbotTemplate / Get All Templates

Save

GET

http://localhost:8080/templates

Send

Params

Authorization

Headers (7)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body

Cookies

Headers (3)

Test Results

Status: 200 OK

Time: 10 ms

Size: 342 B

Save as example

...

Pretty

Raw

Preview

Visualize

JSON

1

2

3

4

5

6

7

8

9

10

11

12

[

{

"TemplateID": "ec98d876-0e57-42d8-801e-cd692822271e",

"Content": "Hello, this is a template",

"UsageContext": "welcome\_email"

},

{

"TemplateID": "templ23",

"Content": "Hello, this is a template",

"UsageContext": "welcome\_email"

}

]

mongodb localhost:27017 [direct]

admin > mongodb (admin@localhost:27017) > chatbot > message\_templates

