Core Templates — High-Level Reference

The single most generic, abstract template for each question type — the reusable skeleton you adapt per problem. Worked solutions, quick-reference tables, and the full problem index live in `template.md` / each category file.

Conventions, Skeleton & Core API

Two Pointers `two_pointers.md`

Two patterns — pick based on whether pointers converge or march together.

Pattern 1 — Opposite Two Pointers

```
// MENTAL MODEL: two ends close in on the answer; each comparison rules out one whole end of the range.
// WHY sorted: moving inward only safely eliminates half the space if the array is sorted
int i = 0, j = n - 1;
while (i < j) {
    if (condition == target) {
        /* record */ i++; j--;
    } else if (tooSmall) {
        i++;
    } else {
        j--;
    }
}
```

Sort first. `i` and `j` converge inward. Used when the array is sorted and you can eliminate half the search space each step.

Sliding Window `sliding_window.md`

Three variants — pick by what the problem asks for.
`i` = left boundary (inclusive), `j` = right boundary (loop variable, inclusive).
Window = `[i, j]`, size = `j - i + 1`.

The Three Templates

```
// FIXED window of size k — shrink exactly once when full
// MENTAL MODEL: a constant-width window slides one step at a time; add the new cell, drop the old one.
// WHEN: "subarray/substring of size k"
int i = 0;
for (int j = 0; j < n; j++) {
    // 1. add nums[j] to state
    if (j - i + 1 == k) {
        // 2. record (window is exactly size k)
        // 3. remove nums[i] from state
        i++;
    }
}

// MAX variable window — find LONGEST valid window
// MENTAL MODEL: grow greedily; shrink only enough to restore validity, then the window is the best end
// WHEN: "longest" + "at most k ..."
int i = 0, result = 0;
for (int j = 0; j < n; j++) {
    // 1. add nums[j] to state
    while (/* window exceeds constraint */) {  // shrink WHILE window exceeds constraint
        // remove nums[i] from state
        i++;
    }
    result = Math.max(result, j - i + 1);   // record after window is valid
}

// MIN variable window — find SHORTEST valid window
// MENTAL MODEL: grow until valid, then shrink aggressively while still valid to find the tightest fit.
// WHEN: "shortest/minimum" + "sum >= target" / "contains all of t"
int i = 0, result = Integer.MAX_VALUE;
for (int j = 0; j < n; j++) {
    // 1. add nums[j] to state
    while (/* window VALID */) {                // record then shrink WHILE window still valid
        result = Math.min(result, j - i + 1);  // record while valid
        // remove nums[i] from state
        i++;                                    // then try to shrink
    }
}
```

Frequency Map Trick (used by 567 and 76)

Both use a `need[]` array and a `required` counter to avoid scanning the map each step.

```
// Expanding j — add s.charAt(j):
if (need[s.charAt(j)]-- > 0) required--;   // was needed → satisfied one more

// Shrinking i — remove s.charAt(i):
if (need[s.charAt(i)]++ >= 0) required++;  // was 0 (used up) → now short one
i++;
```

`need[c]` is positive when still needed, zero or negative when excess.
`required` reaches 0 exactly when all characters of t are covered.

Prefix Sum + HashMap `prefix_sum_hashmap.md`

Core idea: `subarray sum [l, r] = prefix[r+1] - prefix[l]`.
To find a subarray with a target property, rephrase as: "has a prefix with value X been seen before?"

Store that X in a HashMap for O(1) lookup.

Core Template

```
// MENTAL MODEL: a subarray is the difference of two prefixes; remember prefixes seen so far and look u
// WHEN: "subarray sum equals/divisible by k", "longest subarray with sum X" — anything reducible to pr
Map<Long, Integer> map = new HashMap<>();
map.put(0L, ???);    // seed: empty prefix (sum=0) seen before index 0
long sum = 0;
// result = 0 (count) or Integer.MAX_VALUE (length sentinel) depending on problem

for (int i = 0; i < nums.length; i++) {
    sum += nums[i];
    long lookup = transform(sum);          // what to look up (sum−k, sum%k, etc.)
    // use map.get(lookup) → update result
    map.put(storeKey(sum), storeValue(i)); // what to store (sum or sum%k → count or index)
}
```

What changes per problem:

Variable	Count problems (560, 974)	Length problems (325, 523)
Map value	`count` (how many times seen)	`first index` (earliest occurrence)
Seed value	`map.put(0L, 1)`	`map.put(0L, -1)`
On lookup hit	`count += map.get(lookup)`	`maxLen = max(i - map.get(lookup))`
Overwrite map?	Yes (merge count)	No (keep first index only)

Binary Search `binary_search.md`

Binary search appears in two forms: searching an **array index**, or searching an **answer value**.

The Only Template — `[i, j)`, find first `k` with `condition(k)`

There is one binary search. Define a monotone `condition(k)` (`false…false TRUE…true`); the loop returns the **first `k` where `condition(k)` is true**. Then look at `i`: if `i == n` no index qualified, otherwise `i` is the boundary — check the value to decide.

```
int i = 0, j = nums.length;       // [i, j)
// find first k that meets condition(k)
while (i < j) {
    int k = i + (j - i) / 2;
    if (!condition(k)) {          // condition false → answer is strictly to the right
        i = k + 1;
    } else {                      // condition true  → k might be the answer
        j = k;
    }
}
// i in [0, nums.length]; if i == nums.length, no k met condition(k)
```

Pick `condition(k)`:

Want	`condition(k)`	Answer after loop
`lowerBound` — first `>= target`	`nums[k] >= target`	`i`
`upperBound` — first `> target`	`nums[k] > target`	`i`
exact search (#704)	`nums[k] >= target`	`i < n && nums[i] == target ? i : -1`
insert position (#35)	`nums[k] >= target`	`i`
first / last occurrence (#34)	`>=` then `>`	`lowerBound`, `upperBound - 1`
count of target	—	`upperBound - lowerBound`
minimize feasible X	`feasible(k)` over value range	`i`
maximize feasible X	`!feasible(k)` (first infeasible)	`i - 1`

The rule: the answer is always `i`. Guard `i == nums.length` (nothing met the condition) before reading `nums[i]`, then confirm the value.

How to Choose

Signal	`condition(k)`
Sorted array, find exact value	`arr[k] >= target`, then check `arr[i] == target`
Insert position / first occurrence	`arr[k] >= target` → return `i` (`= lowerBound`)
Last occurrence / count	`arr[k] > target` (`= upperBound`); last = `upperBound - 1`, count = `upper - lower`
Rotated / peak slope search	`condition(k)` compares `arr[k]` to a neighbor or endpoint
"minimum X such that feasible(X)"	`condition(k) = feasible(k)` over value range → return `i`
"maximum X such that feasible(X)"	`condition(k) = !feasible(k)` over `[lo, hi+1)` → return `i - 1`

The one rule: define `condition(k)` so it is monotone `false…false TRUE…true`, then the answer is the first `k` that flips it true (`j = k` on true, `i = k + 1` on false). For MAXIMIZE, make the condition "first infeasible" and subtract 1 — same loop, no ceiling mid.

Sorting `sorting.md`

All recursive sorting uses **half-open intervals `[start, end)`** throughout.
Inside merge and partition: `i`, `j`, `k` as scan/write pointers (consistent with binary search convention).

Template 1 — Merge Sort

```java
// MENTAL MODEL: split in half until trivially sorted, then merge two sorted halves into one.
// WHEN: need stable sort, sort a linked list, or count cross-pairs (inversions) during the merge.
// Entry point
public void mergeSort(int[] nums) {
    mergeSort(nums, 0, nums.length, new int[nums.length]);
}

// [start, end) half-open
private void mergeSort(int[] nums, int start, int end, int[] temp) {
    if (end - start <= 1) return;        // base case: end - start <= 1 → 0 or 1 elements, already sort
    int mid = start + (end - start) / 2;
    mergeSort(nums, start, mid, temp);   // sort [start, mid)
    mergeSort(nums, mid,   end, temp);   // sort [mid, end)
    merge(nums, start, mid, end, temp);
}

// i scans left [start,mid), j scans right [mid,end), k writes to temp
private void merge(int[] nums, int start, int mid, int end, int[] temp) {
    int i = start, j = mid, k = start;
    while (i < mid || j < end) {
        if (j >= end || (i < mid && nums[i] <= nums[j])) {
            temp[k++] = nums[i++];
        } else {
            temp[k++] = nums[j++];
        }
    }
    for (i = start; i < end; i++) nums[i] = temp[i];
}
```

Template 2 — Quick Sort (3-way Dutch Flag Partition)

```java
// MENTAL MODEL: pick a pivot, partition into <pivot | ==pivot | >pivot, recurse on the two ends only.
// WHEN: in-place sort with O(log n) stack; the ==pivot middle is already in final position.
// Entry point — no extra array needed (in-place)
public void quickSort(int[] nums) {
    quickSort(nums, 0, nums.length);
}

// [start, end) half-open
private void quickSort(int[] nums, int start, int end) {
    if (end - start <= 1) return;
    int pivot = nums[start + (end - start) / 2];
    int i = start, k = start, j = end - 1;
    // Invariant: [start,i) < pivot  |  [i,k) == pivot  |  [k,j] unknown  |  (j,end) > pivot
    while (k <= j) {
        if (nums[k] < pivot) {
            swap(nums, k++, i++);
        } else if (nums[k] == pivot) {
            k++;
        } else {
            swap(nums, k, j--);
        }
    }
    // After: [start,i) < pivot, [i,k) == pivot, [k,end) > pivot
    quickSort(nums, start, i);   // recurse on < region
    quickSort(nums, k, end);     // recurse on > region
}

private void swap(int[] nums, int i, int j) {
    int t = nums[i]; nums[i] = nums[j]; nums[j] = t;
}
```

Template 3 — Quick Select (partial sort — k-th element)

Extends quick sort: after partition, only recurse into the side that contains `target` index.

```java
// MENTAL MODEL: same partition as quick sort, but recurse into only the one side holding target → O(n)
// WHEN: "k-th largest/smallest", "k closest/most frequent" — you need a position, not a full sort.
// Returns value at 0-indexed position target after sorting
private int quickSelect(int[] nums, int start, int end, int target) {
    int pivot = nums[start + (end - start) / 2];
    int i = start, k = start, j = end - 1;
    while (k <= j) {
        if (nums[k] < pivot) {
            swap(nums, k++, i++);
        } else if (nums[k] == pivot) {
            k++;
        } else {
            swap(nums, k, j--);
        }
    }
    // [start,i) < pivot, [i,k) == pivot, [k,end) > pivot
    if (target < i) {
        return quickSelect(nums, start, i, target);
    } else if (target < k) {
        return pivot;                          // target lands in == region
    } else {
        return quickSelect(nums, k, end, target);
    }
}
```

Template 4 — Counting Sort

O(n + range). Use when values are bounded integers.

```java
// MENTAL MODEL: tally how many times each value occurs, then emit values in order — no comparisons.
// WHEN: integers in a small bounded range; beats O(n log n) when range = O(n).
public void countingSort(int[] arr) {
    if (arr.length == 0) return;
    int min = Arrays.stream(arr).min().getAsInt();
    int max = Arrays.stream(arr).max().getAsInt();
    int[] buckets = new int[max - min + 1];
    for (int x : arr) buckets[x - min]++;
    int i = 0;
    for (int v = 0; v < buckets.length; v++)
        while (buckets[v]-- > 0) arr[i++] = v + min;
}
```

Linked List `linked_list.md`

Four patterns cover almost every linked list problem.
Consistent naming throughout: `sentinel`, `previous`, `current`, `next`, `slow`, `fast`.

When to Use — Signal → Pattern

Signal in the prompt	Pattern
"remove / delete / skip" nodes by value or duplicate	Delete / Filter (sentinel + `previous`)
"reverse" the list, a sub-range, or in k-groups	Reversal
"middle node", "cycle", "nth node from the end"	Fast / Slow
"merge two sorted lists" (or k lists)	Merge (sentinel + heap for k)
chained steps ("reorder", "palindrome", "sort")	Composite (combine the above)

All Four Templates

```
// 1. DELETE / FILTER  — sentinel guards head removal; previous tracks last kept node
// MENTAL MODEL: previous always points at the last node you decided to keep, so re-wiring it skips any
// WHEN: "remove / delete / skip nodes by value or duplicate"
ListNode sentinel = new ListNode(0);
sentinel.next = head;
ListNode previous = sentinel, current = head;
while (current != null) {
    if (shouldDelete(current)) {
        previous.next = current.next;   // skip node
    } else {
        previous = current;             // keep node, advance previous
    }
    current = current.next;
}
return sentinel.next;

// 2. REVERSAL — re-wire one node at a time
// MENTAL MODEL: flip each arrow to point backward; previous is the growing reversed list trailing behi
// WHEN: "reverse the list (whole, partial, or in k-groups)"
ListNode previous = null, current = head;
while (current != null) {
    ListNode next = current.next;   // save before overwrite
    current.next = previous;        // reverse pointer
    previous = current;             // advance
    current = next;
}
return previous;  // new head

// 3. FAST / SLOW — two pointers at different speeds
// MENTAL MODEL: fast covers twice the distance, so when it hits the end slow is exactly halfway; in a
// WHEN: "middle node", "detect/locate cycle", "nth from end"
ListNode slow = head, fast = head;
while (fast != null && fast.next != null) {
    slow = slow.next;
    fast = fast.next.next;
}
// slow is at middle  (or cycle detection: slow == fast → cycle found)

// 4. MERGE — sentinel collects nodes from two lists in order
// MENTAL MODEL: repeatedly splice the smaller head onto a growing result tail, like a zipper.
// WHEN: "merge two (or k) sorted lists"
ListNode sentinel = new ListNode(0);
ListNode current = sentinel;
while (a != null && b != null) {
    if (a.val <= b.val) {
        current.next = a;
        a = a.next;
    } else {
        current.next = b;
        b = b.next;
    }
    current = current.next;
}
current.next = (a != null) ? a : b;
return sentinel.next;
```

`previous` stays on the last **kept** node. When deleting, re-wire `previous.next` to skip `current`. When keeping, advance `previous` to `current`. Always advance `current`.

String `string.md`

Core idioms first, then problems grouped by pattern.
For sliding window string problems (#3, #76, #567, #424), see `sliding_window.md`.

Core Idioms

```
// MENTAL MODEL: a lowercase string is a length-26 frequency vector; most string problems are vector op
// WHEN: "anagram", "char count", "group by letters", "first unique", "sort by frequency".
// 1. CHAR COUNT — lowercase letters
int[] count = new int[26];
// WHY ch - 'a': ASCII 'a'=97, so 'a'→0, 'b'→1, ..., 'z'→25 — a clean 0–25 bucket index into count[].
for (char ch : s.toCharArray()) count[ch - 'a']++;     // ← ch - 'a' maps a→0, b→1, ..., z→25

// 2. CHAR COUNT — digits 0–9
int[] count = new int[10];
for (char ch : s.toCharArray()) count[ch - '0']++;     // ← ch - '0' maps '0'→0, '9'→9

// 3. CHAR TO INTEGER — build number digit by digit
int num = 0;
for (int i = 0; i < s.length(); i++)
    num = num * 10 + (s.charAt(i) - '0');              // ← shift left × 10, add new digit

// 4. ANAGRAM HASH KEY — frequency-based (bucket sort style) O(k) vs sort O(k log k)
// WHY it works: anagrams share identical letter frequencies, so encoding the frequency vector
//   ITSELF gives a unique key for the whole group — O(k) to build vs O(k log k) to sort the chars.
String hashKey(String s) {
    int[] count = new int[26];
    for (char ch : s.toCharArray()) count[ch - 'a']++;
    StringBuilder builder = new StringBuilder();
    for (int i = 0; i < 26; i++) {
        builder.append((char)('a' + i));                    // ← letter as label
        builder.append(count[i]);                           // ← its count
    }
    return builder.toString();                              // e.g., "a2b0c1...z0"
}
// Alternative: sort the characters (simpler, slightly slower)
char[] chars = s.toCharArray();
Arrays.sort(chars);
String key = new String(chars);                         // anagrams → same sorted key

// 5. BUCKET SORT — sort by frequency without comparison sort
int[] count = new int[128];                             // ASCII
for (char ch : s.toCharArray()) count[ch]++;
List<Character>[] buckets = new List[s.length() + 1]; // index = frequency
for (int i = 0; i < 128; i++) {
    if (count[i] > 0) {
        int freq = count[i];
        if (buckets[freq] == null) buckets[freq] = new ArrayList<>();
        buckets[freq].add((char) i);
    }
}
StringBuilder builder = new StringBuilder();
for (int freq = buckets.length - 1; freq > 0; freq--) {    // ← descending frequency
    if (buckets[freq] == null) continue;
    for (char ch : buckets[freq])
        for (int i = 0; i < freq; i++) builder.append(ch);
}

// 6. EXPAND FROM CENTER — palindrome check in O(1) space
int expand(String s, int i, int j) {          // i == j: odd length; i+1 == j: even length
    while (i >= 0 && j < s.length() && s.charAt(i) == s.charAt(j)) { i--; j++; }
    return j - i - 1;                         // ← length of palindrome found
}
```

Stack / Queue / Heap `stack_queue.md`

Four data structures — each with a canonical template and representative problems.

All Templates

```
// 1. STACK (LIFO) — use ArrayDeque, not Stack class
Deque<Integer> stack = new ArrayDeque<>();
stack.push(x);     // add to top
stack.pop();       // remove from top
stack.peek();      // view top, no remove

// 2A. MONOTONE DECREASING STACK — next GREATER element
// MENTAL MODEL: keep only candidates still waiting for a bigger neighbor; current resolves them all.
// WHEN: "next/previous greater element", "warmer/taller to the right"
// Invariant: stack values decrease from bottom to top
// Pop when current is GREATER than top → top found its next greater
Deque<Integer> stack = new ArrayDeque<>();  // stores indices
for (int i = 0; i < n; i++) {
    while (!stack.isEmpty() && nums[stack.peek()] < nums[i])
        result[stack.pop()] = nums[i];     // nums[i] is next greater for popped index
    stack.push(i);
}
// Remaining in stack: no next greater element exists

// 2B. MONOTONE INCREASING STACK — next SMALLER element / span width
// MENTAL MODEL: each popped bar's reach extends until something shorter blocks it on both sides.
// WHEN: "largest rectangle", "trapped water", "span/width bounded by smaller elements"
// Invariant: stack values increase from bottom to top
// Pop when current is SMALLER than top → use popped index to compute width/span
Deque<Integer> stack = new ArrayDeque<>();  // stores indices
for (int i = 0; i < n; i++) {
    while (!stack.isEmpty() && nums[stack.peek()] > nums[i]) {
        int height = nums[stack.pop()];
        int width  = stack.isEmpty() ? i : i - stack.peek() - 1;  // span between boundaries
        // process height * width
    }
    stack.push(i);
}

// 3. MONOTONE DEQUE — sliding window max/min
// MENTAL MODEL: the front is the current window's answer; anything a newer-and-bigger value beats is d
// WHEN: "max/min of every window of size k"
// Deque stores INDICES; values at those indices are decreasing front-to-back (for max)
Deque<Integer> queue = new ArrayDeque<>();
for (int i = 0; i < n; i++) {
    while (!queue.isEmpty() && nums[queue.peekLast()] <= nums[i])
        queue.pollLast();              // remove smaller elements — they can never be window max
    queue.offerLast(i);
    if (queue.peekFirst() < i - k + 1) queue.pollFirst();  // evict out-of-window elements
    if (i >= k - 1) result[i - k + 1] = nums[queue.peekFirst()];
}

// 4. PRIORITY QUEUE
PriorityQueue<Integer> minPQ = new PriorityQueue<>();                     // min-heap (default)
PriorityQueue<Integer> maxPQ = new PriorityQueue<>(Collections.reverseOrder()); // max-heap
PriorityQueue<int[]>    pq   = new PriorityQueue<>((a, b) -> a[1] - b[1]); // custom: sort by index 1
pq.offer(x);   // add
pq.poll();     // remove and return min/max
pq.peek();     // view min/max without removing

// 5. TWO HEAPS — maintain median in O(log n)
// MENTAL MODEL: split the data at the median; the median is always sitting on the two heaps' tops.
// WHEN: "running median", "median of a data stream"
// maxHeap = lower half (smaller numbers), minHeap = upper half (larger numbers)
// Invariant: maxHeap.size() == minHeap.size() or maxHeap.size() == minHeap.size() + 1
PriorityQueue<Integer> maxHeap = new PriorityQueue<>(Collections.reverseOrder());
```

```
PriorityQueue<Integer> minHeap = new PriorityQueue<>();
void addNum(int num) {
    maxHeap.offer(num);
    minHeap.offer(maxHeap.poll());              // push one to minHeap (possibly num itself)
    if (maxHeap.size() < minHeap.size())
        maxHeap.offer(minHeap.poll());          // rebalance: maxHeap always ≥ minHeap in size
}
double findMedian() {
    return maxHeap.size() > minHeap.size()
        ? maxHeap.peek()
        : (maxHeap.peek() + minHeap.peek()) / 2.0;
}
```

BFS (Tree) `bfs.md`

Core structure: `Queue<TreeNode> queue = new ArrayDeque<>()`.
The only decision: do you need to know **which level** a node is on?

The Two Templates

```
// 1. LEVEL-AWARE PROCESSING — snapshot size to make per-level decisions
// MENTAL MODEL: the queue holds exactly one full level; freeze its size, then drain just that many.
// WHEN: "level by level", "per row", "rightmost/leftmost in level", "min depth"
Queue<TreeNode> queue = new ArrayDeque<>();
queue.offer(root);
int level = 0;
while (!queue.isEmpty()) {
    int size = queue.size();       // ← snapshot: all nodes currently in queue = this level
    level++;
    for (int i = 0; i < size; i++) {
        TreeNode node = queue.poll();
        // process node (know: level, i==0 → first, i==size-1 → last)
        if (node.left  != null) queue.offer(node.left);
        if (node.right != null) queue.offer(node.right);
    }
}

// 2. WITHOUT LEVEL TRACKING — simple node-by-node
// MENTAL MODEL: just visit every node in BFS order; you don't care which level it's on.
Queue<TreeNode> queue = new ArrayDeque<>();
queue.offer(root);
while (!queue.isEmpty()) {
    TreeNode node = queue.poll();
    // process node
    if (node.left  != null) queue.offer(node.left);
    if (node.right != null) queue.offer(node.right);
}
```

Almost all tree BFS problems use **Template 1** — you nearly always need `size` to know when a level ends.

When to Use — Signal → Pattern

Problem signal phrase	Pattern / group
"level order", "values per level", "each row"	Group 1 — collect entire level
"average / max / sum of each level"	Group 2 — aggregate per level
"right side view" (last in level), "bottom-left" (first in level)	Group 2 — record boundary node (`i==size-1` / `i==0`)
"minimum depth", "first level that satisfies X"	Group 3 — early return on condition
"connect next pointers at the same level"	Group 4 — wire nodes within a level
"same depth, different parent" (cousins), per-node metadata	Group 5 — track per-node metadata
"maximum width of a level" (counting null gaps)	Group 6 — position indexing
no level info needed, just visit every node	Template 2 — node-by-node

The One Rule — Snapshot Level Size First

```
Always snapshot the level size BEFORE the inner for loop:
    int size = queue.size();
    for (int i = 0; i < size; i++) { ... }

Without the snapshot, newly added children mix with the current level
and i == size-1 / i == 0 checks become meaningless.
```

DFS / Backtracking `dfs.md`

DFS appears in five forms. The pattern determines naming, return type, and where the answer is built.

When to Use — Signal → Pattern

Problem signal phrase	Pattern / template
"height / depth / sum OF the subtree", combine results upward	#1 Process children first, combine at node (post-order)
"root-to-leaf path", "number built along the path"	#2 Process node first, pass state down (pre-order)
"longest/best path that may bend through a node" (spans both arms)	#3 Tree global answer
"count islands / largest region / flood fill" on a grid	#4 Grid DFS
"can finish all", "detect cycle", "valid course order" (directed)	#5 Graph DFS 3-color
"all subsets / permutations / combinations", "find every way"	#6 Backtracking
"valid BST", "kth smallest", "closest value", "successor"	BST templates (pass bounds / inorder / binary search)

All Templates

```
// 1. PROCESS CHILDREN FIRST, COMBINE AT NODE (post-order)
// MENTAL MODEL: each node trusts its children to return a finished answer, then merges them.
// WHEN: "what is the height/sum/property OF the subtree rooted here"
private int dfs(TreeNode node) {
    if (node == null) return BASE;          // 0 for depth, true for balanced
    int left  = dfs(node.left);
    int right = dfs(node.right);
    // combine left, right, node.val → answer propagates up
    return ...;
}

// 2. PROCESS NODE FIRST, PASS STATE DOWN (pre-order)
// MENTAL MODEL: carry what you've seen so far down the path; the leaf has the full picture.
// WHEN: "root-to-leaf path", "running sum/number built along the way"
private void dfs(TreeNode node, int accumulated) {
    if (node == null) return;
    accumulated += node.val;                // update state on way down
    if (isLeaf(node)) { /* record */ return; }
    dfs(node.left,  accumulated);
    dfs(node.right, accumulated);
    // backtrack: no undo needed for primitive; undo List.add if using collection
}

// 3. TREE — GLOBAL ANSWER (return up the best single arm; update global across both arms)
// MENTAL MODEL: the answer may bend through a node using both arms, but only one arm can extend upward
// WHEN: use when the best path spans across a node, not just up one arm.
int answer = Integer.MIN_VALUE;
private int dfs(TreeNode node) {
    if (node == null) return 0;
    int left  = Math.max(0, dfs(node.left));   // clamp negative
    int right = Math.max(0, dfs(node.right));
    answer = Math.max(answer, left + right + node.val);   // cross-node path
    return Math.max(left, right) + node.val;              // single arm up
}

// 4. GRID DFS — mark visited by mutating grid; 4-directional flood fill
// MENTAL MODEL: stand on a cell, flood into all 4 neighbors, sinking each as you visit it.
// WHEN: "connected region / island / flood fill" on a grid
private void dfs(int[][] grid, int r, int c) {
    if (r < 0 || r >= grid.length || c < 0 || c >= grid[0].length) return;
    if (grid[r][c] != TARGET) return;
    grid[r][c] = VISITED;
    dfs(grid, r+1, c); dfs(grid, r-1, c);
    dfs(grid, r, c+1); dfs(grid, r, c-1);
}

// 5. GRAPH DFS — 3-color visited: 0=unseen 1=in-stack 2=done
// MENTAL MODEL: if you re-enter a node still on the current stack, you've looped back → cycle.
// WHEN: "can finish all", "detect cycle", "valid ordering" on a directed graph
int[] state;
private boolean dfs(int node) {
    if (state[node] == 1) return true;    // back edge → cycle
    if (state[node] == 2) return false;   // already safe
    state[node] = 1;
    for (int neighbor : graph.get(node))
        if (dfs(neighbor)) return true;
    state[node] = 2;
    return false;
}

// 6. BACKTRACKING — choose / recurse / undo
```

```java
// MENTAL MODEL: build a candidate one element at a time; undo each choice to explore the next branch.
// WHEN: "all subsets / permutations / combinations", "find all ways"
private void backtrack(int start, List<Integer> current) {
    if (baseCase) { result.add(new ArrayList<>(current)); return; }
    for (int i = start; i < n; i++) {
        if (skipCondition(i)) continue;    // prune duplicates
        current.add(nums[i]);              // choose
        backtrack(next, current);          // next = i (reuse) or i+1 (no reuse)
        current.remove(current.size()-1);  // undo
    }
}
```

Graph `graph.md`

`Queue<Integer> queue = new ArrayDeque<>()` throughout.
Six algorithms — each with a canonical template and representative problems.

Complexity Legend

BFS / DFS	O(V + E)	visit each vertex and edge once
Topo sort (Kahn)	O(V + E)	each node enqueued once, each edge relaxed once
Union-Find	~O(n·α(n)) ≈ O(n)	α = inverse Ackermann, effectively constant
Dijkstra	O((V + E) log V)	non-negative weights ONLY

Graph Representation

```java
// Adjacency list (most common)
List<List<Integer>> graph = new ArrayList<>();
for (int i = 0; i < n; i++) graph.add(new ArrayList<>());
for (int[] edge : edges) {
    graph.get(edge[0]).add(edge[1]);
    graph.get(edge[1]).add(edge[0]);   // omit for directed
}

// Weighted adjacency list: int[] = {neighbor, weight}
List<List<int[]>> graph = new ArrayList<>();
for (int i = 0; i < n; i++) graph.add(new ArrayList<>());
for (int[] edge : edges)
    graph.get(edge[0]).add(new int[]{edge[1], edge[2]});

// Grid 4-directional neighbors
int[] dr = {1, -1, 0,  0};
int[] dc = {0,  0, 1, -1};
```

Core Templates

```
// 1. BFS — shortest path / level order (track distance by level-size snapshot)
// MENTAL MODEL: explore in rings of equal distance; snapshot the level size so each ring = one step.
// WHEN: "fewest steps", "shortest path", "level order" on an unweighted graph
Queue<Integer> queue = new ArrayDeque<>();
boolean[] visited = new boolean[n];
queue.offer(start);
visited[start] = true;
int level = 0;
while (!queue.isEmpty()) {
    int size = queue.size();              // ← snapshot: all nodes at this distance
    for (int i = 0; i < size; i++) {
        int node = queue.poll();
        // process node (distance == level)
        for (int neighbor : graph.get(node)) {
            if (!visited[neighbor]) {
                visited[neighbor] = true;
                queue.offer(neighbor);
            }
        }
    }
    level++;
}

// 2. TOPOLOGICAL SORT — Kahn's BFS
// MENTAL MODEL: peel off nodes with no remaining prerequisites; if any get stuck, a cycle exists.
// WHEN: "valid order", "dependencies/prerequisites", "detect cycle" on a directed graph
int[] inDegree = new int[n];
for (int[] edge : edges) inDegree[edge[1]]++;
Queue<Integer> queue = new ArrayDeque<>();
for (int i = 0; i < n; i++) if (inDegree[i] == 0) queue.offer(i);
List<Integer> order = new ArrayList<>();
while (!queue.isEmpty()) {
    int node = queue.poll();
    order.add(node);
    for (int neighbor : graph.get(node))
        if (--inDegree[neighbor] == 0) queue.offer(neighbor);
}
// order.size() == n → no cycle

// 3. UNION FIND
// MENTAL MODEL: each set points to one representative; merge sets by linking roots, query by finding r
// WHEN: "connected components", "is it already connected", "merge groups dynamically"
int[] parent, rank;
void init(int n) {
    parent = new int[n]; rank = new int[n];
    for (int i = 0; i < n; i++) parent[i] = i;
}
int find(int x) {
    if (parent[x] != x) parent[x] = find(parent[x]);  // path compression
    return parent[x];
}
boolean union(int x, int y) {
    int px = find(x), py = find(y);
    if (px == py) return false;
    if (rank[px] < rank[py]) { int t = px; px = py; py = t; }
    parent[py] = px;
    if (rank[px] == rank[py]) rank[px]++;
    return true;
}

// 4. DIJKSTRA — shortest path (non-negative weights)
```

```java
// MENTAL MODEL: greedily settle the closest unfinished node; non-negative weights guarantee it's final
// WHEN: "shortest/cheapest path" with non-negative weights
int[] dist = new int[n];
Arrays.fill(dist, Integer.MAX_VALUE);
dist[src] = 0;
PriorityQueue<int[]> pq = new PriorityQueue<>((a, b) -> a[1] - b[1]);  // min-heap on cost
pq.offer(new int[]{src, 0});
while (!pq.isEmpty()) {
    int[] current = pq.poll();
    int node = current[0], d = current[1];
    if (d > dist[node]) continue;   // stale entry
    for (int[] nb : graph.get(node)) {
        int next = nb[0], w = nb[1];
        if (dist[node] + w < dist[next]) {
            dist[next] = dist[node] + w;
            pq.offer(new int[]{next, dist[next]});
        }
    }
}

// 5. BIPARTITE CHECK — BFS 2-coloring
// MENTAL MODEL: paint neighbors the opposite color; a neighbor that's already your color means an odd
// WHEN: "split into two groups", "2-colorable", "no edge within a group"
int[] color = new int[n];
Arrays.fill(color, -1);
Queue<Integer> queue = new ArrayDeque<>();
for (int start = 0; start < n; start++) {
    if (color[start] != -1) continue;
    color[start] = 0;
    queue.offer(start);
    while (!queue.isEmpty()) {
        int node = queue.poll();
        for (int neighbor : graph.get(node)) {
            if (color[neighbor] == -1) { color[neighbor] = 1 - color[node]; queue.offer(neighbor); }
            else if (color[neighbor] == color[node]) return false;  // conflict
        }
    }
}
return true;
```

Greedy `greedy.md`

Two interval templates plus non-interval greedy patterns.

Two Interval Templates

```
MERGE DIRECTION RULE (for merge-style problems like #56, where both keys work):
    Sort by START  →  traverse FORWARD  (i = 0 → n-1), extend the END of last kept
    Sort by END    →  traverse BACKWARD (i = n-1 → 0), extend the START of last kept
    These two are exact mirror images. See #56 for both written out side by side.
    (NOTE: this mirror only applies to merging. Template 1 below sorts by end but
     still sweeps FORWARD — there the goal is counting, not merging.)

TEMPLATE 1 — Sort by END time, sweep forward, track end of last kept interval
             Use when: maximizing count of non-overlapping intervals
             Greedy insight: earliest-finishing interval leaves most room for future ones

TEMPLATE 2 — Sort by START time, sweep forward, merge when overlapping
             Use when: merging/counting overlapping intervals
             Greedy insight: processing in start order → each interval only needs to
             compare with the last merged result
```

```java
// MENTAL MODEL: sort to expose a local greedy choice, then sweep once making the locally-best pick.
// WHEN: intervals + "max non-overlapping / min arrows / merge / min rooms", or jump/partition sweeps.
// TEMPLATE 1: Sort by end, compare start
Arrays.sort(intervals, (a, b) -> a[1] - b[1]);      // sort by END time
int lastEnd = Integer.MIN_VALUE;
for (int[] interval : intervals) {
    if (interval[0] >= lastEnd) {                    // start >= lastEnd → no overlap → keep
        lastEnd = interval[1];
        // count++ or add to result
    } else {
        // overlap → skip (or count as removed)
    }
}

// TEMPLATE 2: Sort by start, compare end
Arrays.sort(intervals, (a, b) -> a[0] - b[0]);      // sort by START time
List<int[]> result = new ArrayList<>();
for (int[] interval : intervals) {
    if (result.isEmpty() || result.get(result.size()-1)[1] < interval[0]) {
        result.add(interval);                        // no overlap → new interval
    } else {
        result.get(result.size()-1)[1] =             // overlap → extend end
            Math.max(result.get(result.size()-1)[1], interval[1]);
    }
}

// TEMPLATE 3: Sort by start + min-heap of end times (multi-resource)
// USE WHEN counting simultaneous/overlapping resources — "minimum rooms", "max concurrent".
Arrays.sort(intervals, (a, b) -> a[0] - b[0]);
PriorityQueue<Integer> pq = new PriorityQueue<>();   // min-heap of active end times
for (int[] interval : intervals) {
    if (!pq.isEmpty() && pq.peek() <= interval[0])
        pq.poll();                                   // reuse: earliest-ending resource is free
    pq.offer(interval[1]);                           // occupy a resource until interval[1]
}
// pq.size() = resources needed
```

Dynamic Programming `dynamic_programming.md`

Six template families. Every problem maps to one loop skeleton and one dp-state definition.

All Six Templates

```
// 1. LINEAR 1D — each cell depends on a fixed number of previous cells
// MENTAL MODEL: the answer at i is a fixed recipe over the last one or two answers.
// WHEN: "ways/cost to reach step i", "can't pick adjacent"
int[] dp = new int[n + 1];
dp[0] = base;
for (int i = 1; i <= n; i++)
    dp[i] = f(dp[i-1], dp[i-2], ...);

// 2A. LOOK-BACK 1D — dp[i] depends on all j < i
// MENTAL MODEL: to finish position i, scan every earlier position j and extend the best valid one.
// WHEN: "longest increasing/chain ending here", "can the prefix be segmented"
int[] dp = new int[n];
for (int i = 0; i < n; i++) {
    for (int j = 0; j < i; j++) {
        dp[i] = f(dp[i], dp[j]);        // e.g., LIS, word break
    }
}

// 2B/2C. KNAPSACK — collapse the item dimension to 1D; loop direction picks reuse.
//   0/1 (each item once): j DESCENDING  → reads previous row.
//   unbounded (reusable): j ASCENDING   → reads current row.
//   Mnemonic: DESCENDING = Distinct, ASCENDING = Again. Full code + permutation
//   variant + "why" in Part 2 — Knapsack DP.

// 3. 2D SEQUENCE — two strings/arrays; i indexes one, j indexes the other
// MENTAL MODEL: compare the last char of each prefix — match consumes both, mismatch drops one side.
// WHEN: "compare two strings/arrays" (LCS, edit distance, subsequence count)
int[][] dp = new int[m + 1][n + 1];
for (int i = 1; i <= m; i++) {
    for (int j = 1; j <= n; j++) {
        if (match(i, j)) {
            dp[i][j] = dp[i-1][j-1] + val;
        } else {
            dp[i][j] = combine(dp[i-1][j], dp[i][j-1]);
        }
    }
}

// 4. INTERVAL DP — i goes RIGHT to LEFT; j goes i+1 to end
//    "shorter comes first": when computing dp[i][j], dp[i+1][*] is already done
// MENTAL MODEL: build answers for short ranges first, then combine them into longer ranges.
// WHEN: "palindrome substring/subseq", "merge/burst in a range", split-point problems
int[][] dp = new int[n][n];
for (int i = 0; i < n; i++) dp[i][i] = base;   // length-1 intervals
for (int i = n - 1; i >= 0; i--) {              // ← right-to-left
    for (int j = i + 1; j < n; j++) {
        dp[i][j] = f(dp[i+1][j-1], dp[i+1][j], dp[i][j-1]);
    }
}

// 5. GRID DP — 4-directional neighbors
// MENTAL MODEL: each cell's answer accumulates from the cells you could have arrived from.
// WHEN: "paths / min-cost in a grid moving right+down", "largest square"
int[] dr = {1,-1,0,0}, dc = {0,0,1,-1};   // DOWN UP RIGHT LEFT
// Standard grid (dag, only right/down):
int[][] dp = new int[rows][cols];
for (int i = 0; i < rows; i++)
    for (int j = 0; j < cols; j++)
        dp[i][j] = grid[i][j] + combine(dp[i-1][j], dp[i][j-1]);

// 6. STATE MACHINE — named states updated simultaneously each step
```

```java
// MENTAL MODEL: track the best value in each named situation; each day every state updates from yester
// WHEN: "buy/sell/hold", "limited transactions", "cooldown/fee"
int cash = 0, hold = -prices[0];
for (int i = 1; i < prices.length; i++) {
    cash = Math.max(cash, hold + prices[i]);
    hold = Math.max(hold, ??? - prices[i]);   // ??? depends on problem
}
```

Knapsack Decision Tree

```
Want count or min/max?
├── Count (dp[j] += dp[j - num])
│   ├── 0/1 (each item once):    j descending → #416, #494
│   └── Unbounded (reuse):       j ascending  → #518
│       └── Ordered (permuts):   target outer, nums inner → #377
└── Min/Max (dp[j] = min/max(...))
    ├── 0/1 minimize:            j descending → #474 (maximize)
    └── Unbounded minimize:      j ascending  → #322
```

Trie `trie.md`

When to Use Trie (vs HashMap/Array)

Signal	Use
Prefix queries / `startsWith` / autocomplete	**Trie** — shares prefixes, prefix lookup is O(k)
Wildcard match (`.` matches any char)	**Trie** — DFS branches over children
Prune a search space by shared prefixes (e.g. Word Search II)	**Trie** — dead branches cut early
Exact-key lookup only (no prefix logic)	**HashMap** — O(k) hash is simpler and faster, no node overhead

---

Canonical Template

```
// MENTAL MODEL: every node is a shared prefix; walking down spells a word, so common prefixes are stor
// WHEN: "prefix / startsWith / autocomplete", "wildcard match", "prune a search by shared prefixes"

// ── TRIE NODE ──
// Array vs Map TrieNode mental model:
//   array  = O(1) per char, fixed 26 letters, wastes space when sparse
//   HashMap = variable alphabet, smaller for sparse, hashing overhead
class TrieNode {
    TrieNode[] children = new TrieNode[26];   // array-based: O(1) access, O(26) per node
    boolean isEnd = false;
}
// Alternative: Map-based (for non-lowercase or variable alphabets)
class TrieNode {
    Map<Character, TrieNode> children = new HashMap<>();
    boolean isEnd = false;
}

// ── INSERT ──
void insert(TrieNode root, String word) {
    TrieNode node = root;
    for (char c : word.toCharArray()) {
        int idx = c - 'a';
        if (node.children[idx] == null) node.children[idx] = new TrieNode();
        node = node.children[idx];
    }
    node.isEnd = true;
}

// ── SEARCH (exact match) ──
boolean search(TrieNode root, String word) {
    TrieNode node = root;
    for (char c : word.toCharArray()) {
        int idx = c - 'a';
        if (node.children[idx] == null) return false;
        node = node.children[idx];
    }
    return node.isEnd;    // must end at a marked word boundary
}

// ── STARTS WITH (prefix match) ──
boolean startsWith(TrieNode root, String prefix) {
    TrieNode node = root;
    for (char c : prefix.toCharArray()) {
        int idx = c - 'a';
        if (node.children[idx] == null) return false;
        node = node.children[idx];
    }
    return true;          // ← difference from search: don't check node.isEnd
}
```

Variations

```
// VARIATION 1: DFS for wildcard '.' (Add and Search Words)
// When char is '.', try all 26 children recursively instead of following one path.
boolean dfs(TrieNode node, String word, int i) {
    if (i == word.length()) return node.isEnd;
    char c = word.charAt(i);
    if (c == '.') {
        for (TrieNode child : node.children)            // ← VARIATION: try all children
            if (child != null && dfs(child, word, i+1)) return true;
        return false;
    }
    int idx = c - 'a';
    if (node.children[idx] == null) return false;
    return dfs(node.children[idx], word, i + 1);
}

// VARIATION 2: early-exit on isEnd (Replace Words — find shortest root)
String findRoot(TrieNode root, String word) {
    TrieNode node = root;
    for (int i = 0; i < word.length(); i++) {
        int idx = word.charAt(i) - 'a';
        if (node.children[idx] == null) return word;    // no root found → return original
        node = node.children[idx];
        if (node.isEnd) return word.substring(0, i+1);  // ← VARIATION: return at first root hit
    }
    return word;
}

// VARIATION 3: store words at each node (Search Suggestions — top-3 per prefix)
// During insert, each node on the path caches the word (up to 3).
// Products must be inserted in sorted order → first 3 are lexicographically smallest.
void insert(TrieNode root, String word) {
    TrieNode node = root;
    for (char c : word.toCharArray()) {
        int idx = c - 'a';
        if (node.children[idx] == null) node.children[idx] = new TrieNode();
        node = node.children[idx];
        if (node.words.size() < 3) node.words.add(word);  // ← VARIATION: cache at every node
    }
    node.isEnd = true;
}

// VARIATION 4: Trie + grid DFS pruning (Word Search II)
// Build Trie from word list. DFS the grid; at each cell, check if current path
// follows a Trie path. Prune entire branch if no Trie node exists.
void dfs(char[][] board, int i, int j, TrieNode node, StringBuilder path, Set<String> result) {
    if (i < 0 || i >= board.length || j < 0 || j >= board[0].length) return;
    char c = board[i][j];
    if (c == '#' || node.children[c - 'a'] == null) return;  // ← VARIATION: Trie prune
    node = node.children[c - 'a'];
    path.append(c);
    if (node.isEnd) result.add(path.toString());
    board[i][j] = '#';
    dfs(board, i+1, j, node, path, result);
    dfs(board, i-1, j, node, path, result);
    dfs(board, i, j+1, node, path, result);
    dfs(board, i, j-1, node, path, result);
    board[i][j] = c;
    path.deleteCharAt(path.length() - 1);
}
```

search vs startsWith — One Line Difference

```
search:      return node.isEnd;   // must land on a word boundary
startsWith:  return true;         // any node reached = valid prefix
```

Bit Manipulation `bit_manipulation.md`

Canonical Template

```java
// MENTAL MODEL: bits are a set/counter — XOR cancels duplicates, AND/OR/shift edit individual bits.
// WHEN: "appears once/odd among pairs", "count set bits", "no shared letters", "power of 2/4".
// ── XOR CANCEL ── pairs cancel; lone element survives
int result = 0;
for (int num : nums) result ^= num;

// ── BIT OPERATIONS ──
boolean isSet  = ((n >> i) & 1) == 1;     // check if bit i is set
int set        = n | (1 << i);             // set bit i
int clear      = n & ~(1 << i);            // clear bit i
int toggle     = n ^ (1 << i);             // toggle bit i
int lowest     = n & (-n);                 // isolate lowest set bit
boolean isPow2 = n > 0 && (n & (n-1)) == 0;

// ── COUNT SET BITS ── Brian Kernighan: each iteration removes one set bit
// WHY n & (n-1) clears the lowest set bit:
//   n     = ...1000   (lowest set bit at this position)
//   n-1   = ...0111   (borrow flips that bit to 0 and all lower bits to 1)
//   n&(n-1)=...0000   (AND keeps higher bits, wipes the lowest set bit + below)
int count = 0;
while (n != 0) { count++; n &= (n - 1); }  // n & (n-1) clears lowest set bit

// ── BITMASK AS SET ── 26-bit integer represents presence of 26 letters
int mask = 0;
for (char c : word.toCharArray()) mask |= (1 << (c - 'a'));
// check no overlap between two words:
if ((mask[i] & mask[j]) == 0) { /* no shared letter */ }
```

Variations

```
// VARIATION 1: mod-3 state machine (Single Number II)
// MENTAL MODEL: extend XOR from mod-2 (cancel pairs) to mod-3 (cancel triples);
//               ones/twos track bits seen 1 or 2 times mod 3.
// Instead of XOR canceling pairs (mod 2), cancel triples (mod 3)
// ones = bits seen exactly 1 mod 3 times; twos = bits seen exactly 2 mod 3 times
int ones = 0, twos = 0;
for (int num : nums) {
    ones = (ones ^ num) & ~twos;    // ← add to ones if not already in twos
    twos = (twos ^ num) & ~ones;    // ← add to twos if not already in ones
}
// After all: ones holds the element appearing once (0 mod 3 remainder = survive)

// VARIATION 2: split XOR into two groups (Single Number III)
// Two unique elements a, b. XOR of all = a ^ b.
// Use lowest set bit of (a^b) to split nums into two groups → each group has one unique.
int xor  = 0;
for (int num : nums) xor ^= num;      // xor = a ^ b
int diff = xor & (-xor);              // ← lowest set bit that differs between a and b
int a = 0;
for (int num : nums)
    if ((num & diff) != 0) a ^= num;  // ← XOR one group → one unique element
int b = xor ^ a;                       // ← the other unique element

// VARIATION 3: DP relation (Counting Bits)
// dp[i] = dp[i/2] + last bit of i
// i >> 1 = i without last bit (same or fewer ones); last bit = i & 1
int[] dp = new int[n + 1];
for (int i = 1; i <= n; i++)
    dp[i] = dp[i >> 1] + (i & 1);    // ← right-shift halves the problem

// VARIATION 4: common prefix (Bitwise AND of Range)
// AND of any range [left, right]: bits that differ between left and right get cleared.
// Right-shift both until equal → find shared high-bit prefix → shift back.
int shift = 0;
while (left != right) { left >>= 1; right >>= 1; shift++; }
return left << shift;                  // ← shift back to original magnitude

// VARIATION 5: carry loop (Sum of Two Integers)
// XOR gives bit sum without carry; AND shifted left gives carry.
// Repeat until no carry remains.
int add(int a, int b) {
    while (b != 0) {
        int carry = a & b;            // ← carry bits
        a = a ^ b;                    // ← partial sum (no carry)
        b = carry << 1;               // ← carry propagated one position left
    }
    return a;
}
```

Design `design.md`

Canonical Template — HashMap + Doubly Linked List (LRU)

```
// MENTAL MODEL: HashMap gives O(1) lookup; the doubly linked list orders by recency so the LRU is alwa
// WHEN: "O(1) get/put with eviction by recency or frequency"

// CacheNode for doubly linked list (named CacheNode to distinguish from ListNode contexts)
class CacheNode {
    int key, value;
    CacheNode previous, next;
    CacheNode(int key, int value) { this.key = key; this.value = value; }
}

// ── SENTINEL NODES ── head (MRU side) ↔ ... ↔ tail (LRU side)
CacheNode head = new CacheNode(0, 0), tail = new CacheNode(0, 0);
// Initialize: head <-> tail
head.next = tail; tail.previous = head;

// ── REMOVE NODE ──
void remove(CacheNode node) {
    node.previous.next = node.next;
    node.next.previous = node.previous;
}

// ── INSERT AFTER HEAD (= mark as MRU) ──
void insertAfterHead(CacheNode node) {
    node.next = head.next;
    node.previous = head;
    head.next.previous = node;
    head.next = node;
}

// ── LRU EVICTION ── tail.previous is LRU
CacheNode lru = tail.previous;
remove(lru);
map.remove(lru.key);
```

Variations

```
// VARIATION 1: LFU — adds a frequency dimension
// Need: key→value, key→freq, freq→orderedSet<key>, and minFreq
// When a key is accessed: freq++, move from freqToKeys[oldFreq] to freqToKeys[newFreq]
// On eviction: remove first element from freqToKeys[minFreq]
// LinkedHashSet preserves insertion order → oldest at front for same frequency

// VARIATION 2: Insert Delete GetRandom — use array for O(1) random
// ArrayList stores values; HashMap stores val→index in array
// On remove: swap target with last element, update map, remove last
// On getRandom: return list.get(random.nextInt(list.size()))
```

Math `math.md`

Canonical Templates

```
// MENTAL MODEL: number = sequence of digits in some base; iterate by repeatedly
//               peeling the last digit (% base) and shifting (/ base).
// WHEN: "reverse digits", "x^n", "base conversion", "count primes", "nth divisible-by".

// ── DIGIT EXTRACTION LOOP ── peel digits right-to-left
while (n != 0) {
    int digit = n % 10;   // last digit
    n /= 10;              // drop last digit
    // ... use digit ...
}

// ── FAST POWER (exponentiation by squaring) ──
// WHY: x^n needs only O(log n) multiplications by squaring the base
//      and consuming one exponent bit per step.
//   x^13 = x^8 * x^4 * x^1   (13 = 1101 in binary)
double fastPow(double x, long n) {
    double result = 1;
    while (n > 0) {
        if ((n & 1) == 1) result *= x;   // bit set → include this power of x
        x *= x;                          // square the base for the next bit
        n >>= 1;                         // consume one exponent bit
    }
    return result;
}

// ── BASE CONVERSION ── generic base b, 0-indexed
// number → digits: peel with % b, shift with / b, collect, then reverse
StringBuilder builder = new StringBuilder();
while (num > 0) {
    builder.append(num % b);
    num /= b;
}
builder.reverse();
// digits → number: Horner's rule
int value = 0;
for (int digit : digits) value = value * b + digit;

// ── SIEVE OF ERATOSTHENES ── mark composites up to n
// WHY start at i*i: any multiple k*i with k < i was already marked by k.
boolean[] composite = new boolean[n];
for (int i = 2; i * i < n; i++) {
    if (composite[i]) continue;
    for (int j = i * i; j < n; j += i)   // start at i*i, step by i
        composite[j] = true;
}
```