

SDK REFERENCES

Migrate to Claude Agent SDK

Guide for migrating the Claude Code TypeScript and Python SDKs to the Claude Agent SDK

Overview

The Claude Code SDK has been renamed to the **Claude Agent SDK** and its documentation has been reorganized. This change reflects the SDK's broader capabilities for building AI agents beyond just coding tasks.

What's Changed

Aspect	Old	New
Package Name (TS/JS)	@anthropic-ai/claude-code	@anthropic-ai/claude-agent-sdk
Python Package	claude-code-sdk	claude-agent-sdk
Documentation Location	Claude Code docs	API Guide → Agent SDK section

 **Documentation Changes:** The Agent SDK documentation has moved from the Claude Code docs to the API Guide under a dedicated [Agent SDK](#) section. The Claude Code docs now focus on the CLI tool and automation features.

Migration Steps

For TypeScript/JavaScript Projects

1. Uninstall the old package:

```
npm uninstall @anthropic-ai/claude-code
```

2. Install the new package:

```
npm install @anthropic-ai/claude-agent-sdk
```

3. Update your imports:

Change all imports from `@anthropic-ai/claude-code` to `@anthropic-ai/claude-agent-sdk` :

```
// Before
import { query, tool, createSdkMcpServer } from "@anthropic-ai/claude-code";

// After
import { query, tool, createSdkMcpServer } from "@anthropic-ai/claude-agent-sdk";
```

4. Update package.json dependencies:

If you have the package listed in your `package.json` , update it:

Before:

```
{
  "dependencies": {
    "@anthropic-ai/claude-code": "^0.0.42"
  }
}
```

After:

```
{
  "dependencies": {
    "@anthropic-ai/claude-agent-sdk": "^0.2.0"
  }
}
```

5. Review breaking changes

Make any code changes needed to complete the migration.

For Python Projects

1. Uninstall the old package:

```
pip uninstall claude-code-sdk
```

2. Install the new package:

```
pip install claude-agent-sdk
```

3. Update your imports:

Change all imports from `claude_code_sdk` to `claude_agent_sdk` :

```
# Before
from claude_code_sdk import query, ClaudeCodeOptions

# After
from claude_agent_sdk import query, ClaudeAgentOptions
```

4. Update type names:

Change `ClaudeCodeOptions` to `ClaudeAgentOptions` :

```
# Before
from claude_code_sdk import query, ClaudeCodeOptions

options = ClaudeCodeOptions(model="claude-opus-4-7")

# After
from claude_agent_sdk import query, ClaudeAgentOptions

options = ClaudeAgentOptions(model="claude-opus-4-7")
```

5. Review breaking changes

Make any code changes needed to complete the migration.

Breaking changes

⚠ To improve isolation and explicit configuration, Claude Agent SDK v0.1.0 introduces breaking changes for users migrating from Claude Code SDK. Review this section carefully before migrating.

Python: ClaudeCodeOptions renamed to ClaudeAgentOptions

What changed: The Python SDK type `ClaudeCodeOptions` has been renamed to `ClaudeAgentOptions`.

Migration:

```
# BEFORE (claude-code-sdk)
from claude_code_sdk import query, ClaudeCodeOptions

options = ClaudeCodeOptions(model="claude-opus-4-7",
                             permission_mode="acceptEdits")

# AFTER (claude-agent-sdk)
from claude_agent_sdk import query, ClaudeAgentOptions

options = ClaudeAgentOptions(model="claude-opus-4-7",
                              permission_mode="acceptEdits")
```

Why this changed: The type name now matches the “Claude Agent SDK” branding and provides consistency across the SDK’s naming conventions.

System prompt no longer default

What changed: The SDK no longer uses Claude Code’s system prompt by default.

Migration:

```
import { query } from "@anthropic-ai/claude-agent-sdk";

// BEFORE (v0.0.x) - Used Claude Code's system prompt by default
const before = query({ prompt: "Hello" });

// AFTER (v0.1.0) - Uses minimal system prompt by default
// To get the old behavior, explicitly request Claude Code's preset:
const presetResult = query({
  prompt: "Hello",
  options: {
    systemPrompt: { type: "preset", preset: "claude_code" }
  }
});

// Or use a custom system prompt:
const customResult = query({
  prompt: "Hello",
  options: {
    systemPrompt: "You are a helpful coding assistant"
  }
});
```

Why this changed: Provides better control and isolation for SDK applications. You can now build agents with custom behavior without inheriting Claude Code's CLI-focused instructions.

Settings sources default

This default was briefly changed in v0.1.0 and then reverted, so no migration action is needed.

Current behavior: Omitting `settingSources` on `query()` loads user, project, and local filesystem settings, matching the CLI. This includes `~/.claude/settings.json`, `.claude/settings.json`, `.claude/settings.local.json`, CLAUDE.md files, and custom commands.

To run isolated from filesystem settings, pass an empty array:

```
import { query } from "@anthropic-ai/claude-agent-sdk";

const isolatedResult = query({
  prompt: "Hello",
  options: {
    settingSources: [] // No filesystem settings loaded
  }
});

// Or load only specific sources:
const projectOnlyResult = query({
  prompt: "Hello",
  options: {
    settingSources: ["project"] // Only project settings
  }
});
```

Isolation is especially important for CI/CD pipelines, deployed applications, test environments, and multi-tenant systems where local customizations should not leak in.

❗ SDK v0.1.0 briefly defaulted to no settings loaded; this was reverted in subsequent releases. Python SDK 0.1.59 and earlier treated an empty list the same as omitting the option, so upgrade before relying on `setting_sources=[]`. See [What settingSources does not control](#) for inputs that are read even when `settingSources` is `[]`.

Why the Rename?

The Claude Code SDK was originally designed for coding tasks, but it has evolved into a powerful framework for building all types of AI agents. The new name “Claude Agent SDK” better reflects its capabilities:

- Building business agents (legal assistants, finance advisors, customer support)
- Creating specialized coding agents (SRE bots, security reviewers, code review agents)
- Developing custom agents for any domain with tool use, MCP integration, and more

Getting Help

If you encounter any issues during migration:

For TypeScript/JavaScript:

1. Check that all imports are updated to use `@anthropic-ai/claude-agent-sdk`
2. Verify your package.json has the new package name
3. Run `npm install` to ensure dependencies are updated

For Python:

1. Check that all imports are updated to use `claude_agent_sdk`
2. Verify your requirements.txt or pyproject.toml has the new package name
3. Run `pip install claude-agent-sdk` to ensure the package is installed

Next Steps

- Explore the [Agent SDK Overview](#) to learn about available features
- Check out the [TypeScript SDK Reference](#) for detailed API documentation
- Review the [Python SDK Reference](#) for Python-specific documentation
- Learn about [Custom Tools](#) and [MCP Integration](#)