

WHAT'S NEW

Week 23 · June 1–5, 2026

Run auto mode on Bedrock, Vertex, and Foundry, prompt before writing files that can run code in acceptEdits mode, list installed plugins with `/plugin list`, and require an approved version range for managed deployments.

Releases [v2.1.158](#) → [v2.1.165](#)

4 features · June 1–5

Auto mode on Bedrock, Vertex, and Foundry v2.1.158

Auto mode is now available on Bedrock, Vertex, and Foundry for Opus 4.7 and Opus 4.8, replacing permission prompts with background safety checks on third-party providers. Opt in by setting `CLAUDE_CODE_ENABLE_AUTO_MODE=1`.

Opt in on a third-party provider, then cycle to auto mode with Shift+Tab:

terminal

```
export CLAUDE_CODE_ENABLE_AUTO_MODE=1
```

[Enable auto mode on third-party providers](#) →

Safer automatic edits v2.1.160

Claude Code now prompts before writing files that can run code, even in `acceptEdits` mode. The protected set covers shell startup files such as `.zshenv` and `.bash_login`, git config under `~/.config/git/`, and build-tool configs such as `.npmrc`, `.bazelrc`, and `.pre-commit-config.yaml`. These writes are never auto-approved in any mode

`except bypassPermissions .`

Work in `acceptEdits` mode; Claude now pauses before writing these files:

terminal

```
claude --permission-mode acceptEdits
```

[Protected paths →](#)

List installed plugins with `/plugin list` v2.1.163

The new `/plugin list` command prints your installed plugins inline, without opening the `/plugin menu`, and is also available as `claude plugin list` from the shell. In the interactive form, add `--enabled` or `--disabled` to show only plugins in that state.

List the plugins that are currently turned on:

Claude Code

```
> /plugin list --enabled
```

[Plugin commands →](#)

Version requirements for managed deployments

v2.1.163

Two managed settings, `requiredMinimumVersion` and `requiredMaximumVersion`, let your organization require an approved Claude Code version range. A client outside the range exits at startup and tells the user to update through the organization's method. `claude update`, `claude install`, and `claude doctor` keep working so users can still recover.

Add a floor to your managed settings so older clients refuse to start:

```
"requiredMinimumVersion": "2.1.163"
```

Decide what to enforce →

Other wins

- + The trigger keyword for dynamic workflows changed from `workflow` to `ultracode`; asking for a workflow in your own words still works, and the keyword is highlighted in violet in the prompt
- + `claude mcp list, get, and add` no longer print secrets: environment-variable references are not expanded, and credential headers and URL secrets are redacted
- + Editing a file no longer needs a separate `Read` first when you viewed it with a single-file `grep`, `egrep`, or `fgrep`
- + Listing `Grep` or `Glob` in `--tools` now provides the dedicated search tools on native builds with embedded search, instead of silently ignoring those names
- + `OTEL_RESOURCE_ATTRIBUTES` values are now attached as labels on metric datapoints, so you can slice usage metrics by custom dimensions like team or repo
- + `/btw` gains a `c to copy` shortcut that copies the raw markdown answer to the clipboard
- + Stop and SubagentStop hooks can return `hookSpecificOutput.additionalContext` to give Claude feedback and keep the turn going instead of being treated as an error
- + A failed Bash command in a parallel tool batch no longer cancels the others; each tool returns its own result independently
- + Clicking a command in the autocomplete menu now fills it into your prompt instead of running it immediately; press Enter to run
- + `/effort` now confirms when your chosen level will persist as the default for new sessions
- + Windsurf is renamed to Devin Desktop in `/ide`, `/terminal-setup`, and `/scroll-speed`, following the editor's rebrand

[Full changelog for v2.1.158–v2.1.165 →](#)