

Synthetic internal author review · bank validation pending

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.


Both sides use the same case facts: Entity A and its FX forward, reported parent Entity B, and Person T is employed by Entity B; they also use the same Scope, RequirementSet, existing evidence and two residual gaps: Person T's authority to coordinate information for Entity A, and Entity A ownership/control. Employment and coordination authority do not establish signing or trading authority.

The same Scope and requirement revisions, existing evidence, permitted sources and source time, purpose assessments, two open gaps and reviewed contact details; there are no Target-only hidden files, paid connections or extra evidence.

Work structure and full work lists

Current


Structure overview · Archify



Work structure · contains · readable work list below

To-be

Structure overview · Archify



Work structure · contains · readable work list below

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

Capture and validate evidence

Capture and validate whether evidence supports the relevant work; the source does not provide detailed sufficiency criteria.

Inputs

- Shared accessible inputs
PC01-SHARED-INPUT-01

Outputs

- Captured and validated evidence
captured-and-validated-evidence

Controls

- Complex sufficiency remains a human judgment where criteria or authority are unresolved.

Create a specific gap

Use the current purpose assessment and applicability to create a specific gap, linking an existing open gap rather than duplicating it.

Inputs

- Shared accessible inputs
PC01-SHARED-INPUT-01

Outputs

- Specific residual gap
specific-residual-gap

Controls

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

Identify residual gaps

Identify what existing information still does not satisfy, while retaining internally unresolved applicability judgements.

Inputs

- Shared accessible inputs
PC01-SHARED-INPUT-01

Outputs

- Residual gaps
residual-gaps

Controls

Distinguish the appropriate recipient

Person T is employed by Entity B. Employment does not establish coordination, signing or trading authority; separate that authority item from Entity A ownership/control and direct each to an appropriate contributor.

Inputs

- Shared accessible inputs
PC01-SHARED-INPUT-01

Outputs

- Reviewed recipient
reviewed-recipient

Controls

- Coordination authority does not grant signing or trading authority.

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

Request information from the client

The client, RM and Operations communicate about information requests and responses; the source does not define item-level access grants.

Inputs

- Shared accessible inputs
PC01-SHARED-INPUT-01

Outputs

- Client information response
client-information-response

Controls

Limit item-level access

Each candidate grant covers only reviewed resources and actions; forwarding an invitation does not transfer authority.

Inputs

- Shared accessible inputs
PC01-SHARED-INPUT-01

Outputs

- Candidate limited access
candidate-limited-access

Controls

- Forwarding does not transfer access; actual provisioning authority remains unresolved.

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

Save, submit and keep other items open

The client saves or submits their own item and receives a receipt; another item remains open and questions stay linked to the original request item.

Inputs

- Shared accessible inputs
PC01-SHARED-INPUT-01

Outputs

- Item response and receipt
item-response-and-receipt

Controls

- Submitting one item does not close another open gap.

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

1. Move from identifying unmet information to a specific gap linked to subject, purpose and source assessment.

MAP-D3-GAP-01

Current

- Identify residual gaps

To-be

- Create a specific gap

MAP-D3-GAP-01

Move from identifying unmet information to a specific gap linked to subject, purpose and source assessment.

Enhanced · 1 → 1

Enhance traceability from purpose assessment to a specific gap and reuse an existing open gap.

Pain / need · hypothesis

- Working hypothesis: subject- and purpose-specific gaps may be hard to understand in one task; this has not been validated with bank users.

Opportunity / solution · proposal

Explain which requirement is unmet by evidence for which purpose before forming bounded tasks; retain human control over applicability, sufficiency and exceptions.

Basis / next validation

Based on D3 v0.2, exact PPT occurrences and inherited reference observations; validate with the same inputs. This is not bank policy approval or operational evidence.

- Trace requirements, evidence use and requests by subject, purpose and input revision.

Synthetic internal author review · bank validation pending

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

-
- Current and To-be must use the same accessible inputs, and proposals must not create hidden evidence or authority.
 - Observe whether coordination and signing authority remain distinct, another item stays open after one submission, and switching views never fills missing data.

Acceptance: not run · bank validation pending

Fields and unresolved source questions

- Gap.requirement_ref
- Gap.subject_ref
- Gap.purpose_code
- Gap.reason_code
- Gap.origin_assessment_ref

Source formatting is retained; it does not cancel a control or establish agent authority.

- D3-ISS-03

PPT-S1-SH292-A2 / PPT-S2-SH292-A2

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

Original process source

Source observation

Sanitised Process Map, slides 1–2. Exact occurrences are retained below; source ambiguity remains unresolved.

Project adaptation

Move from identifying unmet information to a specific gap linked to subject, purpose and source assessment.

Limits

Authored interpretation, not verified bank capability, policy approval or operational evidence.

View source

Controlled source occurrences and original metadata

- PPT-S1-SH292-A2
- PPT-S2-SH292-A2

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

2. Propose appropriate recipients and limited grants without implying that forwarding confers authority.

MAP-D3-GAP-03

Current

No direct predecessor; context only

- PPT-S1-SH292-A3
- PPT-S1-SH9-A1

To-be

- Distinguish the appropriate recipient
- Limit item-level access

MAP-D3-GAP-03

Propose appropriate recipients and limited grants without implying that forwarding confers authority.

Proposed addition · 0 → many

Item-level recipients and limited access are proposals for validation; Current communication activities provide context only.

Pain / need · hypothesis

- Working hypothesis: Ops/RM may repeatedly organise requirements and remediation context; no repetition rate has been measured.
- Working hypothesis: subject- and purpose-specific gaps may be hard to understand in one task; this has not been validated with bank users.

Opportunity / solution · proposal

Explain which requirement is unmet by evidence for which purpose before forming bounded tasks; retain human control over applicability, sufficiency and exceptions.

Basis / next validation

Synthetic internal author review · bank validation pending

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

Based on D3 v0.2, exact PPT occurrences and inherited reference observations; validate with the same inputs. This is not bank policy approval or operational evidence.

- Trace requirements, evidence use and requests by subject, purpose and input revision.
- Current and To-be must use the same accessible inputs, and proposals must not create hidden evidence or authority.
- Observe whether coordination and signing authority remain distinct, another item stays open after one submission, and switching views never fills missing data.

Acceptance: not run · bank validation pending

Fields and unresolved source questions

- RequestRecipient.person_ref
- AccessGrant.resource_scope
- AccessGrant.provisioning_basis_ref
- DisclosureReview.ref

Source formatting is retained; it does not cancel a control or establish agent authority.

- D3-ISS-03

PPT-S1-SH292-A3 · PPT-S1-SH9-A1 / PPT-S2-SH292-A3

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

Original process source

Source observation

Sanitised Process Map, slides 1–2. Exact occurrences are retained below; source ambiguity remains unresolved.

Project adaptation

Propose appropriate recipients and limited grants without implying that forwarding confers authority.

Limits

Authored interpretation, not verified bank capability, policy approval or operational evidence.

View source

Controlled source occurrences and original metadata

- PPT-S1-SH292-A3
- PPT-S1-SH9-A1
- PPT-S2-SH292-A3

Synthetic internal author review · bank validation pending

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

ANZ — KYC SecureReply

Source observation

A reference number and an OTP sent to registered contact details provide entry; save, submit and contributor visibility are separate.

Project adaptation

Separate official-site entry from request lookup and distinguish partial response, submission receipt and review status.

Limits

It is not the whole new-institutional-client journey and does not establish this case's security level or representative authority.

View source

[ANZ — KYC SecureReply ↗](#)

IB-ANZ-SECURE · official_content_checked_2026-09-07

Canonical reference: REFSRC-3f0c51e665c8 · Source status: official_content_checked_2026-09-07

<https://www.anz.com.au/support/business/secure-reply/>

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

3. Move from a general client response to item-level save, submit, receipt and clarification.

MAP-D3-GAP-05

Current

- Request information from the client
- Capture and validate evidence

To-be

- Save, submit and keep other items open

MAP-D3-GAP-05

Move from a general client response to item-level save, submit, receipt and clarification.

Enhanced · many → 1

Group request communication and evidence capture into one partial-response mapping, preserving membership rather than drawing cartesian equivalence.

Pain / need · hypothesis

- Working hypothesis: Ops/RM may repeatedly organise requirements and remediation context; no repetition rate has been measured.
- Working hypothesis: subject- and purpose-specific gaps may be hard to understand in one task; this has not been validated with bank users.

Opportunity / solution · proposal

Explain which requirement is unmet by evidence for which purpose before forming bounded tasks; retain human control over applicability, sufficiency and exceptions.

Basis / next validation

Synthetic internal author review · bank validation pending

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

Based on D3 v0.2, exact PPT occurrences and inherited reference observations; validate with the same inputs. This is not bank policy approval or operational evidence.

- Trace requirements, evidence use and requests by subject, purpose and input revision.
- Current and To-be must use the same accessible inputs, and proposals must not create hidden evidence or authority.
- Observe whether coordination and signing authority remain distinct, another item stays open after one submission, and switching views never fills missing data.

Acceptance: not run · bank validation pending

Fields and unresolved source questions

- Submission.request_item_refs
- Submission.submitted_by
- Submission.on_behalf_of
- RequestItem.response_status

Source formatting is retained; it does not cancel a control or establish agent authority.

- D3-ISS-03

PPT-S1-SH292-A3 · PPT-S1-SH9-A1 · PPT-S1-SH292-A4 / PPT-S2-SH292-A3 · PPT-S2-SH292-A4

Synthetic internal author review · bank validation pending

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

Original process source

Source observation

Sanitised Process Map, slides 1–2. Exact occurrences are retained below; source ambiguity remains unresolved.

Project adaptation

Move from a general client response to item-level save, submit, receipt and clarification.

Limits

Authored interpretation, not verified bank capability, policy approval or operational evidence.

View source

Controlled source occurrences and original metadata

- PPT-S1-SH292-A3
- PPT-S1-SH9-A1
- PPT-S1-SH292-A4
- PPT-S2-SH292-A3
- PPT-S2-SH292-A4

D3-v0.2 · D3-ISS-03

Synthetic internal author review · bank validation pending

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

ANZ — KYC SecureReply

Source observation

A reference number and an OTP sent to registered contact details provide entry; save, submit and contributor visibility are separate.

Project adaptation

Separate official-site entry from request lookup and distinguish partial response, submission receipt and review status.

Limits

It is not the whole new-institutional-client journey and does not establish this case's security level or representative authority.

View source

[ANZ — KYC SecureReply ↗](#)

IB-ANZ-SECURE · official_content_checked_2026-09-07

Canonical reference: REFSRC-3f0c51e665c8 · Source status: official_content_checked_2026-09-07

<https://www.anz.com.au/support/business/secure-reply/>

Synthetic internal author review · bank validation pending

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

ING Wholesale — Direct Online Onboarding Request (DOOR)

Source observation

An RM can arrange access for KYC representatives who can enter information, upload material, save and resume; multiple representatives do not imply simultaneous editing.

Project adaptation

Separate RM coordination, contributor tasks, the internal request and the external view.

Limits

This is not evidence of an Australian deployment; do not copy its timeframes or equate its access model with this project's item-level grants.

View source

[ING Wholesale — Direct Online Onboarding Request \(DOOR\)](#) ↗

IB-ING-DOOR · official_content_checked_2026-09-07

Canonical reference: REFSRC-c87950d327fe · Source status: official_content_checked_2026-09-07

<https://www.ingwb.com/en/insidebusiness/self-service/onboarding>

Source footnotes and unknowns

1. PPT-S1-SH292-A2 · Sanitised Process Map · controlled source
2. PPT-S2-SH292-A2 · Sanitised Process Map · controlled source
3. PPT-S1-SH292-A3 · Sanitised Process Map · controlled source

Synthetic internal author review · bank validation pending

Residual Gaps & Client Collaboration · Current / To-be

BR-05 · SCN-GAP · PC01-CHECKPOINT-01 · d3a-pc01-author-r1

Numbers identify mapping groups. Contains and maps-to do not imply execution order.

-
4. PPT-S1-SH9-A1 · Sanitised Process Map · controlled source
 5. PPT-S2-SH292-A3 · Sanitised Process Map · controlled source
 6. PPT-S1-SH292-A4 · Sanitised Process Map · controlled source
 7. PPT-S2-SH292-A4 · Sanitised Process Map · controlled source
- UNKNOWN-PERSON-T-COORDINATION-AUTHORITY
 - UNKNOWN-ENTITY-A-OWNERSHIP-CONTROL

Pain remains a hypothesis. No bank user measurement, approval, execution or publication is claimed.