


Operating Model — Person T Screening Review

Design proposal · synthetic authored example · real implementation and bank approval unverified

Operating Overview

Six reading groups do not define a mandatory runtime sequence. Evidence gathering is conditional; independent approval follows the existing configuration.




Bind query context	Rule binds the subject, query and source versions. It adds no query result. D4A-MATCH-01-01 · D4A-MATCH-01-02
Compare identifiers	Rule preserves precision and unknowns; Skill prepares cited differences without an identity verdict. D4A-MATCH-02-01 · D4A-MATCH-02-02

Resolve the evidence gap	A conditional candidate may plan evidence gathering. Skill drafts the request; a human confirms access and disclosure. Skip this branch if no gap exists. D4A-MATCH-03-01 · D4A-MATCH-03-02 · D4A-MATCH-03-03
Prepare the review pack	Skill prepares facts and unknowns; Rule checks access, citations and current versions. Preparation is not a decision. D4A-MATCH-04-01 · D4A-MATCH-04-02 · D4A-MATCH-05-01
Human review	People retain materiality and disposition. Rule applies a scoped hold. Independent approval applies only where configured. D4A-MATCH-05-02 · D4A-MATCH-05-03 · D4A-MATCH-06-01 · D4A-MATCH-06-02
Record the local outcome	Rule records an authorised result, recalculates affected coverage and projects remaining conditions. The whole case stays open. D4A-MATCH-06-03 · D4A-MATCH-07-01 · D4A-MATCH-07-02

Execution Choice

First establish permission, scope and current input. Human judgement and formal authority remain hard gates. Compare rules, bounded Skills, fixed workflows and conditional planning candidates.



D4A-MATCH-01-01 · Reassigned

Bind the finding, subject snapshot, query scope and source version

Workflow + Rule / Code

Writing and version checks have fixed inputs and outputs; a model does not need to choose the next step.

Inputs

ProviderRecordSnapshot; RunSubjectSnapshot; RunId

Outputs

ScreeningFinding

Used by execution

SK-11

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Public references: IND-WOLFSBERG

D4A-MATCH-01-02 · Reassigned

Check record consistency and flag duplicate or related candidates

Workflow + Rule / Code

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Inputs

ScreeningFinding; KnownFindingRegistry

Outputs

FindingConsistencyCheck

Used by execution

SK-03 / SK-10

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Public references: IND-WOLFSBERG

D4A-MATCH-02-01 · Enhanced

Preserve date precision, multiple values, original script and missing values

Workflow + Rule / Code

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Inputs

SubjectClaims; ProviderClaims

Outputs

TypedComparableClaims

Used by execution

SK-03

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Public references: REG-DFAT-LIST

D4A-MATCH-02-02 · Enhanced

Prepare a cited matrix of similarities, differences and incomparable values

Workflow + Semantic Skill

Comparison and synthesis need context, but a bounded comparison Skill can prepare the result without a professional conclusion.

Inputs

TypedComparableClaims

Outputs

AttributeComparison[]

Used by execution

SK-03

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Public references: REG-DFAT-LIST

D4A-MATCH-03-01 · Enhanced

Choose the next permitted evidence source and stopping conditions

Bounded Agent candidate

Returned evidence may change the next permitted source or Skill. Only this limited evidence planning is an Agent candidate.

Inputs

FindingUnknowns; ExistingEvidence; AllowedSources; PreviousReceipts

Outputs

IdentityEvidencePlanProposal

Used by execution

SK-01 / SK-05 / SK-06

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Public references: IB-ANZ-SECURE

D4A-MATCH-03-02 · Enhanced

Turn remaining identity facts into a limited request draft

Workflow + Semantic Skill

A cited preparation task has a clear deliverable. A pack is not approval; use a Skill for fixed inputs.

Inputs

IdentityEvidencePlanProposal; AllowedClientReason

Outputs

IdentityRequestDraft

Used by execution

SK-08

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Public references: IB-ANZ-SECURE

D4A-MATCH-03-03 · Enhanced

Confirm recipients, disclosure and access for personal evidence

Human + prepared evidence

Formal authority belongs to the responsible person. Automated checks and recording cannot grant that authority to a model.

Inputs

IdentityRequestDraft; ExistingGrant

Outputs

IdentityRequestAccessDecision

Supports the human action

SK-06

Human role hypothesis

Request / access authority

Public references: IB-ANZ-SECURE

D4A-MATCH-04-01 · Enhanced

Prepare cited facts, unknowns, contradictions and permitted actions

Workflow + Semantic Skill

A cited preparation task has a clear deliverable. A pack is not approval; use a Skill for fixed inputs.

Inputs

Finding; CurrentEvidenceUse; Comparison; AllowedActionSet

Outputs

ScreeningDecisionPack

Used by execution

SK-06

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Public references: IND-WOLFSBERG

D4A-MATCH-04-02 · Enhanced

Check pack citations, access, current versions and unsupported conclusions

Workflow + Rule / Code

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Inputs

ScreeningDecisionPack; AccessScope; CurrentRevisions

Outputs

DecisionPackValidation

Used by execution

SK-05 / SK-10

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Public references: IND-WOLFSBERG

D4A-MATCH-05-01 · Retained

Prepare materiality facts and unresolved contradictions

Workflow + Semantic Skill

A cited preparation task has a clear deliverable. A pack is not approval; use a Skill for fixed inputs.

Inputs

Finding; Evidence; RiskContext

Outputs

MaterialityBrief

Used by execution

SK-06

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Public references: IND-WOLFSBERG

D4A-MATCH-05-02 · Retained

Judge ambiguous or material matters and the need for escalation

Human + prepared evidence

Substantive judgement and uncertainty require an appropriately qualified, accountable person.
Complex context does not authorise autonomous decisions.

Inputs

MaterialityBrief; ApplicableControlContext

Outputs

RiskMaterialityDecision

Supports the human action

SK-06

Human role hypothesis

Financial Crime authority

Public references: IND-WOLFSBERG

D4A-MATCH-05-03 · Retained

Apply a hold to specific actions using explicit decisions and rules

Workflow + Rule / Code

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Inputs

RiskMaterialityDecision; HoldPolicy

Outputs

ScopedHold; EscalationTask

Used by execution

SK-07 / SK-10

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Public references: IND-WOLFSBERG

D4A-MATCH-06-01 · Enhanced

Choose a supported local disposition or keep the finding unresolved

Human + prepared evidence

Substantive judgement and uncertainty require an appropriately qualified, accountable person.
Complex context does not authorise autonomous decisions.

Inputs

ScreeningDecisionPack; CurrentInputManifest

Outputs

ProposedDisposition; HumanRationale

Supports the human action

SK-06

Human role hypothesis

Authorised screening reviewer

Public references: IND-WOLFSBERG / XB-FHIR-R5

D4A-MATCH-06-02 · Enhanced

Obtain independent authority only where the configuration requires it

Human + prepared evidence

Formal authority belongs to the responsible person. Automated checks and recording cannot grant that authority to a model.

Inputs

ProposedDisposition; ApprovalPolicy; ReviewerPermission

Outputs

AuthorisedDisposition

Supports the human action

SK-06

Human role hypothesis

Configured additional approver where required

Public references: IND-WOLFSBERG / XB-FHIR-R5

D4A-MATCH-06-03 · Enhanced

Validate current versions and authority, then record the local outcome

Workflow + Rule / Code

Writing and version checks have fixed inputs and outputs; a model does not need to choose the next step.

Inputs

AuthorisedDisposition; ExpectedRevisions; IdempotencyKey

Outputs

ScreeningReviewDecision; AuditEvent

Used by execution

SK-11

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Public references: IND-WOLFSBERG / XB-FHIR-R5

D4A-MATCH-07-01 · Enhanced

Calculate the limited finding and coverage impact of a disposition

Workflow + Rule / Code

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Inputs

ScreeningReviewDecision; CoverageManifest; DependencyEdge[]

Outputs

CoverageDelta; ReadinessReevaluationEvent

Used by execution

SK-10

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Public references: XB-FHIR-R5

Controls and human handoff

Shared by all actions; outputs and additional restrictions are action-specific above. All writes require existing business commands. This static package performs none.

Preconditions

- Input objects exist with explicit source and version
- The current actor or tool has the required read and action scope
- No applicable prohibiting hold exists
- Do not execute automatically if required policy or accountability is unknown

Stop

Pause the affected work if population is incomplete, a source fails, identity information is insufficient, permission is missing or materiality awaits judgement. Keep this action pending when its required inputs or permissions are absent.

D4A-MATCH-07-02 · Enhanced

Show remaining ownership, EDD, Legal and other conditions

Workflow + Rule / Code

A projection follows actual object states and permissions. A fixed query is appropriate for presenting the result.

Inputs

CurrentCaseState; AllowedRoleProjection

Outputs

CaseImpactView

Used by execution

SK-12

Human role hypothesis

Financial Crime / authorised screening reviewer

Additional forbidden effects

Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Public references: XB-FHIR-R5


Resume

After new evidence, query results or an authorised decision arrive, reassess only affected items. Recheck read/write permissions, current versions and the original task / return anchor. Opening a task or pressing Next never authorises resumption.

Shared forbidden effects

- Create or alter bank policy or permissions
- Overwrite historical evidence or decisions
- Change business region, lists or applicability on a language switch
- Record whole-case clearance without a valid basis
- Exclude identity or declare global absence of risk from similarity or no results

Skills & Reuse



Every use independently requires current subject / purpose scope, permissions and versions. Shared families do not share prompts, access grants or professional standards. The authorised human consumer retains identity, materiality, sufficiency, authority and clearance decisions.

SK-01 · Context & Approved Source Retrieval

Purpose / kind

Context & Approved Source Retrieval · deterministic entrypoints; semantic query proposal separately typed

Input

scope + requested facts + approved source/permission

Output

source response + receipt + unknown/failure

Boundaries

Read only by default

Stops

No access / unavailable / ambiguous subject → named gap, no invented result

Contract: Defined design proposal · Sample: Not authored in this pilot · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-SCOPE-01-02 SCN-SCOPE	Used by execution	CandidateClaim[]; CaseSearchScope	DuplicateCandidate[]
D4A-REQUIREMENTS-01-01 SCN-REQUIREMENTS	Used by execution	CaseScope; ApprovedPolicyCatalogue	PolicyExcerpt[]
D4A-REQUIREMENTS-06-02 SCN-REQUIREMENTS	Used by execution	UnknownImpact; AllowedSkills; CaseReadContext	ReassessmentPlanProposal
D4A-SOURCE-01-02 SCN-SOURCE	Used by execution	AllowedSourceSet; ExistingEvidence; RetrievalResult[]	EvidenceSearchPlan; ResidualUnknowns
D4A-SOURCE-01-03 SCN-SOURCE	Used by execution	ApprovedQueryIntent; SubjectSnapshot	SourceResponse; RetrievalReceipt
D4A-SOURCE-05-02 SCN-SOURCE	Used by execution	RetryPolicy; IdempotencyKey; LastReceipt	RetryReceipt; SourceUnavailableTask
D4A-MATCH-03-01 SCN-MATCH	Used by execution	FindingUnknowns; ExistingEvidence; AllowedSources; PreviousReceipts	IdentityEvidencePlanProposal
D4A-EDD-03-01 SCN-EDD	Used by execution	ApprovedRiskQuestions; AvailableEvidence; AllowedSources	EDDEvidencePlanProposal
D4A-EDD-05-01 SCN-EDD	Used by execution	RiskQuestionGaps; PriorResponses; AllowedSources	TargetedEnquiryPlan
D4A-LEGAL-01-01 SCN-LEGAL	Used by execution	CaseScope.revision; LegalRoleProjection	LegalIntakeContext

Action / scene	Relation	Inputs	Outputs
D4A-CREDIT-02-01 SCN-CREDIT	Used by execution	Counterparty; FinancialSourceScope; AccessPolicy	FinancialArtifact; ExposureSnapshot

SK-02 · Claim Extraction

Purpose / kind

Claim Extraction · semantic

Input

released source artifact + extraction schema

Output

candidate claims + locators + extraction status

Boundaries

Draft candidates only

Stops

unsupported or conflicting field → abstain / unknown, never populate from general knowledge

Contract: Defined design proposal · Sample: Not authored in this pilot · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-SCOPE-01-01 SCN-SCOPE	Used by execution	IntakeArtifact.content; SourcePermission	CandidateClaim[]
D4A-ENTITY-03-01 SCN-ENTITY	Used by execution	OwnershipArtifact; EntityRefs	RelationshipClaim[]
D4A-ENTITY-04-01 SCN-ENTITY	Used by execution	Request; RoleLetter; PartyRegistry	RepresentativeCandidate
D4A-SOURCE-03-01 SCN-SOURCE	Used by execution	EvidenceArtifact; ExtractionSchema	EvidenceClaim[]
D4A-VALIDATE-03-01 SCN-VALIDATE	Used by execution	EvidenceArtifact; ExistingClaims	CandidateClaim[]
D4A-LEGAL-08-01 SCN-LEGAL	Used by execution	SignedArtifact; KeyTermSchema	KeyTermCandidate[]
D4A-CREDIT-02-02 SCN-CREDIT	Used by execution	FinancialArtifact; FieldSchema	FinancialClaim[]

SK-03 · Entity / Attribute / Duplicate Comparison

Purpose / kind

Entity / Attribute / Duplicate Comparison · deterministic normalisation + semantic candidate interpretation

Input

two versioned claim sets + permitted comparison scope

Output

similar / different / inconclusive / not_comparable with evidence

Boundaries

Candidate comparison only

Stops

missing/partial dates, scripts, aliases → preserve precision; no identity verdict

Authored sample · synthetic

Input: Person T and record C01, original query and subject version. Subject birth date is unknown; provider years are 1970 / 1971 at year precision.

Attribute	Subject	Record C01	Candidate output
Name	Person T	Person T	similar — no identity verdict
Birth date	Unknown	1970 / 1971, year precision	inconclusive — missing is not different
Place of birth / nationality	Unknown	Unknown	inconclusive

Contract vocabulary: similar / different / inconclusive / not_comparable. A single differing field cannot automatically exclude identity. Source basis: original authored C-result comparison; D4A-MATCH-02-02.
Viewing this sample creates no live facts.

Contract: Defined design proposal · Sample: Authored synthetic sample · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-SCOPE-01-02 SCN-SCOPE	Used by execution	CandidateClaim[]; CaseSearchScope	DuplicateCandidate[]
D4A-ENTITY-01-01 SCN-ENTITY	Used by execution	PartyClaims[]; RegistrySnapshot	EntityMatchCandidate[]
D4A-ENTITY-05-01 SCN-ENTITY	Used by execution	AuthorityRequirement[]; RoleClaims; EvidenceUse[]	AuthorityEvidenceMatrix
D4A-REQUIREMENTS-03-01 SCN-REQUIREMENTS	Used by execution	RequirementCandidate[]	RequirementGroupingProposal

Action / scene	Relation	Inputs	Outputs
D4A-SOURCE-04-01 SCN-SOURCE	Used by execution	EvidenceArtifact[]; SubmissionHistory	ExactDuplicateCandidate[]
D4A-SOURCE-04-02 SCN-SOURCE	Used by execution	NonExactArtifactPairs	NearDuplicateReview
D4A-SOURCE-06-01 SCN-SOURCE	Used by execution	Requirement[]; EvidenceClaim[]	EvidenceUseCandidate[]
D4A-VALIDATE-02-01 SCN-VALIDATE	Used by execution	EvidenceClaim[]; RequiredSubjectPurpose	EvidenceContextComparison
D4A-POPULATION-02-02 SCN-POPULATION	Used by execution	MediaSourceSnapshot[]; SubjectClaims	MediaAttributionDraft
D4A-MATCH-01-02 SCN-MATCH	Used by execution	ScreeningFinding; KnownFindingRegistry	FindingConsistencyCheck
D4A-MATCH-02-01 SCN-MATCH	Used by execution	SubjectClaims; ProviderClaims	TypedComparableClaims
D4A-MATCH-02-02 SCN-MATCH	Used by execution	TypedComparableClaims	AttributeComparison[]
D4A-LEGAL-04-01 SCN-LEGAL	Used by execution	CreditCondition.spec_ref; AgreementDraft.revision	ConditionIncorporationCandidate
D4A-LEGAL-05-02 SCN-LEGAL	Used by execution	NegotiationResponse; AgreementRevisions	ClauseChangeCandidate[]
D4A-CREDIT-07-01 SCN-CREDIT	Used by execution	CurrentAgreement; PriorAgreement; CreditConditionSpec	CreditRelevantClauseDelta

SK-04 · Scope & Policy Condition Evaluation

Purpose / kind

Scope & Policy Condition Evaluation · deterministic

Input

approved versioned rules + current scoped facts

Output

required / not_required / unknown + basis

Boundaries

Only defined rule-derived records through command boundary

Stops

missing rules / facts / authority → unknown or review, not LLM policy generation

Contract: Defined design proposal · Sample: Not authored in this pilot · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-SCOPE-02-01 SCN-SCOPE	Used by execution	CaseScope.sales_location; BookingPolicy.revision; CandidateBookingEntity	BookingContextCheck; ContextGap[]
D4A-SCOPE-03-01 SCN-SCOPE	Used by execution	RequestedProduct[]; EligibilityPolicy.revision; CaseScope.revision	ProductEligibilityCheck
D4A-SCOPE-04-01 SCN-SCOPE	Used by execution	CaseScope; RiskIndicator[]; DDPolicy.revision	DDContext.candidate; DDContext.unknown_refs
D4A-ENTITY-02-01 SCN-ENTITY	Used by execution	EntityClaims; ClassificationRules.revision	EntityClassificationCandidate
D4A-REQUIREMENTS-01-02 SCN-REQUIREMENTS	Used by execution	ScopeInputs; PolicyRules.revision	RequirementApplicability[]
D4A-REQUIREMENTS-02-01 SCN-REQUIREMENTS	Used by execution	ScopeInputs; NonAMLRuleSet	NonAMLRequirement[]; OpenApplicability[]
D4A-REQUIREMENTS-04-01 SCN-REQUIREMENTS	Used by execution	RiskEvent; PolicyRuleSet; DependencyEdge[]	RequirementReassessmentProposal
D4A-SOURCE-01-01 SCN-SOURCE	Used by execution	RequiredFact; ApprovedSourceCatalogue; AccessPolicy	AllowedSourceSet
D4A-GAP-02-02 SCN-GAP	Used by execution	RequestItemDraft[]; RequirementRefs; DisclosureConstraints	RequestDraftValidation
D4A-POPULATION-01-01 SCN-POPULATION	Used by execution	CaseScope; PreScreenPolicy; KnownPartyRefs	PreScreenPlan; UnresolvedScope
D4A-POPULATION-03-01 SCN-POPULATION	Used by execution	PartyInventory; ScreeningCriteria.revision	MembershipCandidate[]; InventoryGap[]
D4A-POPULATION-04-02 SCN-POPULATION	Used by execution	PopulationRevision; QueryRequirements; InventoryGaps	PlanConfirmationEligibility
D4A-EDD-01-01 SCN-EDD	Used by execution	CaseScope; RiskIndicators; EDDPolicy.revision	EDDApplicabilityCandidate
D4A-EDD-02-01 SCN-EDD	Used by execution	EDDApplicabilityDecision; CaseScope; HoldRefs	EDDStartEligibility
D4A-CONFLICTS-01-01 SCN-CONFLICTS	Used by execution	CaseScope; PartyContext; ConflictPolicy; HoldRefs	ConflictStartEligibility

Action / scene	Relation	Inputs	Outputs
D4A-LEGAL-01-02 SCN-LEGAL	Used by execution	LegalIntakeContext; LegalIntakeDefinition	LegalRequest; LegalInputGap[]
D4A-LEGAL-02-01 SCN-LEGAL	Used by execution	CaseScope; ApprovedAgreementCatalogue	AgreementApplicabilityCandidate
D4A-LEGAL-06-01 SCN-LEGAL	Used by execution	Agreement.revision; CreditInput.revision; ApprovalManifest	AgreementApprovalEligibility
D4A-LEGAL-07-01 SCN-LEGAL	Used by execution	Agreement.revision; ApprovalManifest; SignatoryAuthority; HoldRefs	ExecutionEligibility
D4A-CREDIT-01-01 SCN-CREDIT	Used by execution	CaseScope; CreditApplicabilityRules	CreditApplicabilityCandidate
D4A-QA-01-01 SCN-QA	Used by execution	CaseScope; RequirementSet; QACheckDefinition	QAManifest; ManifestUnknowns
D4A-READINESS-01-01 SCN-READINESS	Used by execution	CaseScope; ApprovedPrerequisiteDefinition; ConditionRegistry	ConditionManifest; MissingConditionRefs
D4A-PUBLISH-02-01 SCN-PUBLISH	Used by execution	ReadinessSnapshot; ActorPermission; ExpectedRevisions; HoldRefs	ClearanceConfirmationEligibility
D4A-PUBLISH-04-01 SCN-PUBLISH	Used by execution	ClearanceDecision; PublicationPolicy; TargetAllowlist	ApprovedPublicationIntent

SK-05 · Evidence-use & Completeness Checks

Purpose / kind

Evidence-use & Completeness Checks · deterministic checks + optional semantic preparation

Input

expected manifest + source/claim/use references

Output

missing objects, candidate coverage, provenance gaps

Boundaries

Draft checks or deterministic findings; not formal sufficiency judgement

Stops

missing assessment differs from invalid evidence; empty/failed manifest never passes

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-ENTITY-05-01 SCN-ENTITY	Used by execution	AuthorityRequirement[]; RoleClaims; EvidenceUse[]	AuthorityEvidenceMatrix
D4A-REQUIREMENTS-06-02 SCN-REQUIREMENTS	Used by execution	UnknownImpact; AllowedSkills; CaseReadContext	ReassessmentPlanProposal
D4A-SOURCE-01-02 SCN-SOURCE	Used by execution	AllowedSourceSet; ExistingEvidence; RetrievalResult[]	EvidenceSearchPlan; ResidualUnknowns
D4A-SOURCE-02-02 SCN-SOURCE	Used by execution	ProvenanceRecord; RequiredMetadata	MetadataGap[]
D4A-SOURCE-03-02 SCN-SOURCE	Used by execution	EvidenceClaim[]; AllowedDocumentScope	ExtractionValidation; RejectedClaim[]
D4A-SOURCE-06-01 SCN-SOURCE	Used by execution	Requirement[]; EvidenceClaim[]	EvidenceUseCandidate[]
D4A-GAP-01-01 SCN-GAP	Used by execution	RequirementApplicability; EvidenceUseAssessment[]; OpenGap[]	GapDelta
D4A-VALIDATE-01-02 SCN-VALIDATE	Used by execution	SecurityScanResult; IntakePolicy	Artifact.intake_status; ReviewEligibility
D4A-VALIDATE-04-01 SCN-VALIDATE	Used by execution	Requirement; EvidenceClaims; UseCriteria	EvidenceUseReviewPack
D4A-MATCH-03-01 SCN-MATCH	Used by execution	FindingUnknowns; ExistingEvidence; AllowedSources; PreviousReceipts	IdentityEvidencePlanProposal
D4A-MATCH-04-02 SCN-MATCH	Used by execution	ScreeningDecisionPack; AccessScope; CurrentRevisions	DecisionPackValidation
D4A-EDD-03-01 SCN-EDD	Used by execution	ApprovedRiskQuestions; AvailableEvidence; AllowedSources	EDDEvidencePlanProposal
D4A-EDD-05-01 SCN-EDD	Used by execution	RiskQuestionGaps; PriorResponses; AllowedSources	TargetedEnquiryPlan
D4A-CREDIT-02-03 SCN-CREDIT	Used by execution	FinancialClaim[]; ExposureSnapshot; DataDefinition	CreditInputCheck; DataGap[]
D4A-QA-01-01 SCN-QA	Used by execution	CaseScope; RequirementSet; QACheckDefinition	QAManifest; ManifestUnknowns

Action / scene	Relation	Inputs	Outputs
D4A-QA-02-01 SCN-QA	Used by execution	QAManifest; CurrentCaseObjects	QACheckResult[]; MissingObjectRefs
D4A-QA-03-01 SCN-QA	Used by execution	EvidenceProvenance; SourcePolicy; CurrentRevision	SourceMetadataCheck
D4A-QA-04-01 SCN-QA	Used by execution	Requirement; Subject; Purpose; EvidenceUseAssessment	AssessmentPresenceCheck
D4A-QA-05-01 SCN-QA	Used by execution	QAManifest; ScreeningCoverage; EDDApplicability; EDDConditions	CrossConditionCheck; SpecificIssueRefs
D4A-QA-06-01 SCN-QA	Used by execution	QAObservation; ExistingGap[]; DependencyEdge[]	RemediationScope
D4A-QA-07-01 SCN-QA	Used by execution	RemediationResolution; RevisedEvidenceUse; CheckDefinition	QArecheckCandidate
D4A-QA-08-01 SCN-QA	Used by execution	QAManifest; QACheck[]; ScopeRevision; HoldRefs	QASignoffEligibility

SK-06 · Decision Pack / Explanation / Composition

Purpose / kind

Decision Pack / Explanation / Composition · semantic; approved template mode is deterministic

Input

role-filtered facts, unknowns, sources, permitted actions

Output

versioned draft pack or explanation with sources

Boundaries

Draft only; no approval or external dispatch

Stops

unsupported claim / instruction in evidence / revoked access → exclude or pause

Authored sample · synthetic

Input: the same Person T finding and C01 comparison, current evidence-use status and allowed-action set. Subject identity remains insufficient.

Draft output: “Can this finding be distinguished? The same synthetic name is known; subject birth date and other identity context are unknown. Review original sources, request scoped information or keep unresolved / refer where authorised.”

Output is a cited preparation illustration from the original C-result comparison and D4A-MATCH-04-01 contract. It does not recommend exclusion, approve a person or record a decision.

Contract: Defined design proposal · Sample: Authored synthetic sample · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-SCOPE-01-03 SCN-SCOPE	Supports human	DuplicateCandidate[]; OriginalRequest	IntakeLinkDecision
D4A-SCOPE-02-02 SCN-SCOPE	Supports human	BookingContextCheck; OriginalRequest	BookingContextDecision
D4A-SCOPE-03-02 SCN-SCOPE	Supports human	ProductEligibilityCheck; ApprovalContext	ProductEligibility.decision_ref
D4A-SCOPE-04-02 SCN-SCOPE	Supports human	DDContext.candidate; EvidenceRefs	DDLevelDecision
D4A-ENTITY-01-02 SCN-ENTITY	Supports human	EntityMatchCandidate[]; EvidenceRefs	EntityIdentityDecision
D4A-ENTITY-02-02 SCN-ENTITY	Used by execution	EntityClassificationCandidate; PartyRelationship[]	ClassificationReviewPack
D4A-ENTITY-02-03 SCN-ENTITY	Supports human	ClassificationReviewPack	EntityClassification.decision_ref
D4A-ENTITY-03-02 SCN-ENTITY	Supports human	RelationshipClaim[]; VerificationBasis	PartyRelationship.verification_ref
D4A-ENTITY-04-02 SCN-ENTITY	Supports human	RepresentativeCandidate; OriginalRequest	RepresentativeClarification
D4A-ENTITY-05-02 SCN-ENTITY	Supports human	AuthorityEvidenceMatrix; ApplicableCriteria	AuthorityDecision
D4A-ENTITY-06-01 SCN-ENTITY	Supports human	ContactCheck; RequestedResources; DisclosurePolicy	RequestAccessDecision
D4A-REQUIREMENTS-01-03 SCN-REQUIREMENTS	Supports human	RequirementApplicability[]; PolicyExcerpt[]	ReliefDecision
D4A-REQUIREMENTS-02-02 SCN-REQUIREMENTS	Supports human	NonAMLRequirement[]; ExpertContext	ExemptionDecision
D4A-REQUIREMENTS-04-02 SCN-REQUIREMENTS	Supports human	RiskEvidence; RequirementReassessmentProposal	RiskAdjustmentDecision
D4A-REQUIREMENTS-05-02 SCN-REQUIREMENTS	Supports human	ClientRequestDraft; DisclosurePolicy	RequestReviewDecision

Action / scene	Relation	Inputs	Outputs
D4A-REQUIREMENTS-06-02 SCN-REQUIREMENTS	Used by execution	UnknownImpact; AllowedSkills; CaseReadContext	ReassessmentPlanProposal
D4A-REQUIREMENTS-06-03 SCN-REQUIREMENTS	Supports human	ReassessmentPlanProposal; CurrencyEvidence	RequirementReuseDecision
D4A-GAP-03-01 SCN-GAP	Supports human	ContactRecord; ProposedRequestScope	RequestAccessDecision
D4A-GAP-04-01 SCN-GAP	Supports human	RequestDraft; RecipientScope; ApprovalRule	RequestApproval
D4A-GAP-06-01 SCN-GAP	Used by execution	ApprovedInteractionInput; CaseScope	InteractionSummaryDraft
D4A-GAP-06-02 SCN-GAP	Supports human	InteractionSummaryDraft; OriginalInteraction	ReviewedInteractionSummary
D4A-VALIDATE-02-02 SCN-VALIDATE	Supports human	EvidenceContextComparison; SourceMaterial	EvidenceContextDecision
D4A-VALIDATE-03-02 SCN-VALIDATE	Supports human	CandidateClaim[]; ConflictingClaims; Criteria	ClaimAdoptionDecision
D4A-VALIDATE-04-01 SCN-VALIDATE	Used by execution	Requirement; EvidenceClaims; UseCriteria	EvidenceUseReviewPack
D4A-VALIDATE-04-02 SCN-VALIDATE	Supports human	EvidenceUseReviewPack; CurrentInputs	EvidenceSufficiencyDecision
D4A-POPULATION-02-02 SCN-POPULATION	Used by execution	MediaSourceSnapshot[]; SubjectClaims	MediaAttributionDraft
D4A-POPULATION-02-03 SCN-POPULATION	Supports human	MediaAttributionDraft; SourceEvidence	MediaRelevanceDecision
D4A-POPULATION-03-02 SCN-POPULATION	Supports human	MembershipCandidate[]; InventoryEvidence	PopulationMembershipDecision
D4A-POPULATION-06-02 SCN-POPULATION	Supports human	CurrencyReviewPack; OldResultRefs	CoverageReuseDecision
D4A-MATCH-03-01 SCN-MATCH	Used by execution	FindingUnknowns; ExistingEvidence; AllowedSources; PreviousReceipts	IdentityEvidencePlanProposal
D4A-MATCH-03-03 SCN-MATCH	Supports human	IdentityRequestDraft; ExistingGrant	IdentityRequestAccessDecision

Action / scene	Relation	Inputs	Outputs
D4A-MATCH-04-01 SCN-MATCH	Used by execution	Finding; CurrentEvidenceUse; Comparison; AllowedActionSet	ScreeningDecisionPack
D4A-MATCH-05-01 SCN-MATCH	Used by execution	Finding; Evidence; RiskContext	MaterialityBrief
D4A-MATCH-05-02 SCN-MATCH	Supports human	MaterialityBrief; ApplicableControlContext	RiskMaterialityDecision
D4A-MATCH-06-01 SCN-MATCH	Supports human	ScreeningDecisionPack; CurrentInputManifest	ProposedDisposition; HumanRationale
D4A-MATCH-06-02 SCN-MATCH	Supports human	ProposedDisposition; ApprovalPolicy; ReviewerPermission	AuthorisedDisposition
D4A-EDD-01-02 SCN-EDD	Supports human	EDDApplicabilityCandidate; RiskEvidence	EDDApplicabilityDecision
D4A-EDD-03-02 SCN-EDD	Used by execution	EDDEvidencePlan; EvidenceUse[]; RiskQuestion[]	EDDEvidencePack
D4A-EDD-04-01 SCN-EDD	Used by execution	RiskQuestion[]; EvidenceUse[]; OpenIssue[]	RiskFactorReviewPack
D4A-EDD-04-02 SCN-EDD	Supports human	RiskFactorReviewPack; PolicyContext	EDDRiskJudgment
D4A-EDD-05-02 SCN-EDD	Supports human	TargetedEnquiryPlan; DisclosureRules	ApprovedRiskInformationRequest
D4A-EDD-06-01 SCN-EDD	Used by execution	RiskQuestion; CaseAllowedProjection	SpecialistConsultationPack
D4A-EDD-06-03 SCN-EDD	Supports human	ConsultationTask; EvidenceRefs	SpecialistOpinion
D4A-EDD-07-01 SCN-EDD	Used by execution	RiskJudgments; ExpertOpinions; EvidencePack.revision	EDDOutcomeDraft
D4A-EDD-07-02 SCN-EDD	Supports human	EDDOutcomeDraft; CurrentEvidence	EDDOutcomeDecision; EDDConditionDefinition[]
D4A-EDD-07-03 SCN-EDD	Supports human	EDDOutcomeDecision; ApprovalPolicy	EDDApproval
D4A-CONFLICTS-03-01 SCN-CONFLICTS	Used by execution	ConflictFinding; PermittedRelationshipContext	ConflictReviewPack

Action / scene	Relation	Inputs	Outputs
D4A-CONFLICTS-03-02 SCN-CONFLICTS	Supports human	ConflictReviewPack; ApplicableControlContext	ConflictDecisionProposal
D4A-CONFLICTS-04-01 SCN-CONFLICTS	Supports human	ConflictReviewPack; DependencyEvidence	ConflictImpactDecision
D4A-CONFLICTS-05-01 SCN-CONFLICTS	Supports human	ConflictDecisionProposal; CurrentEvidence; Permission	AuthorisedConflictOutcome
D4A-LEGAL-02-02 SCN-LEGAL	Supports human	AgreementApplicabilityCandidate; ProductContext	AgreementRequirementDecision
D4A-LEGAL-03-01 SCN-LEGAL	Used by execution	ApprovedTemplate.revision; AcceptedScopeFields; DraftOrigin	AgreementDraft; DraftProvenance
D4A-LEGAL-03-02 SCN-LEGAL	Supports human	AgreementDraft; ApplicableLegalContext	LegalDraftReview
D4A-LEGAL-04-02 SCN-LEGAL	Supports human	ConditionIncorporationCandidate; CreditInput.revision	ConditionIncorporationReview
D4A-LEGAL-05-01 SCN-LEGAL	Supports human	CurrentAgreement; NegotiationContext	NegotiationResponse
D4A-LEGAL-06-02 SCN-LEGAL	Supports human	AgreementApprovalEligibility; CurrentAgreement	DomainApproval[]
D4A-LEGAL-07-02 SCN-LEGAL	Supports human	ExecutionEligibility; ExecutionDocument	SigningAction
D4A-LEGAL-08-02 SCN-LEGAL	Supports human	KeyTermCandidate[]; SignedArtifact	KeyTermAdoptionDecision
D4A-CREDIT-01-02 SCN-CREDIT	Supports human	CreditApplicabilityCandidate; ScopeEvidence	CreditApplicabilityDecision
D4A-CREDIT-03-01 SCN-CREDIT	Used by execution	ReviewedFinancialData; ExposureSnapshot; Scope	CreditAssessmentPack
D4A-CREDIT-03-02 SCN-CREDIT	Supports human	CreditAssessmentPack; ApplicableCreditContext	CreditRiskAssessment
D4A-CREDIT-04-01 SCN-CREDIT	Supports human	CreditRiskAssessment; ProductScope	CreditConditionDefinition
D4A-CREDIT-05-01 SCN-CREDIT	Supports human	CreditRiskAssessment; ConditionDefinition; ApprovalPolicy	CreditApprovalDecision

Action / scene	Relation	Inputs	Outputs
D4A-CREDIT-07-02 SCN-CREDIT	Supports human	CreditRelevantClauseDelta; AgreementRevision; CreditTerms	CreditAgreementDecision
D4A-QA-01-02 SCN-QA	Supports human	QAManifest; ManifestUnknowns	QAScopeReview
D4A-QA-03-02 SCN-QA	Used by execution	SourceMetadataCheck; ConflictingClaims	SourceReviewBrief
D4A-QA-03-03 SCN-QA	Supports human	SourceReviewBrief; OriginalEvidence	SourceReviewDecision
D4A-QA-04-02 SCN-QA	Used by execution	AssessmentPresenceCheck; EvidenceUseRefs	SufficiencyReviewBrief
D4A-QA-04-03 SCN-QA	Supports human	SufficiencyReviewBrief; ActualEvidence	QASufficiencyJudgment
D4A-QA-06-02 SCN-QA	Used by execution	RemediationScope; EvidenceStatus	RemediationProposal
D4A-QA-07-02 SCN-QA	Supports human	QARerecheckCandidate; RevisedEvidence	QARerecheckDecision
D4A-QA-08-02 SCN-QA	Supports human	QASignoffEligibility; ReviewPack; Permission	AuthorisedQASignoff
D4A-READINESS-01-02 SCN-READINESS	Supports human	ConditionManifest; ScopeUnknowns	PrerequisiteScopeDecision
D4A-READINESS-04-02 SCN-READINESS	Used by execution	AllowedReadinessView; Dependencies; CapacityContextIfKnown	NextWorkPlanProposal
D4A-READINESS-04-03 SCN-READINESS	Used by execution	ReadinessSnapshot; AllowedConditionProjection	ReadinessExplanation
D4A-PUBLISH-02-02 SCN-PUBLISH	Supports human	ClearanceConfirmationEligibility; ClearancePack	AuthorisedClearanceDecision
D4A-PUBLISH-05-01 SCN-PUBLISH	Used by execution	AllowedOutcomeProjection; ApprovedCommunicationTemplate	OutcomeCommunicationDraft
D4A-PUBLISH-05-02 SCN-PUBLISH	Supports human	OutcomeCommunicationDraft; ClientContext	ReviewedOutcomeCommunication

SK-07 · Work Item & Routing

Purpose / kind

Work Item & Routing · deterministic

Input

validated task intent + scope + assignment catalogue + dependencies

Output

task/assignment/referral/return anchor

Boundaries

Scoped workflow records only

Stops

owner unknown → Unassigned; duplicate intent → same logical task

Contract: Defined design proposal · Sample: Not authored in this pilot · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-REQUIREMENTS-04-03 SCN-REQUIREMENTS	Used by execution	RiskAdjustmentDecision; RequirementSet.revision	RequirementChange; ReviewTask[]
D4A-SOURCE-05-02 SCN-SOURCE	Used by execution	RetryPolicy; IdempotencyKey; LastReceipt	RetryReceipt; SourceUnavailableTask
D4A-GAP-01-02 SCN-GAP	Used by execution	GapDelta; ExpectedRevision	Gap.revision; ApplicabilityReviewTask
D4A-VALIDATE-05-02 SCN-VALIDATE	Used by execution	ReviewedImpactSet; CurrentTaskRegistry	ReassessmentTask[]; AuditEvent
D4A-MATCH-05-03 SCN-MATCH	Used by execution	RiskMaterialityDecision; HoldPolicy	ScopedHold; EscalationTask
D4A-EDD-02-02 SCN-EDD	Used by execution	EDDStartEligibility; AssignmentCatalogue	EDDAssessment; WorkItem
D4A-EDD-06-02 SCN-EDD	Used by execution	SpecialistConsultationPack; RoleDirectory	ConsultationTask; ResumeAnchor
D4A-CONFLICTS-01-02 SCN-CONFLICTS	Used by execution	ConflictStartEligibility; TriggerEvent	ConflictReview; WorkItem
D4A-CONFLICTS-04-02 SCN-CONFLICTS	Used by execution	ConflictImpactDecision; HoldPolicy; DependencyEdge[]	Hold; EscalationTask; UnknownImpact
D4A-LEGAL-01-02 SCN-LEGAL	Used by execution	LegalIntakeContext; LegalIntakeDefinition	LegalRequest; LegalInputGap[]

Action / scene	Relation	Inputs	Outputs
D4A-CREDIT-06-01 SCN-CREDIT	Used by execution	CreditDecision; ConditionPackage.revision; LegalAccess	AgreementInputReceipt
D4A-QA-05-02 SCN-QA	Used by execution	SpecificIssueRefs; ExistingWorkItems	QAFinding; LinkedSpecialistTask
D4A-QA-06-03 SCN-QA	Used by execution	ReviewedRemediationProposal; AssignmentRule	Remediation; WorkItem; ResumeAnchor
D4A-READINESS-03-02 SCN-READINESS	Used by execution	CurrencyCheck; DeclaredImpact; ExpectedRevision	CurrencyReviewTask; HistoricalDecisionLink
D4A-READINESS-04-02 SCN-READINESS	Used by execution	AllowedReadinessView; Dependencies; CapacityContextIfKnown	NextWorkPlanProposal

SK-08 · Client Collaboration

Purpose / kind

Client Collaboration · drafting semantic; approval/dispatch/submission entrypoints distinct

Input

allowed gap projection + response options + recipient grant

Output

request draft / version / per-item response

Boundaries

Drafting read-only; actual dispatch requires separate authorised command

Stops

unknown recipient or restricted rationale → draft/pause, no leak

Contract: Defined design proposal · Sample: Not authored in this pilot · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-REQUIREMENTS-05-01 SCN-REQUIREMENTS	Used by execution	AllowedRequirementProjection; ApprovedResponseOptions	ClientRequestDraft
D4A-REQUIREMENTS-05-03 SCN-REQUIREMENTS	Used by execution	ApprovedRequestRevision; AllowedRecipient	NotificationDispatch; DeliveryObservation
D4A-GAP-02-01 SCN-GAP	Used by execution	AllowedGapProjection; ResponseOptions	RequestItemDraft[]
D4A-GAP-04-02 SCN-GAP	Used by execution	RequestApproval; SentRevision; IdempotencyKey	DispatchReceipt

Action / scene	Relation	Inputs	Outputs
D4A-GAP-05-01 SCN-GAP	Supports human	AllowedRequestItems; ClientInput	SubmissionIntent
D4A-VALIDATE-06-01 SCN-VALIDATE	Used by execution	AllowedGapReason; RequestItem; ResponseOptions	FeedbackDraft
D4A-VALIDATE-06-02 SCN-VALIDATE	Used by execution	ApprovedFeedback; RecipientGrant; RequestRevision	FeedbackEvent; NotificationReceipt
D4A-MATCH-03-02 SCN-MATCH	Used by execution	IdentityEvidencePlanProposal; AllowedClientReason	IdentityRequestDraft
D4A-EDD-05-01 SCN-EDD	Used by execution	RiskQuestionGaps; PriorResponses; AllowedSources	TargetedEnquiryPlan
D4A-PUBLISH-05-01 SCN-PUBLISH	Used by execution	AllowedOutcomeProjection; ApprovedCommunicationTemplate	OutcomeCommunicationDraft
D4A-PUBLISH-05-03 SCN-PUBLISH	Used by execution	ApprovedOutcomeCommunication; RecipientGrant	OutcomeNotificationReceipt

SK-09 · Approved External Operations & Intake

Purpose / kind

Approved External Operations & Intake · deterministic adapter

Input

validated request, allowlisted endpoint, credential context outside model

Output

immutable receipt/result/intake status

Boundaries

Explicit typed query or upload; local synthetic adapters in prework

Stops

partial/timeout/access failure ≠ no alerts / valid evidence

Contract: Defined design proposal · Sample: Not authored in this pilot · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-SOURCE-05-01 SCN-SOURCE	Used by execution	AdapterReceipt; QueryIntent	RetrievalStatus; FailureReason
D4A-VALIDATE-01-01 SCN-VALIDATE	Used by execution	Submission; FilePolicy	IntakeReceipt; SecurityScanResult

Action / scene	Relation	Inputs	Outputs
D4A-POPULATION-01-02 SCN-POPULATION	Used by execution	ApprovedPreScreenPlan; AccessScope	PreScreenRunReceipt
D4A-POPULATION-02-01 SCN-POPULATION	Used by execution	ApprovedMediaQuery; SubjectSnapshot	MediaSourceSnapshot[]
D4A-POPULATION-05-01 SCN-POPULATION	Used by execution	ApprovedQueryPlan; FrozenSubjects; IdempotencyKey	ScreeningRun; ProviderRecordSnapshot
D4A-CONFLICTS-02-01 SCN-CONFLICTS	Used by execution	ApprovedConflictSearch; PartySnapshot	ConflictSearchReceipt; CandidateFinding[]
D4A-LEGAL-07-03 SCN-LEGAL	Used by execution	SigningAction; ExecutionAdapter	ExecutionReceipt; SignedArtifactRef

SK-10 · State / Dependency / Readiness Evaluation

Purpose / kind

State / Dependency / Readiness Evaluation · deterministic

Input

complete expected manifest + current versions + decisions + holds

Output

affected refs, unknown impact, scoped readiness snapshot

Boundaries

Derived state only; no granted business authority

Stops

stale/unknown/missing manifest/cycle → not ready or explicit error

Contract: Defined design proposal · Sample: Not authored in this pilot · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-SCOPE-04-03 SCN-SCOPE	Used by execution	DDLevelDecision; TriggerEvent	DDContext.revision; RequirementReassessmentTask
D4A-SCOPE-05-02 SCN-SCOPE	Used by execution	ScopeChange; DependencyEdge[]	AffectedConsumer[]; UnknownImpact[]
D4A-REQUIREMENTS-04-01 SCN-REQUIREMENTS	Used by execution	RiskEvent; PolicyRuleSet; DependencyEdge[]	RequirementReassessmentProposal
D4A-REQUIREMENTS-06-01 SCN-REQUIREMENTS	Used by execution	ScopeChange; RequirementSet; DependencyEdge[]	KnownImpact; UnknownImpact

Action / scene	Relation	Inputs	Outputs
D4A-GAP-01-01 SCN-GAP	Used by execution	RequirementApplicability; EvidenceUseAssessment[]; OpenGap[]	GapDelta
D4A-GAP-05-03 SCN-GAP	Used by execution	RequestItemStates; EvidenceUseStates	RequestResponseSummary
D4A-VALIDATE-05-01 SCN-VALIDATE	Used by execution	EvidenceAssessmentChange; DependencyEdge[]	ImpactSet; UnknownImpact
D4A-POPULATION-04-02 SCN-POPULATION	Used by execution	PopulationRevision; QueryRequirements; InventoryGaps	PlanConfirmationEligibility
D4A-POPULATION-05-02 SCN-POPULATION	Used by execution	ScreeningRun; RequiredCoverageTuple[]	ScreeningCoverageItem.execution_status
D4A-POPULATION-06-01 SCN-POPULATION	Used by execution	CoverageManifest; RunResults; FindingDecisions; ScopeRevision	CoverageAssessment; BlockingRefs
D4A-MATCH-01-02 SCN-MATCH	Used by execution	ScreeningFinding; KnownFindingRegistry	FindingConsistencyCheck
D4A-MATCH-04-02 SCN-MATCH	Used by execution	ScreeningDecisionPack; AccessScope; CurrentRevisions	DecisionPackValidation
D4A-MATCH-05-03 SCN-MATCH	Used by execution	RiskMaterialityDecision; HoldPolicy	ScopedHold; EscalationTask
D4A-MATCH-07-01 SCN-MATCH	Used by execution	ScreeningReviewDecision; CoverageManifest; DependencyEdge[]	CoverageDelta; ReadinessReevaluationEvent
D4A-EDD-02-01 SCN-EDD	Used by execution	EDDApplicabilityDecision; CaseScope; HoldRefs	EDDStartEligibility
D4A-CONFLICTS-01-01 SCN-CONFLICTS	Used by execution	CaseScope; PartyContext; ConflictPolicy; HoldRefs	ConflictStartEligibility
D4A-CONFLICTS-04-02 SCN-CONFLICTS	Used by execution	ConflictImpactDecision; HoldPolicy; DependencyEdge[]	Hold; EscalationTask; UnknownImpact
D4A-LEGAL-04-03 SCN-LEGAL	Used by execution	ConditionIncorporationReview; ExpectedRevisions	AgreementInput; ConditionIncorporation; DependencyEdge
D4A-LEGAL-05-03 SCN-LEGAL	Used by execution	ReviewedClauseChanges; DependencyEdge[]	ApprovalCurrencyReviewTask[]; UnknownImpact[]
D4A-LEGAL-06-01 SCN-LEGAL	Used by execution	Agreement.revision; CreditInput.revision; ApprovalManifest	AgreementApprovalEligibility

Action / scene	Relation	Inputs	Outputs
D4A-LEGAL-07-01 SCN-LEGAL	Used by execution	Agreement.revision; ApprovalManifest; SignatoryAuthority; HoldRefs	ExecutionEligibility
D4A-CREDIT-06-02 SCN-CREDIT	Used by execution	AgreementInputReceipt; CurrentCreditRevision	CreditLegalCurrency; TargetedReviewTask
D4A-QA-05-01 SCN-QA	Used by execution	QAManifest; ScreeningCoverage; EDDApplicability; EDDConditions	CrossConditionCheck; SpecificIssueRefs
D4A-QA-06-01 SCN-QA	Used by execution	QAObservation; ExistingGap[]; DependencyEdge[]	RemediationScope
D4A-QA-08-01 SCN-QA	Used by execution	QAManifest; QACheck[]; ScopeRevision; HoldRefs	QASignoffEligibility
D4A-READINESS-01-01 SCN-READINESS	Used by execution	CaseScope; ApprovedPrerequisiteDefinition; ConditionRegistry	ConditionManifest; MissingConditionRefs
D4A-READINESS-02-01 SCN-READINESS	Used by execution	CompleteConditionManifest; CurrentConditionStates; QASignoff	PrerequisiteEvaluation
D4A-READINESS-03-01 SCN-READINESS	Used by execution	ConditionInputs; DependencyEdge[]; HoldRefs; CurrentRevisions	CurrencyCheck; BlockingRef[]; UnknownRef[]
D4A-READINESS-04-02 SCN-READINESS	Used by execution	AllowedReadinessView; Dependencies; CapacityContextIfKnown	NextWorkPlanProposal
D4A-READINESS-05-01 SCN-READINESS	Used by execution	Manifest; PrerequisiteEvaluation; CurrentRevisions; HoldRefs	ReadyForConfirmationOrNotReady
D4A-PUBLISH-02-01 SCN-PUBLISH	Used by execution	ReadinessSnapshot; ActorPermission; ExpectedRevisions; HoldRefs	ClearanceConfirmationEligibility

SK-11 · Decision / Event / Provenance Recording

Purpose / kind

Decision / Event / Provenance Recording · deterministic

Input

authorised result/observed event + expected revisions + causation

Output

immutable versioned record and permitted projections

Boundaries

Scoped append/command; no fabricated approval

Stops

stale inputs or absent authority → reject write, preserve draft/history

Contract: Defined design proposal · Sample: Not authored in this pilot · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-SCOPE-01-04 SCN-SCOPE	Used by execution	IntakeLinkDecision; ExpectedRevision	Case.request_source_ref; Case.link_revision
D4A-SCOPE-04-03 SCN-SCOPE	Used by execution	DDLevelDecision; TriggerEvent	DDContext.revision; RequirementReassessmentTask
D4A-SCOPE-05-01 SCN-SCOPE	Used by execution	ScopeDecision; CaseScope.expected_revision	CaseScope.revision
D4A-ENTITY-03-03 SCN-ENTITY	Used by execution	RelationshipDecision; EntityRefs	PartyRelationship.revision
D4A-ENTITY-04-03 SCN-ENTITY	Used by execution	RepresentativeClarification; PartyRefs	Person.ref; Representative.ref
D4A-ENTITY-05-03 SCN-ENTITY	Used by execution	AuthorityDecision; ExpectedRevision	AuthorityRecord.revision
D4A-REQUIREMENTS-02-03 SCN-REQUIREMENTS	Used by execution	ExemptionDecision; RequirementRefs	RequirementDecisionLink
D4A-REQUIREMENTS-03-02 SCN-REQUIREMENTS	Used by execution	AcceptedRequirement[]; ScopeRevision	RequirementSet.revision; OriginLinks
D4A-REQUIREMENTS-04-03 SCN-REQUIREMENTS	Used by execution	RiskAdjustmentDecision; RequirementSet.revision	RequirementChange; ReviewTask[]
D4A-SOURCE-02-01 SCN-SOURCE	Used by execution	SourceResponse; AdapterReceipt	ProvenanceRecord; EvidenceArtifact.data_as_of
D4A-SOURCE-04-03 SCN-SOURCE	Used by execution	DuplicateAssessment; SubmissionRefs	EvidenceLineageLinks
D4A-SOURCE-06-02 SCN-SOURCE	Used by execution	EvidenceUseCandidate[]; ScopeRevision	EvidenceUseAssessment.not_assessed
D4A-GAP-01-02 SCN-GAP	Used by execution	GapDelta; ExpectedRevision	Gap.revision; ApplicabilityReviewTask
D4A-GAP-04-03 SCN-GAP	Used by execution	DispatchReceipt; ChannelObservation	DeliveryObservation; RequestActivity
D4A-GAP-05-02 SCN-GAP	Used by execution	SubmissionIntent; AccessGrant; FileReceipt	Submission; RequestItem.response_status

Action / scene	Relation	Inputs	Outputs
D4A-GAP-06-03 SCN-GAP	Used by execution	ReviewedInteractionSummary; StaffSubmission	InteractionRecord; Submission.provenance
D4A-VALIDATE-03-03 SCN-VALIDATE	Used by execution	ClaimAdoptionDecision; ExpectedRevision	ClaimAdoptionRecord
D4A-VALIDATE-04-03 SCN-VALIDATE	Used by execution	EvidenceSufficiencyDecision; UseScope	EvidenceUseAssessment.revision
D4A-VALIDATE-05-02 SCN-VALIDATE	Used by execution	ReviewedImpactSet; CurrentTaskRegistry	ReassessmentTask[]; AuditEvent
D4A-POPULATION-04-01 SCN-POPULATION	Used by execution	ConfirmedMembership; PartyClaims; ScopeRevision	RunSubjectSnapshot; PopulationRevision
D4A-MATCH-01-01 SCN-MATCH	Used by execution	ProviderRecordSnapshot; RunSubjectSnapshot; RunId	ScreeningFinding
D4A-MATCH-06-03 SCN-MATCH	Used by execution	AuthorisedDisposition; ExpectedRevisions; IdempotencyKey	ScreeningReviewDecision; AuditEvent
D4A-EDD-02-02 SCN-EDD	Used by execution	EDDStartEligibility; AssignmentCatalogue	EDDAssessment; WorkItem
D4A-EDD-06-02 SCN-EDD	Used by execution	SpecialistConsultationPack; RoleDirectory	ConsultationTask; ResumeAnchor
D4A-EDD-07-04 SCN-EDD	Used by execution	EDDApproval; Conditions; ScopeRevision	EDDOutcome; ClearanceCondition[]
D4A-EDD-08-01 SCN-EDD	Used by execution	EDDOutcome; CurrentConditionRefs	EDDConditionHandoffEvent
D4A-CONFLICTS-01-02 SCN-CONFLICTS	Used by execution	ConflictStartEligibility; TriggerEvent	ConflictReview; WorkItem
D4A-CONFLICTS-02-02 SCN-CONFLICTS	Used by execution	ConflictSearchReceipt; ScopeRevision	ConflictFinding; SearchAudit
D4A-CONFLICTS-05-02 SCN-CONFLICTS	Used by execution	AuthorisedConflictOutcome; ExpectedRevision	ConflictReview.clearance_ref; ConditionEvent
D4A-LEGAL-04-03 SCN-LEGAL	Used by execution	ConditionIncorporationReview; ExpectedRevisions	AgreementInput; ConditionIncorporation; DependencyEdge
D4A-LEGAL-06-03 SCN-LEGAL	Used by execution	DomainApproval[]; ExpectedRevisions	AgreementApproval; CreditAgreementReview

Action / scene	Relation	Inputs	Outputs
D4A-LEGAL-07-03 SCN-LEGAL	Used by execution	SigningAction; ExecutionAdapter	ExecutionReceipt; SignedArtifactRef
D4A-LEGAL-08-03 SCN-LEGAL	Used by execution	KeyTermAdoptionDecision; SignedArtifactRef	KeyTermRecord; ExecutedDocumentLink
D4A-CREDIT-04-02 SCN-CREDIT	Used by execution	CreditConditionDefinition; ScopeRevision	CreditCondition.spec_ref; CreditCondition.fulfilment_status
D4A-CREDIT-05-02 SCN-CREDIT	Used by execution	CreditApprovalDecision; ExpectedInputRevisions	CreditDecision; ApprovedConditionRefs
D4A-CREDIT-07-03 SCN-CREDIT	Used by execution	CreditAgreementDecision; ExpectedRevisions	CreditAgreementReview; CurrencyRecord
D4A-QA-02-02 SCN-QA	Used by execution	QACheckResult[]; ExpectedRevision	QACheck.revision; QAObservation
D4A-QA-05-02 SCN-QA	Used by execution	SpecificIssueRefs; ExistingWorkItems	QAFinding; LinkedSpecialistTask
D4A-QA-06-03 SCN-QA	Used by execution	ReviewedRemediationProposal; AssignmentRule	Remediation; WorkItem; ResumeAnchor
D4A-QA-07-03 SCN-QA	Used by execution	QARerecheckDecision; ExpectedRevision	QACheck.rerecheck_revision; RemediationResolutionLink
D4A-QA-08-03 SCN-QA	Used by execution	AuthorisedQASignoff; ExpectedRevisions	QASignoff; AuditEvent
D4A-READINESS-02-02 SCN-READINESS	Used by execution	PrerequisiteEvaluation; InputManifest	ReadinessSnapshot
D4A-READINESS-03-02 SCN-READINESS	Used by execution	CurrencyCheck; DeclaredImpact; ExpectedRevision	CurrencyReviewTask; HistoricalDecisionLink
D4A-PUBLISH-01-01 SCN-PUBLISH	Used by execution	ReadinessSnapshot; CurrentDecisionRefs; EvidenceRefs	ClearancePack; InputManifest
D4A-PUBLISH-02-03 SCN-PUBLISH	Used by execution	AuthorisedClearanceDecision; ExpectedRevisions; IdempotencyKey	ClearanceDecision; AuditEvent
D4A-PUBLISH-03-01 SCN-PUBLISH	Used by execution	DecisionEvent; DispatchReceipt; Acknowledgement	TimestampedEventRecords
D4A-PUBLISH-04-03 SCN-PUBLISH	Used by execution	PerTargetDispatchReceipt; ClearanceDecision.ref	PublicationEvent; Acknowledgement; FailureRecord

SK-12 · Role Projection & Controlled Publication

Purpose / kind

Role Projection & Controlled Publication · deterministic

Input

role/resource/action scope + signed-off versioned payload

Output

allowed view / notification / per-target publication receipt

Boundaries

Projection read-only; transmission separated and authorised

Stops

projection denied/revoked → safe exclusion; dispatch fail preserves decision

Contract: Defined design proposal · Sample: Not authored in this pilot · Interface: Read-only interface binding · Implementation: Unverified; no model or runtime evaluation

Mapped usage by scene and action

Action / scene	Relation	Inputs	Outputs
D4A-ENTITY-06-02 SCN-ENTITY	Used by execution	RequestAccessDecision; ActorSession	AccessGrant; AllowedResourceProjection
D4A-REQUIREMENTS-05-03 SCN-REQUIREMENTS	Used by execution	ApprovedRequestRevision; AllowedRecipient	NotificationDispatch; DeliveryObservation
D4A-GAP-03-02 SCN-GAP	Used by execution	RequestAccessDecision; GrantPolicy	AccessGrant; AuthorisedProjection
D4A-GAP-04-02 SCN-GAP	Used by execution	RequestApproval; SentRevision; IdempotencyKey	DispatchReceipt
D4A-VALIDATE-06-02 SCN-VALIDATE	Used by execution	ApprovedFeedback; RecipientGrant; RequestRevision	FeedbackEvent; NotificationReceipt
D4A-MATCH-07-02 SCN-MATCH	Used by execution	CurrentCaseState; AllowedRoleProjection	CaseImpactView
D4A-EDD-08-02 SCN-EDD	Used by execution	EDDConditionHandoffEvent; RolePolicy	EDDAllowedSummary
D4A-CREDIT-06-01 SCN-CREDIT	Used by execution	CreditDecision; ConditionPackage.revision; LegalAccess	AgreementInputReceipt
D4A-READINESS-04-01 SCN-READINESS	Used by execution	ReadinessSnapshot; RolePermission; TaskRegistry	AllowedReadinessView
D4A-READINESS-05-02 SCN-READINESS	Used by execution	ReadyForConfirmationOrNotReady; ActorPermission	AllowedClearanceActions

Action / scene	Relation	Inputs	Outputs
D4A-PUBLISH-01-02 SCN-PUBLISH	Used by execution	ClearancePack; RolePolicy	AllowedClearancePackView
D4A-PUBLISH-04-01 SCN-PUBLISH	Used by execution	ClearanceDecision; PublicationPolicy; TargetAllowlist	ApprovedPublicationIntent
D4A-PUBLISH-04-02 SCN-PUBLISH	Used by execution	ApprovedPublicationIntent; IdempotencyKey; RetryPolicy	PerTargetDispatchReceipt
D4A-PUBLISH-05-03 SCN-PUBLISH	Used by execution	ApprovedOutcomeCommunication; RecipientGrant	OutcomeNotificationReceipt

Human Collaboration

Static authored story. A reviewed identity-exclusion checkpoint is unavailable. The later unresolved example is an authored outcome, not a decision made by the reader.



OM-F1 · Authored frame

Bind the original finding

Person T and synthetic record C01 share the original query time and subject version. Identity information is incomplete. No Target-only evidence is added.

D4A-MATCH-01-01

OM-F2 · Authored frame

Compare, preserving unknowns

The authored comparison shows a similar name. Person T's birth date is missing; provider years 1970 / 1971 cannot be treated as a precise contradiction.

D4A-MATCH-02-02

OM-F3 · Pause boundary

Stop at the evidence gap

Identity context remains insufficient. A scoped request may be prepared, but recipients, disclosure and personal-evidence access need confirmation. Playback creates no task or hold.

D4A-MATCH-03-01

Public sources and limits

Inherited verification retained; no new source review or bank approval is claimed.

DFAT — Guide to Australia's Consolidated List

REG-DFAT-LIST · Names, aliases, dates and places of birth, citizenship · official_content_checked_2026-09-07

Source observation

List records can contain multiple identifiers, aliases and incomplete information.

Transfer

Preserve multiple values, precision, unknowns and the original record for a purpose-specific comparison.

OM-F4 · Pause boundary

Give the decision pack to a person

Review the original evidence, unknowns, current scope and permitted consequences. Request information, remain unresolved or refer within existing permissions. Next cannot approve.

D4A-MATCH-05-02

OM-F5 · Authored outcome — not a user decision

Authored outcome: remains unresolved

The existing C-unresolved story records an unresolved local disposition. A reviewed identity-exclusion checkpoint is unavailable. This is an authored outcome, not your decision. Recheck permission, versions and holds before any actual resumption.

D4A-MATCH-06-01

OM-F6 · Authored outcome — not a user decision

Local outcome, open conditions

Ownership and population are incomplete; EDD applicability is unknown. Legal, Credit and other applicable conditions remain independently open. This finding is not whole-case clearance.

D4A-MATCH-07-02

Cannot establish

A single attribute difference cannot automatically exclude a match. The Australian list does not establish coverage for every jurisdiction; no real listed person is imported.

Open original public source

Wolfsberg — Guidance on Sanctions Screening (2019)

IND-WOLFSBERG · §1; §2.1; §3.2; §4; §6 · official_content_checked_2026-09-07

Source observation

An alert does not establish risk. Review relevant information, record disposition reasons and make screening scope and configuration explicit.

Transfer

Separate Population, Run, Finding, Review, Decision and Coverage; prepare evidence for a human decision.

Cannot establish

The guidance does not directly establish our bank permissions, thresholds, pause scopes or reuse rules.

Open original public source

ANZ — KYC SecureReply

IB-ANZ-SECURE · Selected business-customer information-update workflow; entry/save/contributor FAQ · official_content_checked_2026-09-07

Source observation

The example uses a reference and an OTP to registered contact details for entry. Save and submit are separate, with contributor restrictions on some fields.

Transfer

Separate official-site entry from locating a request; keep item responses, submission receipts and review states distinct.

Cannot establish

This is an information-update example, not the complete institutional clearance journey. It does not validate this case's security level or representative authority.

Open original public source

HL7 FHIR R5 — Provenance

XB-FHIR-R5 · Fixed version 5.0.0; target/activity/agent/entity · official_content_checked_2026-09-07

Source observation

Provenance links a resource version to an activity, participants and source entities.

Transfer

Link a decision record to its specific input versions, actor and generating activity.

Cannot establish

The word agent denotes a participant, not an AI Agent. This prototype does not implement FHIR; R4 and R5 remain distinct versions.

Open original public source

Confidential Australian Banking Client · SCN-MATCH / WF-05 · To-be · D4 v0.1 · Person T pilot · Synthetic authored example

Workflow contains work · Rule checks and records · Skill prepares · Human decides · Agent is a conditional candidate

No operational case session, author assessments, private source files or business commands are packaged. Browser Print includes the complete content.