


Scenario Operating Model

Six reading groups do not define a mandatory runtime sequence. Evidence gathering is conditional; extra approval follows configuration. Same authored Person T / C01 inputs throughout.

1. Bind query context	Rule binds the subject, query and source versions. It adds no query result.
2. Compare identifiers	Rule preserves precision and unknowns; Skill prepares cited differences without an identity verdict.
3. Resolve the evidence gap	A conditional candidate may plan evidence gathering. Skill drafts the request; a human confirms access and disclosure. Skip this branch if no gap exists.
4. Prepare the review pack	Skill prepares facts and unknowns; Rule checks access, citations and current versions. Preparation is not a decision.
5. Human review	People retain materiality and disposition. Rule applies a scoped hold. Independent approval applies only where configured.
6. Record the local outcome	Rule records an authorised result, recalculates affected coverage and projects remaining conditions. The whole case stays open.



1. Bind query context

D4A-MATCH-01-01 · D3-MATCH-01 · Reassigned

Bind the finding, subject snapshot, query scope and source version

Workflow + Rule / Code · Rule uses Skill contract · SK-11

Writing and version checks have fixed inputs and outputs; a model does not need to choose the next step.

Input: ProviderRecordSnapshot; RunSubjectSnapshot; RunId

Output: ScreeningFinding

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Current: PPT-S1-SH296-A5
To-be: PPT-S2-SH296-A5 / PPT-S2-SH376-EX
References / issues: IND-WOLFSBERG · D3-ISS-06 / D3-ISS-15

D4A-MATCH-01-02 · D3-MATCH-01 · Reassigned

Check record consistency and flag duplicate or related candidates

Workflow + Rule / Code · Rule uses Skill contract · SK-03 / SK-10

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Input: ScreeningFinding; KnownFindingRegistry

Output: FindingConsistencyCheck

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Current: PPT-S1-SH296-A5
To-be: PPT-S2-SH296-A5 / PPT-S2-SH376-EX
References / issues: IND-WOLFSBERG · D3-ISS-06 / D3-ISS-15

2. Compare identifiers

D4A-MATCH-02-01 · D3-MATCH-02 · Enhanced

Preserve date precision, multiple values, original script and missing values

Workflow + Rule / Code · Rule uses Skill contract · SK-03

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Input: SubjectClaims; ProviderClaims

Output: TypedComparableClaims

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Current: PPT-S1-SH296-A5
To-be: PPT-S2-SH296-A5 / PPT-S2-SH376-EX
References / issues: REG-DFAT-LIST · D3-ISS-06 / D3-ISS-15

D4A-MATCH-02-02 · D3-MATCH-02 · Enhanced

Prepare a cited matrix of similarities, differences and incomparable values

Workflow + Semantic Skill · Skill prepares · SK-03

Comparison and synthesis need context, but a bounded comparison Skill can prepare the result without a professional conclusion.

Input: TypedComparableClaims

Output: AttributeComparison[]

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Current: PPT-S1-SH296-A5
To-be: PPT-S2-SH296-A5 / PPT-S2-SH376-EX
References / issues: REG-DFAT-LIST · D3-ISS-06 / D3-ISS-15

3. Resolve the evidence gap

D4A-MATCH-03-01 · D3-MATCH-03 · Enhanced

Choose the next permitted evidence source and stopping conditions

Bounded Agent candidate · Conditional candidate uses Skills · SK-01 / SK-05 / SK-06

Returned evidence may change the next permitted source or Skill. Only this limited evidence planning is an Agent candidate.

Input: FindingUnknowns; ExistingEvidence; AllowedSources; PreviousReceipts

Output: IdentityEvidencePlanProposal

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Current: PPT-S1-SH296-A5 / PPT-S1-SH292-A3 / PPT-S1-SH9-A1 / PPT-S1-SH292-A4
To-be: PPT-S2-SH296-A5 / PPT-S2-SH292-A3 / PPT-S2-SH292-A4 / PPT-S2-SH392-EX
References / issues: IB-ANZ-SECURE / IC-PHKL · D3-ISS-06 / D3-ISS-15

D4A-MATCH-03-02 · D3-MATCH-03 · Enhanced

Turn remaining identity facts into a limited request draft

Workflow + Semantic Skill · Skill prepares · SK-08

A cited preparation task has a clear deliverable. A pack is not approval; use a Skill for fixed inputs.

Input: IdentityEvidencePlanProposal; AllowedClientReason

Output: IdentityRequestDraft

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Current: PPT-S1-SH296-A5 / PPT-S1-SH292-A3 / PPT-S1-SH9-A1 / PPT-S1-SH292-A4
To-be: PPT-S2-SH296-A5 / PPT-S2-SH292-A3 / PPT-S2-SH292-A4 / PPT-S2-SH392-EX
References / issues: IB-ANZ-SECURE / IC-PHKL · D3-ISS-06 / D3-ISS-15

D4A-MATCH-03-03 · D3-MATCH-03 · Enhanced

Confirm recipients, disclosure and access for personal evidence

Human + prepared evidence · Supports the human action · SK-06

Formal authority belongs to the responsible person. Automated checks and recording cannot grant that authority to a model.

Input: IdentityRequestDraft; ExistingGrant

Output: IdentityRequestAccessDecision

Human role hypothesis: Request / access authority

Current: PPT-S1-SH296-A5 / PPT-S1-SH292-A3 / PPT-S1-SH9-A1 / PPT-S1-SH292-A4
To-be: PPT-S2-SH296-A5 / PPT-S2-SH292-A3 / PPT-S2-SH292-A4 / PPT-S2-SH392-EX
References / issues: IB-ANZ-SECURE / IC-PHKL · D3-ISS-06 / D3-ISS-15

4. Prepare the review pack

D4A-MATCH-04-01 · D3-MATCH-04 · Enhanced

Prepare cited facts, unknowns, contradictions and permitted actions

Workflow + Semantic Skill · Skill prepares · SK-06

A cited preparation task has a clear deliverable. A pack is not approval; use a Skill for fixed inputs.

Input: Finding; CurrentEvidenceUse; Comparison; AllowedActionSet

Output: ScreeningDecisionPack

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Current: PPT-S1-SH296-A5

To-be: PPT-S2-SH296-A5 / PPT-S2-SH376-EX

References / issues: IC-PHKL / IND-WOLFSBERG · D3-ISS-06 / D3-ISS-15

D4A-MATCH-04-02 · D3-MATCH-04 · Enhanced

Check pack citations, access, current versions and unsupported conclusions

Workflow + Rule / Code · Rule uses Skill contract · SK-05 / SK-10

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Input: ScreeningDecisionPack; AccessScope; CurrentRevisions

Output: DecisionPackValidation

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Current: PPT-S1-SH296-A5

To-be: PPT-S2-SH296-A5 / PPT-S2-SH376-EX

References / issues: IC-PHKL / IND-WOLFSBERG · D3-ISS-06 / D3-ISS-15

D4A-MATCH-05-01 · D3-MATCH-05 · Retained

Prepare materiality facts and unresolved contradictions

Workflow + Semantic Skill · Skill prepares · SK-06

A cited preparation task has a clear deliverable. A pack is not approval; use a Skill for fixed inputs.

Input: Finding; Evidence; RiskContext

Output: MaterialityBrief

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Mark candidates or proposals as accepted facts; Record formal professional decisions or authorisation; Dispatch content to unapproved recipients; Directly write sufficiency or readiness truth

Current: PPT-S1-SH177-A1

To-be: PPT-S2-SH296-A6 / PPT-S2-SH409-EX

References / issues: IND-WOLFSBERG · D3-ISS-06 / D3-ISS-15

5. Human review

D4A-MATCH-05-02 · D3-MATCH-05 · Retained

Judge ambiguous or material matters and the need for escalation

Human + prepared evidence · Supports the human action · SK-06

Substantive judgement and uncertainty require an appropriately qualified, accountable person. Complex context does not authorise autonomous decisions.

Input: MaterialityBrief; ApplicableControlContext

Output: RiskMaterialityDecision

Human role hypothesis: Financial Crime authority

Current: PPT-S1-SH177-A1

To-be: PPT-S2-SH296-A6 / PPT-S2-SH409-EX

References / issues: IND-WOLFSBERG · D3-ISS-06 / D3-ISS-15

D4A-MATCH-05-03 · D3-MATCH-05 · Retained

Apply a hold to specific actions using explicit decisions and rules

Workflow + Rule / Code · Rule uses Skill contract · SK-07 / SK-10

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Input: RiskMaterialityDecision; HoldPolicy

Output: ScopedHold; EscalationTask

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Current: PPT-S1-SH177-A1

To-be: PPT-S2-SH296-A6 / PPT-S2-SH409-EX

References / issues: IND-WOLFSBERG · D3-ISS-06 / D3-ISS-15

D4A-MATCH-06-01 · D3-MATCH-06 · Enhanced

Choose a supported local disposition or keep the finding unresolved

Human + prepared evidence · Supports the human action · SK-06

Substantive judgement and uncertainty require an appropriately qualified, accountable person.
Complex context does not authorise autonomous decisions.

Input: ScreeningDecisionPack; CurrentInputManifest

Output: ProposedDisposition; HumanRationale

Human role hypothesis: Authorised screening reviewer

Current: PPT-S1-SH177-A2

To-be: PPT-S2-SH296-A7 / PPT-S2-SH409-EX

References / issues: IND-WOLFSBERG / XB-FHIR-R5 · D3-ISS-06 / D3-ISS-15

D4A-MATCH-06-02 · D3-MATCH-06 · Enhanced

Obtain independent authority only where the configuration requires it

Human + prepared evidence · Supports the human action · SK-06

Formal authority belongs to the responsible person. Automated checks and recording cannot grant that authority to a model.

Input: ProposedDisposition; ApprovalPolicy; ReviewerPermission

Output: AuthorisedDisposition

Human role hypothesis: Configured additional approver where required

Current: PPT-S1-SH177-A2

To-be: PPT-S2-SH296-A7 / PPT-S2-SH409-EX

References / issues: IND-WOLFSBERG / XB-FHIR-R5 · D3-ISS-06 / D3-ISS-15

6. Record the local outcome

D4A-MATCH-06-03 · D3-MATCH-06 · Enhanced

Validate current versions and authority, then record the local outcome

Workflow + Rule / Code · Rule uses Skill contract · SK-11

Writing and version checks have fixed inputs and outputs; a model does not need to choose the next step.

Input: AuthorisedDisposition; ExpectedRevisions; IdempotencyKey

Output: ScreeningReviewDecision; AuditEvent

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Current: PPT-S1-SH177-A2

To-be: PPT-S2-SH296-A7 / PPT-S2-SH409-EX

References / issues: IND-WOLFSBERG / XB-FHIR-R5 · D3-ISS-06 / D3-ISS-15

D4A-MATCH-07-01 · D3-MATCH-07 · Enhanced

Calculate the limited finding and coverage impact of a disposition

Workflow + Rule / Code · Rule uses Skill contract · SK-10

Approved conditions, fields and current versions determine this result. Missing rules require clarification; a model cannot invent them.

Input: ScreeningReviewDecision; CoverageManifest; DependencyEdge[]

Output: CoverageDelta; ReadinessReevaluationEvent

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Current: PPT-S1-SH177-A2 / PPT-S1-SH65-A1

To-be: PPT-S2-SH296-A7 / PPT-S2-SH65-A1

References / issues: XB-FHIR-R5 · D3-ISS-06 / D3-ISS-15

D4A-MATCH-07-02 · D3-MATCH-07 · Enhanced

Show remaining ownership, EDD, Legal and other conditions

Workflow + Rule / Code · Rule uses Skill contract · SK-12

A projection follows actual object states and permissions. A fixed query is appropriate for presenting the result.

Input: CurrentCaseState; AllowedRoleProjection

Output: CaseImpactView

Human role hypothesis: Financial Crime / authorised screening reviewer

Additional forbidden effects: Replace missing prerequisites or failed receipts with success; Treat product write access as business decision authority

Current: PPT-S1-SH177-A2 / PPT-S1-SH65-A1

To-be: PPT-S2-SH296-A7 / PPT-S2-SH65-A1

References / issues: XB-FHIR-R5 · D3-ISS-06 / D3-ISS-15

Shared controls and resumption contract

Applies to every action. Output scope and human gates remain action-specific above. Proposed writes use existing business commands; this author page performs none.

Preconditions

- Input objects exist with explicit source and version
- The current actor or tool has the required read and action scope
- No applicable prohibiting hold exists
- Do not execute automatically if required policy or accountability is unknown

Stop: Pause the affected work if population is incomplete, a source fails, identity information is insufficient, permission is missing or materiality awaits judgement. Keep this action pending when its required inputs or permissions are absent.

Resume: After new evidence, query results or an authorised decision arrive, reassess only affected items. Recheck read/write permissions, current versions and the original task / return anchor. Opening a task or pressing Next never authorises resumption.

Forbidden effects shared by all actions

- Create or alter bank policy or permissions
- Overwrite historical evidence or decisions
- Change business region, lists or applicability on a language switch

- Record whole-case clearance without a valid basis
- Exclude identity or declare global absence of risk from similarity or no results

Inherited assessments · read only

Analyst estimate; review required. Not bank validation or model evaluation. N = C + O + D; F = B + T. No score grants authority.

D4A-MATCH-01-01 · Bind the finding, subject snapshot, query scope and source version

N = 4 · F = 10 · Formal human gate: No; common controls apply

C · Context complexity 2/5: Reads ProviderRecordSnapshot, RunSubjectSnapshot, RunId; the record task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 1/5: Output is limited to ScreeningFinding; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 5/5: Inputs, outputs and stops can be designed for “Bind the finding, subject snapshot, query scope and source version”. This does not establish bank authority or verified safety.

V · Hypothesised work value 3/5: Record services preserve the original result and investigation subject. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 5/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 2/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-01-02 · Check record consistency and flag duplicate or related candidates

N = 6 · F = 9 · Formal human gate: No; common controls apply

C · Context complexity 3/5: Reads ScreeningFinding, KnownFindingRegistry; the rule task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to FindingConsistencyCheck; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 4/5: Inputs, outputs and stops can be designed for “Check record consistency and flag duplicate or related candidates”. This does not establish bank authority or verified safety.

V · Hypothesised work value 4/5: Record services preserve the original result and investigation subject. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 5/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 4/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-02-01 · Preserve date precision, multiple values, original script and missing values

N = 6 · F = 9 · Formal human gate: No; common controls apply

C · Context complexity 3/5: Reads SubjectClaims, ProviderClaims; the rule task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to TypedComparableClaims; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 4/5: Inputs, outputs and stops can be designed for “Preserve date precision, multiple values, original script and missing values”. This does not establish bank authority or verified safety.

V · Hypothesised work value 4/5: Deterministic normalisation and semantic comparison prepare reviewable differences only. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 5/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 4/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-02-02 · Prepare a cited matrix of similarities, differences and incomparable values

N = 8 · F = 8 · Formal human gate: No; common controls apply

- C · Context complexity** 4/5: Reads TypedComparableClaims; the compare task anchor measures context processing, not permission to decide automatically.
- O · Orchestration complexity** 2/5: Output is limited to AttributeComparison[]; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.
- D · Dynamic path** 2/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.
- B · Bounded action definability** 4/5: Inputs, outputs and stops can be designed for “Prepare a cited matrix of similarities, differences and incomparable values”. This does not establish bank authority or verified safety.

- V · Hypothesised work value** 4/5: Deterministic normalisation and semantic comparison prepare reviewable differences only. Local value hypothesis only; no frequency, effort or financial-benefit data.
- T · Testability** 4/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.
- H · Consequence & accountability** 3/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-03-01 · Choose the next permitted evidence source and stopping conditions

N = 12 · F = 6 · Formal human gate: No; common controls apply

- C · Context complexity** 4/5: Reads FindingUnknowns, ExistingEvidence, AllowedSources, PreviousReceipts; the adaptive task anchor measures context processing, not permission to decide automatically.
- O · Orchestration complexity** 4/5: Output is limited to IdentityEvidencePlanProposal; source and task feedback requires coordination across multiple actions.
- D · Dynamic path** 4/5: Results can change the next permitted Skill or source; this remains a bounded candidate.
- B · Bounded action definability** 3/5: Inputs, outputs and stops can be designed for “Choose the next permitted evidence source and stopping conditions”. This does not establish bank authority or verified safety.

- V · Hypothesised work value** 4/5: Limited adaptive evidence planning may help; workflow retains request sending and authorisation. Local value hypothesis only; no frequency, effort or financial-benefit data.
- T · Testability** 3/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.
- H · Consequence & accountability** 3/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-03-02 · Turn remaining identity facts into a limited request draft

N = 8 · F = 7 · Formal human gate: No; common controls apply

C · Context complexity 4/5: Reads IdentityEvidencePlanProposal, AllowedClientReason; the pack task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to IdentityRequestDraft; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 2/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 4/5: Inputs, outputs and stops can be designed for “Turn remaining identity facts into a limited request draft”. This does not establish bank authority or verified safety.

V · Hypothesised work value 4/5: Limited adaptive evidence planning may help; workflow retains request sending and authorisation. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 3/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 3/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-03-03 · Confirm recipients, disclosure and access for personal evidence

N = 5 · F = 7 · Formal human gate: Yes

C · Context complexity 3/5: Reads IdentityRequestDraft, ExistingGrant; the authority task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 1/5: Output is limited to IdentityRequestAccessDecision; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 3/5: Inputs, outputs and stops can be designed for “Confirm recipients, disclosure and access for personal evidence”. This does not establish bank authority or verified safety.

V · Hypothesised work value 2/5: Limited adaptive evidence planning may help; workflow retains request sending and authorisation. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 4/5: Experts must assess the actual judgement and supporting materials.

H · Consequence & accountability 5/5: Errors can affect the output and its explicit consumers; formal judgement or approval must remain a human responsibility.

D4A-MATCH-04-01 · Prepare cited facts, unknowns, contradictions and permitted actions

N = 8 · F = 7 · Formal human gate: No; common controls apply

C · Context complexity 4/5: Reads Finding, CurrentEvidenceUse, Comparison, AllowedActionSet; the pack task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to ScreeningDecisionPack; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 2/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 4/5: Inputs, outputs and stops can be designed for “Prepare cited facts, unknowns, contradictions and permitted actions”. This does not establish bank authority or verified safety.

V · Hypothesised work value 4/5: Use a Skill for the fixed pack; bounded planning is relevant only to unknown evidence paths. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 3/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 3/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-04-02 · Check pack citations, access, current versions and unsupported conclusions

N = 6 · F = 9 · Formal human gate: No; common controls apply

C · Context complexity 3/5: Reads ScreeningDecisionPack, AccessScope, CurrentRevisions; the rule task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to DecisionPackValidation; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 4/5: Inputs, outputs and stops can be designed for “Check pack citations, access, current versions and unsupported conclusions”. This does not establish bank authority or verified safety.

V · Hypothesised work value 4/5: Use a Skill for the fixed pack; bounded planning is relevant only to unknown evidence paths. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 5/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 4/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-05-01 · Prepare materiality facts and unresolved contradictions

N = 8 · F = 7 · Formal human gate: No; common controls apply

C · Context complexity 4/5: Reads Finding, Evidence, RiskContext; the pack task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to MaterialityBrief; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 2/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 4/5: Inputs, outputs and stops can be designed for “Prepare materiality facts and unresolved contradictions”. This does not establish bank authority or verified safety.

V · Hypothesised work value 4/5: Give people the context needed for judgement; the product retains their final responsibility. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 3/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 3/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-05-02 · Judge ambiguous or material matters and the need for escalation

N = 11 · F = 4 · Formal human gate: Yes

C · Context complexity 5/5: Reads MaterialityBrief, ApplicableControlContext; the judgment task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 3/5: Output is limited to RiskMaterialityDecision; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 3/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 2/5: Inputs, outputs and stops can be designed for “Judge ambiguous or material matters and the need for escalation”. This does not establish bank authority or verified safety.

V · Hypothesised work value 3/5: Give people the context needed for judgement; the product retains their final responsibility. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 2/5: Experts must assess the actual judgement and supporting materials.

H · Consequence & accountability 5/5: Errors can affect the output and its explicit consumers; formal judgement or approval must remain a human responsibility.

D4A-MATCH-05-03 · Apply a hold to specific actions using explicit decisions and rules

N = 6 · F = 9 · Formal human gate: No; common controls apply

C · Context complexity 3/5: Reads RiskMaterialityDecision, HoldPolicy; the rule task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to ScopedHold, EscalationTask; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 4/5: Inputs, outputs and stops can be designed for “Apply a hold to specific actions using explicit decisions and rules”. This does not establish bank authority or verified safety.

V · Hypothesised work value 4/5: Give people the context needed for judgement; the product retains their final responsibility. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 5/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 4/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-06-01 · Choose a supported local disposition or keep the finding unresolved

N = 9 · F = 4 · Formal human gate: Yes

C · Context complexity 5/5: Reads ScreeningDecisionPack, CurrentInputManifest; the judgment task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to ProposedDisposition, HumanRationale; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 2/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 2/5: Inputs, outputs and stops can be designed for “Choose a supported local disposition or keep the finding unresolved”. This does not establish bank authority or verified safety.

V · Hypothesised work value 2/5: Separate human judgement from product validation and recording, preserving valid inputs. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 2/5: Experts must assess the actual judgement and supporting materials.

H · Consequence & accountability 5/5: Errors can affect the output and its explicit consumers; formal judgement or approval must remain a human responsibility.

D4A-MATCH-06-02 · Obtain independent authority only where the configuration requires it

N = 5 · F = 7 · Formal human gate: Yes

C · Context complexity 3/5: Reads ProposedDisposition, ApprovalPolicy, ReviewerPermission; the authority task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 1/5: Output is limited to AuthorisedDisposition; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 3/5: Inputs, outputs and stops can be designed for “Obtain independent authority only where the configuration requires it”. This does not establish bank authority or verified safety.

V · Hypothesised work value 2/5: Separate human judgement from product validation and recording, preserving valid inputs. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 4/5: Experts must assess the actual judgement and supporting materials.

H · Consequence & accountability 5/5: Errors can affect the output and its explicit consumers; formal judgement or approval must remain a human responsibility.

D4A-MATCH-06-03 · Validate current versions and authority, then record the local outcome

N = 4 · F = 10 · Formal human gate: No; common controls apply

C · Context complexity 2/5: Reads AuthorisedDisposition, ExpectedRevisions, IdempotencyKey; the record task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 1/5: Output is limited to ScreeningReviewDecision, AuditEvent; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 5/5: Inputs, outputs and stops can be designed for “Validate current versions and authority, then record the local outcome”. This does not establish bank authority or verified safety.

V · Hypothesised work value 3/5: Separate human judgement from product validation and recording, preserving valid inputs. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 5/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 5/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-07-01 · Calculate the limited finding and coverage impact of a disposition

N = 6 · F = 9 · Formal human gate: No; common controls apply

C · Context complexity 3/5: Reads ScreeningReviewDecision, CoverageManifest, DependencyEdge[]; the rule task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to CoverageDelta, ReadinessReevaluationEvent; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 4/5: Inputs, outputs and stops can be designed for “Calculate the limited finding and coverage impact of a disposition”. This does not establish bank authority or verified safety.

V · Hypothesised work value 4/5: Rules update only the affected scope and explain blockers to the appropriate roles. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 5/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 4/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

D4A-MATCH-07-02 · Show remaining ownership, EDD, Legal and other conditions

N = 5 · F = 10 · Formal human gate: No; common controls apply

C · Context complexity 2/5: Reads CurrentCaseState, AllowedRoleProjection; the projection task anchor measures context processing, not permission to decide automatically.

O · Orchestration complexity 2/5: Output is limited to CaseImpactView; handoffs follow the defined workflow; cross-system calls alone do not imply an Agent.

D · Dynamic path 1/5: Prefer predefined steps and enumerable branches. A professional can judge without thereby authorising AI to plan autonomously.

B · Bounded action definability 5/5: Inputs, outputs and stops can be designed for “Show remaining ownership, EDD, Legal and other conditions”. This does not establish bank authority or verified safety.

V · Hypothesised work value 4/5: Rules update only the affected scope and explain blockers to the appropriate roles. Local value hypothesis only; no frequency, effort or financial-benefit data.

T · Testability 5/5: Tests can be defined against inputs, outputs, states and source conditions; performance has not been measured.

H · Consequence & accountability 3/5: Errors can affect the output and its explicit consumers; deterministic implementation does not reduce the business consequence; controls require separate verification.

Static authored collaboration

OM-F1 · Bind the original finding

Person T and synthetic record C01 share the original query time and subject version. Identity information is incomplete. No Target-only evidence is added.

D4A-MATCH-01-01 · C-result · SRC-016:M03 · Authored frame

OM-F2 · Compare, preserving unknowns

The authored comparison shows a similar name. Person T's birth date is missing; provider years 1970 / 1971 cannot be treated as a precise contradiction.

D4A-MATCH-02-02 · C-result · SRC-016:M03 · Authored frame

OM-F3 · Stop at the evidence gap

Identity context remains insufficient. A scoped request may be prepared, but recipients, disclosure and personal-evidence access need confirmation. Playback creates no task or hold.

D4A-MATCH-03-01 · C-result · SRC-016:M03 · Pause boundary

OM-F4 · Give the decision pack to a person

Review the original evidence, unknowns, current scope and permitted consequences. Request information, remain unresolved or refer within existing permissions. Next cannot approve.

D4A-MATCH-05-02 · C-result · SRC-016:M03 · Pause boundary

OM-F5 · Authored outcome: remains unresolved

The existing C-unresolved story records an unresolved local disposition. A reviewed identity-exclusion checkpoint is unavailable. This is an authored outcome, not your decision. Recheck permission, versions and holds before any actual resumption.

D4A-MATCH-06-01 · C-unresolved / literal-oracle.json / expected.unresolved · SRC-016:M07 · Authored frame

OM-F6 · Local outcome, open conditions

Ownership and population are incomplete; EDD applicability is unknown. Legal, Credit and other applicable conditions remain independently open. This finding is not whole-case clearance.

D4A-MATCH-07-02 · C-unresolved / literal-oracle.json / expected.unresolved · SRC-016:M07 · Authored frame

SK-03 · Entity / Attribute / Duplicate Comparison

Purpose / kind: Entity / Attribute / Duplicate Comparison · deterministic normalisation + semantic candidate interpretation

Input: two versioned claim sets + permitted comparison scope

Output: similar / different / inconclusive / not_comparable with evidence

Boundaries: Candidate comparison only

Stops: missing/partial dates, scripts, aliases → preserve precision; no identity verdict

Human use: The authorised reviewer retains identity, materiality, sufficiency, representative authority and clearance decisions. Skills prepare or support.

Authored sample · synthetic

Original C-result query / subject version. Person T name is similar to synthetic record C01. Person T birth date is missing; provider years 1970 / 1971 retain year precision. No contradictory full date is invented.

Output: name = similar; birth date, place of birth and nationality = inconclusive. Contract vocabulary includes not_comparable. A differing field does not exclude identity.

Input locators: screening-snapshots.json / C-result / runSubjectSnapshots / DEMO-CTT-001/run-subject/c-1 (r1); providerRecordSnapshots / DEMO-CTT-001/provider-snapshot/c-1 (r1). Output basis: attributeComparisons / c-1-name, c-1-date_of_birth; SRC-016:M03; D4A-MATCH-02-02. Authored illustration, not a stored decision or Skill execution.

contract_status: Defined proposal · sample_status: Authored synthetic sample · prototype_binding_status: Read-only interface · implementation_evidence_status: Unverified; no runtime / model test

Mapped usage · original associations

Each use independently checks current subject / purpose scope, permission and versions. Shared families do not share grants, prompts or professional standards.

Action / scene	Relation	Inputs	Outputs
D4A-MATCH-01-02 SCN-MATCH	Used by execution	ScreeningFinding; KnownFindingRegistry	FindingConsistencyCheck
D4A-MATCH-02-01 SCN-MATCH	Used by execution	SubjectClaims; ProviderClaims	TypedComparableClaims
D4A-MATCH-02-02 SCN-MATCH	Used by execution	TypedComparableClaims	AttributeComparison[]

SK-06 · Decision Pack / Explanation / Composition

Purpose / kind: Decision Pack / Explanation / Composition · semantic; approved template mode is deterministic

Input: role-filtered facts, unknowns, sources, permitted actions

Output: versioned draft pack or explanation with sources

Boundaries: Draft only; no approval or external dispatch

Stops: unsupported claim / instruction in evidence / revoked access → exclude or pause

Human use: The authorised reviewer retains identity, materiality, sufficiency, representative authority and clearance decisions. Skills prepare or support.

Authored sample · synthetic

Original C-result query / subject version. Person T name is similar to synthetic record C01. Person T birth date is missing; provider years 1970 / 1971 retain year precision. No contradictory full date is invented.

Draft output: can the finding be distinguished? Facts: similar synthetic name. Unknowns: missing subject birth date and partial provider context. Permitted options: save a draft, request scoped identity information, or keep unresolved / refer where authorised. No exclusion, approval or clearance.

Input locators: screening-snapshots.json / C-result / runSubjectSnapshots / DEMO-CTT-001/run-subject/c-1 (r1); providerRecordSnapshots / DEMO-CTT-001/provider-snapshot/c-1 (r1). Output basis: attributeComparisons / c-1-name, c-1-date_of_birth; SRC-016:M03; D4A-MATCH-04-01. Authored illustration, not a stored decision or Skill execution.

contract_status: Defined proposal · sample_status: Authored synthetic sample · prototype_binding_status: Read-only interface · implementation_evidence_status: Unverified; no runtime / model test

Mapped usage · original associations

Each use independently checks current subject / purpose scope, permission and versions. Shared families do not share grants, prompts or professional standards.

Action / scene	Relation	Inputs	Outputs
D4A-MATCH-03-01 SCN-MATCH	Used by execution	FindingUnknowns; ExistingEvidence; AllowedSources; PreviousReceipts	IdentityEvidencePlanProposal
D4A-MATCH-03-03 SCN-MATCH	Supports human	IdentityRequestDraft; ExistingGrant	IdentityRequestAccessDecision
D4A-MATCH-04-01 SCN-MATCH	Used by execution	Finding; CurrentEvidenceUse; Comparison; AllowedActionSet	ScreeningDecisionPack
D4A-MATCH-05-01 SCN-MATCH	Used by execution	Finding; Evidence; RiskContext	MaterialityBrief

Action / scene	Relation	Inputs	Outputs
D4A-MATCH-05-02 SCN-MATCH	Supports human	MaterialityBrief; ApplicableControlContext	RiskMaterialityDecision
D4A-MATCH-06-01 SCN-MATCH	Supports human	ScreeningDecisionPack; CurrentInputManifest	ProposedDisposition; HumanRationale
D4A-MATCH-06-02 SCN-MATCH	Supports human	ProposedDisposition; ApprovalPolicy; ReviewerPermission	AuthorisedDisposition

Sources and interpretation · shared register

Inherited review of 7 September 2026; no new external verification. Each action above retains its exact Current / To-be mappings.

Current

PPT-S1-SH296-A5 Sanitised Process Map(1).pptx · slide 1 · shape 296 · occurrence 5	M4.5 Adjudicate screening hits CLIENT FULFILMENT / KYC OPS · normal
PPT-S1-SH292-A3 Sanitised Process Map(1).pptx · slide 1 · shape 292 · occurrence 3	M3.3 Request info from client CLIENT FULFILMENT / KYC OPS · normal
PPT-S1-SH9-A1 Sanitised Process Map(1).pptx · slide 1 · shape 9 · occurrence 1	M3.3 Request info from client SALES / RM (Front Office) · normal
PPT-S1-SH292-A4 Sanitised Process Map(1).pptx · slide 1 · shape 292 · occurrence 4	M3.4 Capture & validate evidence CLIENT FULFILMENT / KYC OPS · normal
PPT-S1-SH177-A1 Sanitised Process Map(1).pptx · slide 1 · shape 177 · occurrence 1	M4.6 Assess risk & materiality FINANCIAL CRIME / RISK / COMPLIANCE · normal
PPT-S1-SH177-A2 Sanitised Process Map(1).pptx · slide 1 · shape 177 · occurrence 2	M4.7 Determine screening outcome FINANCIAL CRIME / RISK / COMPLIANCE · normal

PPT-S1-SH65-A1 Sanitised Process Map(1).pptx · slide 1 · shape 65 · occurrence 1	M8.1 Confirm all required clearance prerequisites are complete CLIENT FULFILMENT / KYC OPS · normal
To-be	
PPT-S2-SH296-A5 Sanitised Process Map(1).pptx · slide 2 · shape 296 · occurrence 5	M4.5 Adjudicate screening hits Agentic execution · normal
PPT-S2-SH376-EX Sanitised Process Map(1).pptx · slide 2 · shape 376 · occurrence 1	Review ambiguous screening hits CLIENT FULFILMENT / KYC OPS — Human in the Loop · normal
PPT-S2-SH292-A3 Sanitised Process Map(1).pptx · slide 2 · shape 292 · occurrence 3	M3.3 Request info from client Agentic execution · normal
PPT-S2-SH292-A4 Sanitised Process Map(1).pptx · slide 2 · shape 292 · occurrence 4	M3.4 Capture & validate evidence Agentic execution · normal
PPT-S2-SH392-EX Sanitised Process Map(1).pptx · slide 2 · shape 392 · occurrence 1	Support evidence gaps where needed CLIENT FULFILMENT / KYC OPS — Human in the Loop · normal
PPT-S2-SH296-A6 Sanitised Process Map(1).pptx · slide 2 · shape 296 · occurrence 6	M4.6 Assess risk & materiality Agentic execution · normal
PPT-S2-SH409-EX Sanitised Process Map(1).pptx · slide 2 · shape 409 · occurrence 1	Adjudicate material screening finding FINANCIAL CRIME / RISK / COMPLIANCE — Human in the Loop · normal
PPT-S2-SH296-A7 Sanitised Process Map(1).pptx · slide 2 · shape 296 · occurrence 7	M4.7 Determine screening outcome Agentic execution · normal
PPT-S2-SH65-A1 Sanitised Process Map(1).pptx · slide 2 · shape 65 · occurrence 1	M8.1 Confirm all required clearance prerequisites are complete Agentic execution · normal

D3-ISS-06 · Judgement and recording overlap in the Agentic lane

The Target map includes judgement and sign-off wording in automated groups while also providing human judgement and approval.

Separate preparation, execution, judgement, approval and recording. Conservative demo permissions remain a proposal; bank allocation is unconfirmed.

S2 M4.6/.7; M5.3/.6/.7; M6.8; M7.3/.4; M8.3; additional HITL

D3-ISS-15 · Each proposal needs a qualified source

Many references are standards, guidance or internal designs, rather than deployed bank examples.

Retain the exact source locator, observation, adaptation and limits for each change. Identify our design interpretation when no direct example exists.

Prior broad benchmark register

DFAT — Guide to Australia's Consolidated List

REG-DFAT-LIST · regulatory_reference · Names, aliases, dates and places of birth, citizenship · official_content_checked_2026-09-07

Observation: List records can contain multiple identifiers, aliases and incomplete information.

Transfer: Preserve multiple values, precision, unknowns and the original record for a purpose-specific comparison.

Cannot establish: A single attribute difference cannot automatically exclude a match. The Australian list does not establish coverage for every jurisdiction; no real listed person is imported.

<https://www.dfat.gov.au/international-relations/security/sanctions/consolidated-list/guide-australias-consolidated-list>

Wolfsberg — Guidance on Sanctions Screening (2019)

IND-WOLFSBERG · industry_guidance · §1; §2.1; §3.2; §4; §6 · official_content_checked_2026-09-07

Observation: An alert does not establish risk. Review relevant information, record disposition reasons and make screening scope and configuration explicit.

Transfer: Separate Population, Run, Finding, Review, Decision and Coverage; prepare evidence for a human decision.

Cannot establish: The guidance does not directly establish our bank permissions, thresholds, pause scopes or reuse rules.

<https://wolfsberg-group.org/resources/legacy/53>

ANZ — KYC SecureReply

IB-ANZ-SECURE · bank_product_example · Selected business-customer information-update workflow; entry/save/contributor FAQ · official_content_checked_2026-09-07

Observation: The example uses a reference and an OTP to registered contact details for entry. Save and submit are separate, with contributor restrictions on some fields.

Transfer: Separate official-site entry from locating a request; keep item responses, submission receipts and review states distinct.

Cannot establish: This is an information-update example, not the complete institutional clearance journey. It does not validate this case's security level or representative authority.

<https://www.anz.com.au/support/business/secure-reply/>

HL7 FHIR R5 — Provenance

XB-FHIR-R5 · cross_industry_standard · Fixed version 5.0.0; target/activity/agent/entity · official_content_checked_2026-09-07

Observation: Provenance links a resource version to an activity, participants and source entities.

Transfer: Link a decision record to its specific input versions, actor and generating activity.

Cannot establish: The word agent denotes a participant, not an AI Agent. This prototype does not implement FHIR; R4 and R5 remain distinct versions.

<https://hl7.org/fhir/R5/provenance.html>

PHKL Future Clinic — internal project handoff

IC-PHKL · internal_design_case · a9d5e073-4793-415f-b9c8-a6eeca7fb349.md; §§14–16 · internal_file_reviewed; not_public; no_deployment_claim

Observation: The internal design uses one case across roles, AI preparation, a clinician signature, and independent insurer review and clarification.

Transfer: Reuse the workbench pattern, preparation/decision/submission separation and explicit downstream event links.

Cannot establish: Internal design reference only. Production deployment and business benefits have not been verified; this is not a public implementation success story.