

一个案件，连贯的工作

主体 A 申请外汇远期；主体 B 为申报的新加坡母公司，Person T 任职于 B。协调、身份、签署与交易权限分别判断。

获批准的合成设计。银行规则与权限仍待验证；不声明最终 MVP 排名或生产集成。

从依据到产品行为

方法 → 角色 → 当前 / 目标旅程 → 场景 → 产品体验 → 人工边界 → 产品定义 → 开放问题。既有旅程保留角色群体与触发变体，本次整合不增加业务场景。

当前与目标描述工作设计。MVP 保留明确人工复核；目标自主程度仍是假设。基线与变化会话保留各自版本和归档。

当前已保存案件

DEMO-CTT-001 · 案件版本 1 · 范围版本 1

当前背景或角色无法取得准入投影；这不是“未就绪”的事实结果。

完整主线故事

阅读不载入结果。打开场景可进入对应产品任务并精确返回。已复核 D / E 延续会明确归档先前会话。

明确本次关系范围

STORY-1 · SCN-SCOPE · M0.1–M0.4 · M1.1

触发	新关系；当前范围与所需输入
当前工作	客户经理与运营澄清申请关系、拟交易法人、产品和 booking 背景。Current 已包含这些工作。
目标工作	产品将 Group A、Entity A 与申请的 FX forward 分为有来源的字段。人工记录工作范围并保留未知事项。
决定	以明确演示权限记录工作范围；银行实际权限仍待验证。
状态变化 / 下一场景	版本化工作范围供主体复核与要求草稿使用，不代表产品、KYC 或准入批准。 · STORY-2

确认主体与代表权限

STORY-2 · SCN-ENTITY · M1.3–M1.5 · M3.4

触发	新关系；当前范围与所需输入
当前工作	运营核对法人资料与所提供证据。代表权限单独评估；具体权限建模为行业参考扩展。
目标工作	分开 Entity A、声称的母公司 B 与 Person T。仅评估 EV-A03 对为 A 协调资料的支持，并建立用途级缺口。
决定	配置的员工记录证据用途评估，而非全权批准 Person T。未知任务责任人保留未分派。
状态变化 / 下一场景	主体背景更清楚；权限任务等待证据；仅满足门槛的准备工作继续。整体尚未就绪。 · STORY-3

明确适用要求

STORY-3 · SCN-REQUIREMENTS · M2.1–M2.5

触发	新关系；当前范围与所需输入
当前工作	按关系范围确定 AML 与非 AML 要求、例外及风险指标。
目标工作	编制版本化要求集；逐项关联主体、用途和依据，保留未知适用性。
决定	确认演示要求集，不据此推断客户政策。
状态变化 / 下一场景	仅确认本合成范围内的要求；证据仍待评估。 · STORY-4

复用已有证据

STORY-4 · SCN-SOURCE · M3.1–M3.2

触发	新关系；当前范围与所需输入
当前工作	检索公开与商业来源并识别剩余缺口；Current 源图已包含这些活动。
目标工作	将来源资料关联到具体主体、要求和用途，保留原版本。
决定	复核拟议复用；接受一份文件不等于满足所有要求。
状态变化 / 下一场景	主体身份可获得支持；筛查身份区分仍是独立用途。 · STORY-5

只询问剩余缺口

STORY-5 · SCN-GAP · M2.5 · M3.2–M3.3

触发	新关系；当前范围与所需输入
当前工作	发布要求并向客户请求尚缺信息。
目标工作	仅将未解决事实汇总为用途明确的请求，并指定责任人与响应关联。
决定	模拟发出前复核缺失事实、用途与响应责任人。
状态变化 / 下一场景	本地记录请求，不发送邮件；收到响应后回到证据复核。 · STORY-6

按用途评估证据

STORY-6 · SCN-VALIDATE · M3.4–M3.5

触发	新关系；当前范围与所需输入
当前工作	接收并核验证据，维护剩余缺口与来源记录。
目标工作	分开保存资料与用途评估；收到补充资料后仍须独立复核。
决定	配置的演示复核角色记录充分性及理由；银行权限仍未确认。
状态变化 / 下一场景	完成证据用途评估；筛查仍须独立人工处置。 · STORY-7

明确筛查群体

STORY-7 · SCN-POPULATION · M4.1–M4.4

触发	新关系；当前范围与所需输入
当前工作	团队依据现有案件资料整理主体与类别；未确认的 ownership 及关联方成员关系保持未决。
目标工作	版本化筛查群体分别展示 Entity A、Entity B 与 Person T。可对 Person T 执行获准初筛，但不宣称完整覆盖。
决定	人工复核纳入依据与当前输入；不配置隐藏类别或完整筛查。
状态变化 / 下一场景	群体保持不完整；明确显示获准筛查主体及缺失成员。 · STORY-8

处理疑似筛查命中

STORY-8 · SCN-MATCH · M4.5–M4.7

触发	新关系；当前范围与所需输入
当前工作	处置疑似命中、判断重大性并记录筛查结果。
目标工作	整理主体与记录的逐项对照及证据用途；由人工记录处置或请求更多信息。
决定	仅配置的复核人员可记录获准的未决结果。排除结论未开放；不自主批准，也不自动触发 EDD。
状态变化 / 下一场景	针对当前输入记录有范围的未决或转交决定；身份、筛查群体、EDD 及其他案件条件继续分别可见。· STORY-9

按适用性进入 EDD

STORY-9 · SCN-EDD · M5

触发	新关系；当前范围与所需输入
当前工作	EDD 适用性与制裁命中复核分开评估；缺少理由时保持未知。
目标工作	以精确的经复核依据展示 required、not required 或 unknown。若为 required，仅建立有限的针对性资料包，并保持批准未知。
决定	由人工记录适用性及专业评估；未配置 EDD 批准或准入写入。
状态变化 / 下一场景	适用性保持未知，就绪状态仍为尚未就绪；筛查与 EDD 不相互覆盖。· D1

尽早启动利益冲突检查

D1 · SCN-CONFLICTS · M1 → M7

触发	新关系；当前范围与所需输入
当前工作	利益冲突通常通过分散的搜索、发现及后期准入检查来理解；未决发现难以关联到原始范围。
目标工作	从受理阶段启动有范围的搜索，分别保留发现与 Hold，并显示其对就绪状态的独立贡献。
决定	仅已配置的利益冲突角色可查看受限详情；不据此推断不当行为、准入决定或全案批准。
状态变化 / 下一场景	搜索完成、发现未决、等待专业复核及准入待定保持为不同状态。· D2

尽早启动利益冲突检查

D2 · SCN-CONFLICTS · M1 → M7

触发	新关系；当前范围与所需输入
当前工作	利益冲突通常通过分散的搜索、发现及后期准入检查来理解；未决发现难以关联到原始范围。
目标工作	从受理阶段启动有范围的搜索，分别保留发现与 Hold，并显示其对就绪状态的独立贡献。
决定	仅已配置的利益冲突角色可查看受限详情；不据此推断不当行为、准入决定或全案批准。
状态变化 / 下一场景	搜索完成、发现未决、等待专业复核及准入待定保持为不同状态。 · D3

解决信贷条件

D3 · SCN-CREDIT · C2.1–C2.3

触发	新关系；当前范围与所需输入
当前工作	当使用的版本未明确时，信贷评估、决定、条件及法务交接可能看似均为最新。
目标工作	保持 CD-01、CC-01 与 AI-01 带版本；信贷输入修订后，明确标记既有法务使用方为旧输入，同时不覆盖历史。
决定	主持人可模拟一次受保护的版本修订；这不是金额决定、政策变更、批准或案件准入。
状态变化 / 下一场景	分别显示信贷条件已批准、文件纳入待完成及法务签署待完成。 · D4

完成适用协议

D4 · SCN-LEGAL · C1.1–C1.3

触发	新关系；当前范围与所需输入
当前工作	法务起草与内部批准可能掩盖文件所使用的信贷输入版本，以及签署权限是否已知。
目标工作	冻结显示 AGR-01 版本 03 及其使用的 AI-01 版本；标记旧信贷输入，同时分开显示复核、内部批准与签署。
决定	内部批准不等于签署或签署权限；原型不提供法务批准、签署或准入写入。
状态变化 / 下一场景	协议版本 03 保持内部已批准且等待签署；上游修订后明确显示旧输入。 · D5

明确还剩哪些条件

D5 · SCN-READINESS · M8.1

触发	新关系；当前范围与所需输入
当前工作	核对所有适用准入前置条件是否完成。
目标工作	依据明确条件计算版本化快照；每项保留责任人、理由和下一步。
决定	未配置银行最终授权；发布及真实交易不属于本切片。
状态变化 / 下一场景	未就绪是可解释结果，而非百分比；授权确认与发布保持独立。 · E1

QA 复核已汇集案件

E1 · SCN-QA · M6

触发	新关系；当前范围与所需输入
当前工作	任务完成与证据收取可能掩盖未评估的用途。
目标工作	检查当前范围、要求、证据用途、筛查 / EDD 与专业条线输出。
决定	已配置的明确人工复核；银行权限仍待验证
状态变化 / 下一场景	找出需要 QA 复核的具体所有权证据用途。 · E2

发起精确 QA 缺口

E2 · SCN-QA · M6

触发	新关系；当前范围与所需输入
当前工作	笼统退回 KYC 会模糊受影响要求与责任人。
目标工作	QA 记录所有权用途缺口，并分配具体补正。
决定	已配置的明确人工复核；银行权限仍待验证
状态变化 / 下一场景	打开具体补正；保留无关法务与信贷工作。 · E3

补正与重新复核

E3 · SCN-QA · M6

触发	新关系；当前范围与所需输入
当前工作	补正完成可能被误认为 QA 检查通过。
目标工作	KYC 运营提交并完成用途评估；QA 独立重新复核。
决定	已配置的明确人工复核；银行权限仍待验证
状态变化 / 下一场景	将当前证据用途评估交回 QA，重新复核并单独签核。 · E4

闭合剩余条件

E4 · SCN-READINESS · M8.1

触发	新关系；当前范围与所需输入
当前工作	分散的完成报告无法显示依赖或未知适用性。
目标工作	复核指定利益冲突、完整覆盖、EDD、范围背景、KYC 与法务闭合事件。
决定	已配置的明确人工复核；银行权限仍待验证
状态变化 / 下一场景	确认每项当前前提；法务使用当前信贷与独立签署人 S 权限。 · E5

就绪，等待获授权确认

E5 · SCN-READINESS · M8.1

触发	新关系；当前范围与所需输入
当前工作	就绪清单可能被误认为获授权的准入。
目标工作	评估当前适用前提并检查限定范围就绪快照。
决定	已配置的明确人工复核；银行权限仍待验证
状态变化 / 下一场景	已配置的获授权准入复核人员复核完整依据，再明确确认。 · E6

记录决定并发布

E6 · SCN-PUBLISH · M8.2–M8.5

触发	新关系；当前范围与所需输入
当前工作	准入记录、结果传达和交易执行可能被混淆。
目标工作	记录限定范围准入与时间戳，再单独模拟获准结果传达。
决定	已配置的明确人工复核；银行权限仍待验证
状态变化 / 下一场景	检查传达状态，失败时重试并保留准入决定。 · 故事结束

共享对象与状态区别

▼ Case & Scope

Case	case
CaseScope	scopes

▼ Party & Authority

LegalEntity	entities
Person	naturalPersons
Representative	representatives
AuthorityRecord	authorities

▼ Requirement

RequirementSet	requirements (scope + revision grouping)
Requirement	requirements
Gap	requestItems / qaFindings (distinct purpose and quality gaps)

▼ Evidence

EvidenceArtifact	evidence
EvidenceClaim	evidence[].claims (embedded)
EvidenceUseAssessment	evidenceUseAssessments

▼ Work

WorkItem	workItems
InformationRequest	informationRequests
Remediation	workItems (QA remediation subtype)
Hold	holds

▼ Decision & Specialist

Decision	decisions / screeningReviewDecisions (typed)
ScreeningFinding	screeningFindings
ConflictReview	conflictReviews
CreditCondition	creditConditions
LegalAgreement	legalAgreements

▼ Dependency

DependencyEdge	dependencies
ProfessionalCondition	clearanceConditions

▼ Clearance

ClearancePrerequisite	clearancePrerequisites (evaluated snapshots)
ReadinessSnapshot	readinessSnapshots
ClearanceDecision	clearanceDecisions
PublicationEvent	publicationEvents

未知 ≠ 不适用。完成 ≠ 满足。满足 ≠ 获授权。获授权 ≠ 已发布。已发布 ≠ 已执行交易。

共享案件结构

静态语义备选。图示未通过验证或尚不可用；下方文字保留完整逻辑。

- 1. 案件与当前范围
- 2. 相关方与特定用途权限
- 3. 要求与证据用途
- 4. 工作与专业决定
- 5. 条件与准入前提
- 6. 就绪与获授权决定
- 7. 独立发布；不执行交易

说明控件只改变阅读位置。未收到音频或视频。

依赖与暂停影响

静态语义备选。图示未通过验证或尚不可用；下方文字保留完整逻辑。

1. 识别变化或问题
2. 识别受影响依赖
3. 确定影响范围
4. 任务范围
5. 条线范围
6. 案件范围
7. 未知范围
8. 显示受影响工作
9. 显示明确不受影响工作
10. 显示未知依赖
11. 解决或重新评估
12. 重新评估当前就绪状态

说明控件只改变阅读位置。未收到音频或视频。

同一案件，衔接体验

静态语义备选。图示未通过验证或尚不可用；下方文字保留完整逻辑。

1. 读取同一共享案件数据
2. Studio：理解工作
3. 产品：执行获准工作
4. 可选 Lab：检查只读视角
5. 打印所选共享内容

说明控件只改变阅读位置。未收到音频或视频。

依赖影响

仅为投影。保留原始限定编号与端点版本。缺少边不证明独立；本保守视图可将历史映射显示为未知，不覆盖引擎就绪判断。

当前背景或角色无法取得内部依赖投影。

能力与需求假设

▼ 范围与案件管理

The product shall retain the legal entity, product and scope revision and display unknown booking context explicitly.

人工边界: Human confirms scope; coordination does not confer signing or trading authority

可观察验收: AC-F01: Given Entity A requests FX forward and Person T works for reported parent B; When working scope is recorded; Then Entity A remains the counterparty and coordination does not grant signing or trading authority.

CAP-001 · CTT-REQ-001 · SCN-SCOPE|SCN-ENTITY · M0.1|M1.1|M1.3 · SRC-013|SRC-021 · ASM-001

▼ 动态要求

The product shall version requirements for the current scope and retain unknown applicability until an explicit reviewed decision.

人工边界: Human confirms the requirement set; unknown applicability is unresolved

可观察验收: AC-F02: Given applicability is unknown; When the requirement set is presented; Then unknown remains explicit and cannot satisfy readiness or become not_required.

CAP-002 · CTT-REQ-002 · SCN-REQUIREMENTS · M2.1|M2.5 · SRC-010|SRC-021 · ASM-003|ASM-004

▼ 证据与来源

The product shall separate artifact receipt from purpose-specific sufficiency and retain prior claims, assessments and versions.

人工边界: Reviewer records purpose-specific sufficiency with reason; receipt is not acceptance

可观察验收: AC-F03: Given an artifact is received and its purpose assessment is insufficient; When the case is reevaluated; Then the linked requirement stays unsatisfied and file presence alone cannot make the case ready.

CAP-003 · CTT-REQ-003 · SCN-SOURCE|SCN-VALIDATE · M3.1|M3.4|M3.5 · SRC-015|SRC-021 · ASM-004|ASM-005

▼ 客户协作

The product shall show a contributor only explicitly granted request items and preserve partial submission and independent review status.

人工边界: Request review, dispatch, authentication, grant and business authority are separate

可观察验收: AC-F04: Given two request items have separate contributor grants; When one contributor submits one item; Then only its receipt changes and the other item and overall clearance stay unresolved.

CAP-004 · CTT-REQ-004 · SCN-GAP|SCN-VALIDATE · M2.5|M3.3|M3.4 · SRC-015|SRC-021 · ASM-004

▼ 筛查与例外复核

The product shall bind runs and findings to a scoped population and preserve unknown coverage and EDD applicability independently.

人工边界: Specialist makes disposition; EDD applicability has its own reviewed basis

可观察验收: AC-F05: Given population scope is empty, stale or unconfirmed; When screening or readiness is evaluated; Then coverage is not complete and the case cannot become ready.

CAP-005 · CTT-REQ-005 · SCN-POPULATION|SCN-MATCH|SCN-EDD · M4.1|M4.4|M5 · SRC-016|SRC-021 · ASM-003|ASM-004

▼ 专业工作编排

The product shall show the current Credit condition and the exact revision consumed by Legal while allowing only independently permitted preparation.

人工边界: Specialists own decisions; preparation, approval and execution stay separate

可观察验收: AC-F06: Given a Credit input changes after Legal consumed it; When Legal is reviewed; Then its consumed version is visibly stale and execution/readiness remains blocked until reviewed.

CAP-006 · CTT-REQ-006 · SCN-CONFLICTS|SCN-CREDIT|SCN-LEGAL · M7|C2|C1 · SRC-019|SRC-021 · ASM-001|ASM-005

▼ 人工决定与权限

The product shall require current scoped readiness, configured authority and an explicit human confirmation before recording clearance.

人工边界: Only configured synthetic authority can confirm; actual bank authority remains unknown

可观察验收: AC-F07: Given readiness is ready for authorised confirmation and no decision is recorded; When QA, RM or an unknown role attempts confirmation; Then the action is rejected and no clearance decision is created.

CAP-007 · CTT-REQ-007 · SCN-ENTITY|SCN-READINESS · M1.3|M8.3 · SRC-020|SRC-021 · ASM-004

▼ 依赖与暂停范围管理

The product shall identify exact affected requirements, evidence uses and downstream dependencies without declaring unmodelled work independent.

人工边界: Hold owner and release basis must be explicit; absence of an edge is not independence

可观察验收: AC-F08: Given a branch hold with explicit current dependencies; When impact is projected; Then affected work is identified, unrelated work requires an explicit permitted basis, and unknown dependencies remain unknown.

CAP-008 · CTT-REQ-008 · SCN-CONFLICTS|SCN-LEGAL|SCN-QA · M7|C1|M6.6 · SRC-019|SRC-020|SRC-021 · ASM-005

▼ 就绪与交易准入

The product shall evaluate all current applicable prerequisites and retain a clearance decision when a separate publication attempt fails.

人工边界: QA signs off separately; authorised reviewer confirms; publication is a separate simulated action

可观察验收: AC-F09: Given all applicable prerequisites are satisfied without an authorised decision; When readiness is evaluated; Then it is READY_FOR_AUTHORISED_CONFIRMATION, not CLEARED_TO_TRADE; after an authorised decision a publication failure retains that decision and executes no trade.

CAP-009 · CTT-REQ-009 · SCN-QA|SCN-READINESS|SCN-PUBLISH · M6|M8 · SRC-020|SRC-021 · ASM-004|ASM-005

▼ 审计与可追溯性

The product shall preserve the current saved revision and semantic location across Story, Product, Return, language, print and optional Lab views.

人工边界: Source support is not bank approval; optional Lab reads only and no injection is enabled

可观察验收: AC-F10: Given saved work at a scene and viewport; When Product returns after language change or Story/graph/Lab/print is used; Then the latest language and saved revision remain and no view control records a business decision.

CAP-010 · CTT-REQ-010 · SCN-SCOPE|SCN-GAP|SCN-QA|SCN-READINESS|SCN-PUBLISH · M0|M3|M6|M8 · SRC-021|SRC-020|SRC-021 · ASM-005

周五验证问题

案件经理协调与 KYC 运营判断的职责边界是什么？

当前假设: Case Manager coordinates; KYC Ops assesses evidence; not confirmed

确认角色: Client operations owner

Q-007 · SCN-SCOPE|SCN-REQUIREMENTS|SCN-QA · CTT-REQ-001|CTT-REQ-002 · 开放；未推断客户答案

谁可以确认哪些主体、产品与 booking 范围的最终准入？

当前假设: Only the configured synthetic reviewer can confirm; bank authority null

确认角色: Delegated authority and compliance owner

Q-005 · SCN-READINESS · CTT-REQ-007|CTT-REQ-009 · 开放；未推断客户答案

哪些相关方和类别纳入筛查群体，谁确认完整性？

当前假设: Authored scoped inventory; unknown coverage blocks

确认角色: Financial Crime and policy owner

C-Q-POPULATION · SCN-POPULATION|SCN-MATCH · CTT-REQ-005 · 开放；未推断客户答案

谁确定 EDD 适用性、作出判断并批准结果？

当前假设: Independent applicability review; no universal trigger from a possible match

确认角色: Financial Crime / EDD authority owner

C-Q-EDD-APPLICABILITY · SCN-EDD · CTT-REQ-005 · 开放；未推断客户答案

法务与信贷提前开始准备的最低输入条件是什么？

当前假设: Preparation uses its own permitted inputs; current Credit required before Legal execution

确认角色: Legal and Credit process owners

Q-008 · SCN-CREDIT|SCN-LEGAL · CTT-REQ-006 · 开放；未推断客户答案

哪些客户提交、安全任务、认证与披露渠道已获准？

当前假设: Local synthetic request with separate mock authentication and scoped grants

确认角色: Client channels / security / operations owner

C-Q-COLLABORATION · SCN-GAP|SCN-VALIDATE · CTT-REQ-004 · 开放；未推断客户答案

客户经理可以查看哪些筛查、利益冲突和风险详情？

当前假设: RM gets allowlisted progress; restricted rationale excluded

确认角色: Compliance and relationship management owner

Q-009 · SCN-MATCH|SCN-CONFLICTS · CTT-REQ-004|CTT-REQ-005 · 开放；未推断客户答案

谁确定任务、条线或案件暂停范围并批准解除？

当前假设: Unknown scope blocks dependent actions; absence of an edge is not independence

确认角色: Operations and relevant specialist owner

C-Q-HOLD · SCN-CONFLICTS|SCN-LEGAL|SCN-QA · CTT-REQ-008 · 开放；未推断客户答案

哪些下游系统接收结构化准入结果，如何确认接收？

当前假设: Named synthetic outcome register only; no production integration

确认角色: Trading / risk system owner

Q-010 · SCN-PUBLISH · CTT-REQ-009 · 开放；未推断客户答案

谁负责发布失败、重试、核对与通知？

当前假设: Case Manager can simulate retry; failure preserves current clearance decision

确认角色: Operations and downstream support owner

Q-011 · SCN-PUBLISH · CTT-REQ-009 · 开放；未推断客户答案

哪些关系或产品变化允许复用证据，哪些需要重新评估？

当前假设: Purpose and version reviewed independently; history retained

确认角色: Policy / evidence / operations owner

Q-003 · SCN-SOURCE|SCN-VALIDATE|SCN-READINESS · CTT-REQ-003|CTT-REQ-010 · 开放；未推断客户答案

本合成主案例是否足以支持 Workshop 验证？

当前假设: One synthetic Entity A FX-forward case only; no volume or KPI claims

确认角色: Workshop sponsor and process authors

Q-012 · SCN-SCOPE|SCN-PUBLISH · CTT-REQ-001|CTT-REQ-010 · 开放；未推断客户答案

▼ Living Case Lab · 可选只读视角

结果、工作与保障视角读取同一已保存案件版本。影子注入已禁用；不向主线应用候选变更。

outcome · 同一案件版本 1 · 不可用

依据与剩余限制

49 条登记观察保留原验证状态。官方链接检查单独记录日期；链接不证明已复核截图、音频或视频。FHIR R4 / R5 保持独立。

DG-F02 未通过有限轮次 Archify 图示验证，已提供完整语义备选。E 英文 DG-E03 同样使用语义备选。完整 Schema 元验证未执行。E 的 gap_open 标签与编制时间显示小项，以及 D5 UX-010 权限配置变体仍单独列为残留问题。不声明已满足全部 Workshop-ready 验收。

SRC-021 · G1–G6 实际证据登记 · 衍生来源清单