

Journey & first vertical slice

Internal review · synthetic data · not bank-approved policy
DEMO-CTT-001 · en-AU · Case revision 2 · IA v0.4 / D2 v0.1

Five reading stages: S1 Initiate & scope / S2 Determine & source / S3 Screen & assess / S4 Assure & resolve / S5 Clear to trade

Both Current and Target are printed for all authored scenarios, including content outside the screen viewport. Remaining scenarios are listed as structural scope.

Scope, parties and authority

D2 Batch A

DEMO-CTT-001 · SRC-013 Final v1.0 · SRC-014 Media Brief v1.0 · Scope v2 · Synthetic / reported / source reviewed / unknown are distinct

Request

EV-A01 / FX forward / USD procurement

Group display

Group A

Counterparty

Unresolved

Booking / eligibility / DD

Not provided / not assessed

Scope

Clarification required

ENTITY A

Entity A (Synthetic)

Incorporation	Relationship
AU	Only proposed trading entity
Identity resolution	Verification
Unresolved	Not started
Beneficial ownership	LEI / registration number
Unknown	Not provided

ENTITY B

Entity B (Synthetic)

Incorporation	Relationship
SG	Reported parent · not counterparty / guarantor
Identity resolution	Verification
Under review	Not started
Beneficial ownership	LEI / registration number
Unknown	Not provided

Person T

Employed by Entity B; claims to coordinate information for Entity A. Consult the separate current purpose assessments.

Person T

Employer: Entity B · Singapore / Claimed principal: Entity A · Australia

Purpose	Principal	Status
Coordinate information	Entity A	Evidence required
Make declarations	Entity A	Not established
Execute agreement	Entity A	Not established
Issue trade instruction	Entity A	Not assessed

EV-A03 supports employment at B; it does not itself establish the Entity A coordination scope.

EV-A05 · Not received in live session

Not ready · booking and product eligibility unresolved. Person T’s authority must be assessed per purpose; see the latest records. BO/CDD, Legal, Credit and final bank permissions remain separate.

Tasks

No Batch A task created yet.

Request drafts

Next work · per-task prerequisites

Requirements draft

Awaiting input

scope / known product / demo rule pack; booking-dependent applicability unresolved

SRC-010:DEP-03 · Scope v2

Source preparation

Awaiting input

queryable subject / synthetic access basis

SRC-010:DEP-04 · Scope v2

Conflicts preparation

Awaiting input

distinguishable parties / relationship request / no hold; preparation only

SRC-010:DEP-01 · Scope v2

Preliminary screening preparation

Awaiting input

subject revision / preliminary query; not comprehensive screening

SRC-010:DEP-02 · Scope v2

Legal preparation

Awaiting input

agreement applicability unknown; no execution

SRC-010:DEP-09 · Scope v2

Credit preparation

Awaiting input

credit applicability unknown; no inferred limit

SRC-010:DEP-10 · Scope v2

Client request

Awaiting input

recipient / disclosure / send permission unresolved; draft only

SRC-010:DEP-05 · Scope v2

Agreement execution

Awaiting input

execution authority not established


SRC-010:DEP-09 · Scope v2

Publication


Awaiting input

conditions / booking / final bank authority unresolved


SRC-010:DEP-13 · Scope v2



Archify 2.17 · SRC-013 · Synthetic static relationship model



Archify 2.17 · SRC-013 · Synthetic static relationship model



Archify 2.17 · SRC-013 · Synthetic static relationship model

DMO-A01 · panel-first / r01 · Read-only story

Frozen synthetic narrative, not the live case record; playback never updates business state.

1. A01-C1 · Request received

The group name frames the request. The legal-entity scope is still a candidate.

A-01 · DG-SCOPE-A · 0–3s

2. A01-C2 · Separate the display name

Group A is a commercial label. Entity A is a distinct legal entity; the names must not be merged.

A-02 · DG-SCOPE-A · 3–6s

3. A01-C3 · Clarify the intended entity

The reviewed story introduces an RM clarification record for Entity A only. No viewer action confirms a real client.

A-03 · DG-SCOPE-A · 6–9.5s

4. A01-C4 · Record known scope and gaps

FX forward is the requested product. Booking remains unprovided; eligibility remains not assessed.

A-04 · DG-SCOPE-A · 9.5–13s

5. A01-C5 · A clearer scope. Still Not ready.

Requirements drafting and authority review are the next work. Neither is a clearance result.

A-exit · DG-SCOPE-A · 13–16s

Not ready

- Entity A · Australia / FX forward
- Group A · A display name, not a legal-entity key
- Entity B · Singapore / Reported / Person T · Employer / role organisation: Entity B
- Booking entity: Not provided / Product eligibility: Not assessed
- Principal: Entity A / Coordinate information: Evidence required
- Make declarations for Entity A: Not established / Execute product agreements: Not established / Issue trading instructions: Not assessed
- EV-A05: Not received / Owner: Unassigned
- Only where inputs are sufficient and task, branch and case holds have been checked. Unknown is not permission.
- Request draft only · no email sent
- Publication: not requested · no trading

DMO-A02 · panel-first / r01 · Read-only story

Frozen synthetic narrative, not the live case record; playback never updates business state.

1. A02-C1 · Keep A, B and T separate

Person T's employer is Entity B; the principal in the representative claim is Entity A.

B-01 · DG-ENTITY-A · 0–3s

2. A02-C2 · Review the entity source

EV-A04 appears only after this pre-authored source result. Its use is limited to Entity A comparison.

B-02 · DG-ENTITY-A · 3–6s

3. A02-C3 · Assess the specific use

EV-A03 supports the role claim at Entity B. It does not establish Entity A's purpose-specific authority.

B-03 · DG-ENTITY-A · 6–9.5s

4. A02-C4 · Open the exact authority gap

Principal: Entity A. Purpose: coordinate information. Evidence required; owner unassigned; no external message.

B-04 · DG-ENTITY-A · 9.5–13s

5. A02-C5 · Continue limited preparation

Known-context requirements drafts can be prepared under the reviewed input and hold gates. Other branches are not assumed ready.

B-05 · DG-ENABLE-A · 13–16.5s

6. A02-C6 · An explicit gap. Still Not ready.

Scope, employment and claimed representation remain distinct. EV-A05 is not received, and overall readiness is unchanged.

B-exit · DG-ENTITY-A · 16.5–20s

Not ready

- Entity A · Australia / FX forward
- Group A · A display name, not a legal-entity key
- Entity B · Singapore / Reported / Person T · Employer / role organisation: Entity B
- Booking entity: Not provided / Product eligibility: Not assessed
- Principal: Entity A / Coordinate information: Evidence required
- Make declarations for Entity A: Not established / Execute product agreements: Not established / Issue trading instructions: Not assessed
- EV-A05: Not received / Owner: Unassigned
- Only where inputs are sufficient and task, branch and case holds have been checked. Unknown is not permission.
- Request draft only · no email sent
- Publication: not requested · no trading

Define the relationship

Current

RM and Ops clarify the requested relationship, proposed legal entity, product and booking context. Current already performs this work.

Target

Product organises Group A, Entity A and requested FX forward as separate, sourced fields. Human records the working scope and visible unknowns.

Wait / input: Counterparty clarification; booking, eligibility and DD remain unresolved.

Human boundary: Explicit demo permission to record working scope; actual bank authority remains a validation question.

Expected result: A versioned working scope feeds entity review and a requirements draft. It is not a product, KYC or clearance approval.

SRC-007 · M0.1–M0.4 · M1.1 / SRC-010 §6 · Design hypothesis + synthetic record · SCN-SCOPE

Establish entity and authority

Current

Ops checks legal entity details and supplied evidence. Specific representative authority is assessed separately; authority detail is an industry-informed extension.

Target

Separate Entity A, reported parent B and Person T. Assess EV-A03 only for coordinating information for A; open a purpose-specific gap.

Wait / input: Person T is employed by B. Evidence establishing the specific authority for A has not arrived.

Human boundary: A configured employee records an evidence-use assessment, not a blanket approval of Person T. Unknown task owner is Unassigned.

Expected result: Entity context becomes clearer, authority work awaits evidence, and only eligible preparation continues. Overall Not ready.

SRC-007 · M1.3–M1.5 · M3.4 / SRC-010 §6 · Design hypothesis + synthetic record · SCN-ENTITY

Make requirements explicit

Current

Determine AML and non-AML requirements, exceptions and risk indicators for the relationship.

Target

Prepare a versioned requirement set. Show the subject, purpose and basis of each requirement; retain unknown applicability.

Wait / input: Scope and policy context must be known. Exceptions require a designated reviewer.

Human boundary: Confirm the demo requirement set. No client policy is inferred.

Expected result: Requirements confirmed for this synthetic scope; evidence still needs assessment.

SRC-007 · M2.1–M2.5 / SRC-010 §6 · Design hypothesis + synthetic record · J-M2-01

Use evidence already available

Current

Search public and commercial sources, then identify residual gaps. This already exists in the Current map.

Target

Link a source item to a specific subject, requirement and purpose, with its original version intact.

Wait / input: Access permission, source provenance and purpose-specific sufficiency.

Human boundary: Review proposed reuse. One accepted file does not satisfy every requirement.

Expected result: Entity identity may be supported; screening disambiguation remains a separate use.

SRC-007 · M3.1–M3.2 / SRC-010 §6 · Design hypothesis + synthetic record · J-M3-01

Ask only for remaining gaps

WORK TRANSFORMATION · PILOT

Turn internal gaps into actionable requests

Open a work item to inspect the activity, proposed change and human control.

▼ Same input · authored comparison checkpoint

The same two initial residual gaps: Person T's authority to coordinate information and Entity A ownership/control. Other internal requirements remain separate.

Existing purpose assessments and gaps, reviewed contact details, actual grants and client-disclosable reasons.

Current M3.2 identifies residual gaps, M3.3 requests client information, and M2.5 issues requirements; RM and client clarification also appears. The source map does not confirm a client channel.

Target The product performs M3.2 and M3.3. Separation of limited contributors, a secure web task, notifications and submissions is inspired by approved design and reference examples.

This read-only comparison does not mean the live case has reached this checkpoint. Comparing never loads a fixture.

DEMO-CTT-001 · Scope revision 2 · Case revision 2

Wait and resume

Keep the request in draft while recipient, disclosure or sending authority is unconfirmed. Return a client response to its original item rather than creating a separate case.

Always preserved

A business request may have multiple recipients, but there is one source requirement. Login or email verification does not grant signing authority.

01 Identify actual residual gaps Enhanced

Current	Target
Identify where information requirements remain unmet.	Use the current purpose assessment and applicability to create a specific gap type. Link an existing open gap instead of creating a duplicate.
Control boundary Confirm unknown applicability internally; do not present it as a mandatory client request.	

▼ Why this change · sources and fields D3-GAP-01

1. Current source

M3.2 Identify residual gaps · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A2

2. Target source

M3.2 Identify residual gaps · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A2

3. Reference observations

4. Our design interpretation

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `Gap.requirement_ref`
- `Gap.subject_ref`
- `Gap.purpose_code`
- `Gap.reason_code`
- `Gap.origin_assessment_ref`

02 Organise client request items Enhanced

Current

Issue requirements to the client and clarify their response.

Target

Group related gaps into response-ready items while retaining each requirement, subject and purpose link, accepted response options and reasons.

Control boundary Do not require a new document for every control requirement. Use configured material types rather than inventing them case by case.

▼ Why this change · sources and fields D3-GAP-02

1. Current source

M2.5 Issue client requirements · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 291 · PPT-S1-SH291-A1

M3.3 Request info from client · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A3

M3.3 Request info from client · SALES / RM (Front Office)

Sanitised Process Map(1).pptx · slide 1 · shape 9 · PPT-S1-SH9-A1

2. Target source

M2.5 Issue client requirements · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 18 · PPT-S2-SH18-A5

M3.3 Request info from client · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A3

3. Reference observations

ING Wholesale — Direct Online Onboarding Request (DOOR)

An RM can arrange access for KYC representatives, who can enter information, upload material, save and resume in InsideBusiness; multiple representatives do not imply simultaneous editing.

Limits: This is not evidence of an Australian deployment. Do not copy its timeframes or claim its access model is equivalent to this project's item-level grants.

official_content_checked_2026-09-07 · Inherited verification; no new verification claimed

[Public source ↗](#)

4. Our design interpretation

Separate RM coordination from contributor tasks, and separate the internal request from the external view.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `RequestItem.gap_refs`
- `RequestItem.client_reason`
- `RequestItem.response_options`
- `InformationRequest.revision`

03 Set recipients and limited access Proposed addition

Current

The Current map shows communication between the client, RM and Operations only.

Target

Separate the item about Person T's authority from the ownership item for an appropriate company contributor. Each grant covers only reviewed resources and actions.

Control boundary Forwarding an invitation does not transfer access. Without authority, use an appropriate contact or an approved assisted path.

▼ Why this change · sources and fields D3-GAP-03

1. Current source

M3.3 Request info from client · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A3

M3.3 Request info from client · SALES / RM (Front Office)

Sanitised Process Map(1).pptx · slide 1 · shape 9 · PPT-S1-SH9-A1

2. Target source

M3.3 Request info from client · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A3

3. Reference observations

ANZ — KYC SecureReply

A reference number and an OTP sent to registered contact details provide entry; save and submit are separate, and some fields have contributor-visibility limits.

Limits: This is not the whole new-institutional-client journey and does not establish the security level or representative authority for this case.

official_content_checked_2026-09-07 · Inherited verification; no new verification claimed

[Public source](#) ↗

4. Our design interpretation

Separate official-site entry from request lookup, and keep partial response, submission receipt and review status distinct.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `RequestRecipient.person_ref`
- `AccessGrant.resource_scope`
- `AccessGrant.provisioning_basis_ref`
- `DisclosureReview.ref`

Current

The source map does not detail transmission states.

Target

After the request revision is reviewed, notify according to configuration. Keep draft, approved, sent and observed delivery states separate. The demo uses an official-site reference and mock authentication only.

Control boundary No real OTP or email is connected. Reminders do not require RM approval by default.

▼ Why this change · sources and fields D3-GAP-04

1. Current source

M3.3 Request info from client · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A3

M3.3 Request info from client · SALES / RM (Front Office)

Sanitised Process Map(1).pptx · slide 1 · shape 9 · PPT-S1-SH9-A1

2. Target source

M3.3 Request info from client · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A3

3. Reference observations

ANZ — KYC SecureReply

A reference number and an OTP sent to registered contact details provide entry; save and submit are separate, and some fields have contributor-visibility limits.

Limits: This is not the whole new-institutional-client journey and does not establish the security level or representative authority for this case.

official_content_checked_2026-09-07 · Inherited verification; no new verification claimed

[Public source ↗](#)

4. Our design interpretation

Separate official-site entry from request lookup, and keep partial response, submission receipt and review status distinct.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `RequestReview.status`
- `Notification.dispatch_status`
- `Notification.delivery_status`
- `InformationRequest.sent_revision`

05 Handle partial responses and clarification Enhanced

Current

The client provides information and responses.

Target

Let a client save or submit their own items and receive a receipt. Keep the other item open and link questions to the original request item.

Control boundary Actual bank-user authority is not the same as switching a prototype role.

▼ Why this change · sources and fields D3-GAP-05

1. Current source

M3.3 Request info from client · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A3

M3.3 Request info from client · SALES / RM (Front Office)

Sanitised Process Map(1).pptx · slide 1 · shape 9 · PPT-S1-SH9-A1

M3.4 Capture & validate evidence · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A4

2. Target source

M3.3 Request info from client · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A3

M3.4 Capture & validate evidence · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A4

3. Reference observations

ING Wholesale — Direct Online Onboarding Request (DOOR)

An RM can arrange access for KYC representatives, who can enter information, upload material, save and resume in InsideBusiness; multiple representatives do not imply simultaneous editing.

Limits: This is not evidence of an Australian deployment. Do not copy its timeframes or claim its access model is equivalent to this project's item-level grants.

[Public source](#) ↗

ANZ — KYC SecureReply

A reference number and an OTP sent to registered contact details provide entry; save and submit are separate, and some fields have contributor-visibility limits.

Limits: This is not the whole new-institutional-client journey and does not establish the security level or representative authority for this case.

[Public source](#) ↗

4. Our design interpretation

Separate RM coordination from contributor tasks, and separate the internal request from the external view.

Separate official-site entry from request lookup, and keep partial response, submission receipt and review status distinct.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `Submission.request_item_refs`
- `Submission.submitted_by`
- `Submission.on_behalf_of`
- `RequestItem.response_status`

06 Record assisted communication and collection Proposed addition

Current

The RM has client contact, but the specific phone or email process is not confirmed.

Target

Let the RM save reviewed communication notes. For staff-assisted upload, retain the original provider, staff uploader, channel and time.

Control boundary A summary is not authority or a formal decision. Do not record a fictional client login.

▼ Why this change · sources and fields D3-GAP-06

1. Current source

M3.3 Request info from client · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A3

M3.3 Request info from client · SALES / RM (Front Office)

Sanitised Process Map(1).pptx · slide 1 · shape 9 · PPT-S1-SH9-A1

M3.5 Manage outstanding gaps & sourcing audit trail · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A5

2. Target source

M3.3 Request info from client · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A3

M3.5 Manage outstanding gaps & sourcing audit trail · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A5

3. Reference observations

PHKL Future Clinic — internal project handoff

The internal design keeps one case across roles while separating AI preparation, doctor sign-off, insurer review and clarification.

Limits: Internal design reference only. Production deployment and business benefit were not verified in this work, so it is not a public implementation success story.

internal_file_reviewed; not_public; no_deployment_claim · Inherited verification; no new verification claimed

4. Our design interpretation

Use task workspaces and separate preparation, decision and submission, linking each stage to data events and downstream roles.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `InteractionRecord.source_ref`
- `InteractionRecord.reviewed_by`
- `Submission.original_submitter_ref`
- `Submission.staff_uploader_ref`

Validate with users Can the client tell which entity the request concerns, why the information is needed and how to respond? Does submitting one item leave the other item open?

Current

Issue requirements and request outstanding information from the client.

Target

Consolidate only unresolved facts into a purpose-specific request, with an owner and response link.

Wait / input: A permitted sender confirms the request; the review then waits for the named response.

Human boundary: Review the missing fact, purpose and response owner before simulating release.

Expected result: Request recorded locally. No email is sent. Receipt returns evidence to review.

SRC-007 · M2.5 · M3.2–M3.3 / SRC-010 §6 · Design hypothesis + synthetic record · J-M3-02, J-M3-03

06 · SCN-VALIDATE · S2 · M3.4–M3.5

Assess evidence for its purpose

Current

Capture and validate evidence; maintain outstanding gaps and the sourcing trail.

Target

Keep the artifact and its use assessment separate. A received supplement needs its own reviewed assessment.

Wait / input: The received supplement and a reasoned sufficiency assessment for the screening purpose.

Human boundary: A configured demo reviewer records sufficiency with rationale; bank authority remains open.

Expected result: Evidence use assessed. Screening still requires a separate human disposition.

SRC-007 · M3.4–M3.5 / SRC-010 §6 · Design hypothesis + synthetic record · J-M3-04

Screen the right subjects

Current

Teams assemble parties and categories from available case material, while unconfirmed ownership and related-party membership remain open.

Target

A versioned population shows Entity A, Entity B and Person T separately. A permitted preliminary run can proceed for Person T without claiming comprehensive coverage.

Wait / input: Ownership input and an upstream-confirmed complete inventory interface.

Human boundary: A human reviews inclusion basis and current inputs. No hidden category or comprehensive run is configured.

Expected result: Population remains incomplete; the permitted subject and any missing members are explicit.

SRC-007 · M4.1–M4.4 / SRC-010 §6 · Design hypothesis + synthetic record · SCN-POPULATION

Resolve a possible match

WORK TRANSFORMATION · PILOT

Review one possible match for Person T using the same evidence

Open a work item to inspect the activity, proposed change and human control.

▼ Same input · authored comparison checkpoint

Checkpoint 1 uses the same possible match with insufficient evidence. Checkpoint 2 uses the same additional identity evidence after receipt and purpose review; either view may remain reasonably unresolved.

Person T and SYN-PROVIDER-RECORD-C01 use the same inputs and source time. There is no real listed person and no additional identity evidence supplied behind the scenes.

Current M4.5 sits with Operations; M4.6 and M4.7 sit with Financial Crime, Risk and Compliance. Current already includes adjudication and a risk decision.

Target M4.5 to M4.7 appear in the agentic lane, while Operations reviews ambiguity and Financial Crime adjudicates material cases. Responsibility for recording execution and judgement remains to be clarified.

This read-only comparison does not mean the live case has reached this checkpoint. Comparing never loads a fixture.

DEMO-CTT-001 · Scope revision 2 · Case revision 2

Wait and resume Return an information-gap branch to the same finding. Where authority is insufficient, refer the same review task. EDD handling cannot replace a material sanctions restriction.

Always preserved A source comparison is not verified identity. Excluding this record is not a permanent whitelist. A local disposition is not complete coverage.

01 Bind the finding to its original query Reassigned

Current	Target
Operations handles screening hits.	Fix the subject, run and provider record in the comparison context. Do not split one alias into multiple people or silently remove duplicates.
Control boundary Keep source, version and content immutable. Data preparation does not make the final risk judgement.	

▼ Why this change · sources and fields D3-MATCH-01

1. Current source

M4.5 Adjudicate screening hits · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 296 · PPT-S1-SH296-A5

2. Target source

M4.5 Adjudicate screening hits · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 296 · PPT-S2-SH296-A5

Review ambiguous screening hits · CLIENT FULFILMENT / KYC OPS — Human in the Loop

Sanitised Process Map(1).pptx · slide 2 · shape 376 · PPT-S2-SH376-EX

3. Reference observations

Wolfsberg — Guidance on Sanctions Screening (2019)

An alert is not a confirmed risk. Review should use relevant information, record the disposition rationale, and make screening scope and configuration explicit.

Limits: The guidance does not directly define this project's authority, thresholds, pause scope or reuse configuration.

official_content_checked_2026-09-07 · Inherited verification; no new verification claimed

[Public source](#) ↗

4. Our design interpretation

Separate Population, Run, Finding, Review, Decision and Coverage, and organise judgement material for a person.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `ScreeningFinding.run_ref`
- `ScreeningFinding.subject_snapshot_ref`
- `ScreeningFinding.provider_snapshot_ref`
- `ScreeningFinding.related_record_refs`

02 Compare identifying attributes Enhanced

Current

A person reviews relevant client and match information.

Target

Create name, date-of-birth and other comparisons from current claims. Preserve

multiple values, precision and unknowns, and show the source of each value.

Control boundary A missing date of birth cannot be shown as a mismatch. One different date or nationality is not an automatic exclusion rule.

▼ Why this change · sources and fields D3-MATCH-02

1. Current source

M4.5 Adjudicate screening hits · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 296 · PPT-S1-SH296-A5

2. Target source

M4.5 Adjudicate screening hits · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 296 · PPT-S2-SH296-A5

Review ambiguous screening hits · CLIENT FULFILMENT / KYC OPS — Human in the Loop

Sanitised Process Map(1).pptx · slide 2 · shape 376 · PPT-S2-SH376-EX

3. Reference observations

DFAT — Guide to Australia's Consolidated List

List records can contain several identifying attributes, aliases and incomplete information.

Limits: Do not automatically exclude on one differing attribute, assume the Australian list covers every applicable jurisdiction, or import real people.

official_content_checked_2026-09-07 · Inherited verification; no new verification claimed

[Public source ↗](#)

4. Our design interpretation

Preserve multiple values, precision, unknowns and the original record to support a purpose-specific comparison.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `AttributeComparison.subject_claim_refs`
- `AttributeComparison.provider_claim_refs`
- `AttributeComparison.precision`
- `AttributeComparison.result`

03 Request specific distinguishing evidence Enhanced

Current

The Current client lane already allows screening clarification.

Target

Reuse the existing request model to create a new versioned item for distinguishing this finding. Check approved existing sources before asking externally.

Control boundary An earlier coordination grant does not automatically cover Person T's identity evidence, and the two existing request items remain intact.

▼ Why this change · sources and fields D3-MATCH-03

1. Current source

M4.5 Adjudicate screening hits · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 296 · PPT-S1-SH296-A5

M3.3 Request info from client · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A3

M3.3 Request info from client · SALES / RM (Front Office)

Sanitised Process Map(1).pptx · slide 1 · shape 9 · PPT-S1-SH9-A1

M3.4 Capture & validate evidence · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 292 · PPT-S1-SH292-A4

2. Target source

M4.5 Adjudicate screening hits · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 296 · PPT-S2-SH296-A5

M3.3 Request info from client · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A3

M3.4 Capture & validate evidence · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 292 · PPT-S2-SH292-A4

Support evidence gaps where needed · CLIENT FULFILMENT / KYC OPS — Human in the Loop

Sanitised Process Map(1).pptx · slide 2 · shape 392 · PPT-S2-SH392-EX

3. Reference observations

ANZ — KYC SecureReply

A reference number and an OTP sent to registered contact details provide entry; save and submit are separate, and some fields have contributor-visibility limits.

Limits: This is not the whole new-institutional-client journey and does not establish the security level or representative authority for this case.

official_content_checked_2026-09-07 · Inherited verification; no new verification claimed

[Public source](#) ↗

PHKL Future Clinic — internal project handoff

The internal design keeps one case across roles while separating AI preparation, doctor sign-off, insurer review and clarification.

Limits: Internal design reference only. Production deployment and business benefit were not verified in this work, so it is not a public implementation success story.

internal_file_reviewed; not_public; no_deployment_claim · Inherited verification; no new verification claimed

4. Our design interpretation

Separate official-site entry from request lookup, and keep partial response, submission receipt and review status distinct.

Use task workspaces and separate preparation, decision and submission, linking each stage to data events and downstream roles.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `RequestItem.finding_ref`
- `RequestItem.purpose_code`
- `AccessGrant.resource_scope`
- `EvidenceUseAssessment.subject_ref`

04 Prepare the review pack Enhanced

Current

Operations handles the hit; the current effort needed to assemble information has not been measured.

Target

Organise cited evidence summaries, differences, unknowns and related requests.
Keep AI suggestions separate from known facts.

Control boundary A language model cannot write a default pass rationale. The reviewer must inspect the supporting material.

▼ Why this change · sources and fields D3-MATCH-04

1. Current source

M4.5 Adjudicate screening hits · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 296 · PPT-S1-SH296-A5

2. Target source

M4.5 Adjudicate screening hits · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 296 · PPT-S2-SH296-A5

Review ambiguous screening hits · CLIENT FULFILMENT / KYC OPS — Human in the Loop

Sanitised Process Map(1).pptx · slide 2 · shape 376 · PPT-S2-SH376-EX

3. Reference observations

PHKL Future Clinic — internal project handoff

The internal design keeps one case across roles while separating AI preparation, doctor sign-off, insurer review and clarification.

Limits: Internal design reference only. Production deployment and business benefit were not verified in this work, so it is not a public implementation success story.

internal_file_reviewed; not_public; no_deployment_claim · Inherited verification; no new verification claimed

Wolfsberg — Guidance on Sanctions Screening (2019)

An alert is not a confirmed risk. Review should use relevant information, record the disposition rationale, and make screening scope and configuration explicit.

Limits: The guidance does not directly define this project's authority, thresholds, pause scope or reuse configuration.

official_content_checked_2026-09-07 · Inherited verification; no new verification claimed

[Public source ↗](#)

4. Our design interpretation

Use task workspaces and separate preparation, decision and submission, linking each stage to data events and downstream roles.

Separate Population, Run, Finding, Review, Decision and Coverage, and organise judgement material for a person.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `ReviewPack.input_manifest`

- `ReviewPack.unresolved_refs`
- `ReviewPack.prepared_by_type`
- `Recommendation.basis_refs`

05 Assess risk and materiality Retained

Current

Financial Crime, Risk and Compliance assess risk and materiality.

Target

Prepare risk context and route ambiguous or material findings to the appropriate person, retaining action-specific authority and hold scope.

Control boundary The Target map does not establish autonomous risk decisions. When authority is unknown, do not offer a Record action.

▼ Why this change · sources and fields D3-MATCH-05

1. Current source

M4.6 Assess risk & materiality · FINANCIAL CRIME / RISK / COMPLIANCE

Sanitised Process Map(1).pptx · slide 1 · shape 177 · PPT-S1-SH177-A1

2. Target source

M4.6 Assess risk & materiality · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 296 · PPT-S2-SH296-A6

Adjudicate material screening finding · FINANCIAL CRIME / RISK / COMPLIANCE — Human in the Loop

Sanitised Process Map(1).pptx · slide 2 · shape 409 · PPT-S2-SH409-EX

3. Reference observations

Wolfsberg — Guidance on Sanctions Screening (2019)

An alert is not a confirmed risk. Review should use relevant information, record the disposition rationale, and make screening scope and configuration explicit.

Limits: The guidance does not directly define this project's authority, thresholds, pause scope or reuse configuration.

official_content_checked_2026-09-07 · Inherited verification; no new verification claimed

[Public source ↗](#)

4. Our design interpretation

Separate Population, Run, Finding, Review, Decision and Coverage, and organise judgement material for a person.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `RiskReview.materiality_status`
- `RiskReview.permission_ref`
- `Hold.action_scope`
- `Hold.basis_ref`

06 Record a disposition for bounded inputs Enhanced

Current

Financial Crime determines the screening outcome.

Target

Record the finding disposition, rationale, reviewed evidence and scope version. Keep any additional approval separate.

Control boundary Allow unresolved and refer outcomes. The record action and bank authority remain demo configuration only.

▼ Why this change · sources and fields D3-MATCH-06

1. Current source

M4.7 Determine screening outcome · FINANCIAL CRIME / RISK / COMPLIANCE

Sanitised Process Map(1).pptx · slide 1 · shape 177 · PPT-S1-SH177-A2

2. Target source

M4.7 Determine screening outcome · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 296 · PPT-S2-SH296-A7

Adjudicate material screening finding · FINANCIAL CRIME / RISK / COMPLIANCE — Human in the Loop

Sanitised Process Map(1).pptx · slide 2 · shape 409 · PPT-S2-SH409-EX

3. Reference observations

Wolfsberg — Guidance on Sanctions Screening (2019)

An alert is not a confirmed risk. Review should use relevant information, record the disposition rationale, and make screening scope and configuration explicit.

Limits: The guidance does not directly define this project's authority, thresholds, pause scope or reuse configuration.

[Public source](#) ↗

HL7 FHIR R5 — Provenance

Provenance can relate a resource version to its activity, participants and source entities.

Limits: FHIR uses agent to mean a participant, not an AI agent. This project does not claim a FHIR implementation, and R4 and R5 remain distinct versions.

[Public source](#) ↗

4. Our design interpretation

Separate Population, Run, Finding, Review, Decision and Coverage, and organise judgement material for a person.

Link a judgement record to specific input versions, the operator and the generating activity.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `ScreeningReviewDecision.disposition`
- `ScreeningReviewDecision.input_revision_refs`
- `ScreeningReviewDecision.permission_ref`
- `ScreeningReviewDecision.rationale`

07 [Separate the local result from whole-case impact](#) Enhanced

Current

The result feeds later review of clearance prerequisites.

Target

Update only the related finding and coverage, then derive an explainable snapshot. Ownership population, EDD, Legal and Credit unknowns remain.

Control boundary Do not write `person.safe=true` or `case.cleared=true`. Later evidence changes trigger only dependency-based reassessment.

▼ Why this change · sources and fields D3-MATCH-07

1. Current source

M4.7 Determine screening outcome · FINANCIAL CRIME / RISK / COMPLIANCE

Sanitised Process Map(1).pptx · slide 1 · shape 177 · PPT-S1-SH177-A2

M8.1 Confirm all required clearance prerequisites are complete · CLIENT FULFILMENT / KYC OPS

Sanitised Process Map(1).pptx · slide 1 · shape 65 · PPT-S1-SH65-A1

2. Target source

M4.7 Determine screening outcome · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 296 · PPT-S2-SH296-A7

M8.1 Confirm all required clearance prerequisites are complete · Agentic execution

Sanitised Process Map(1).pptx · slide 2 · shape 65 · PPT-S2-SH65-A1

3. Reference observations

HL7 FHIR R5 — Provenance

Provenance can relate a resource version to its activity, participants and source entities.

Limits: FHIR uses agent to mean a participant, not an AI agent. This project does not claim a FHIR implementation, and R4 and R5 remain distinct versions.

official_content_checked_2026-09-07 · Inherited verification; no new verification claimed

[Public source ↗](#)

4. Our design interpretation

Link a judgement record to specific input versions, the operator and the generating activity.

A design proposal for validation; not approved bank policy or proof of deployment.

Proposed field changes

- `ScreeningCoverageItem.finding_refs`
- `Decision.currency_status`
- `ReadinessSnapshot.blocking_refs`
- `AuditEvent.causation_ref`

Validate with users Does the work stop correctly when evidence is missing? Does selecting Target avoid automatically excluding a match when the input is unchanged?

Current

Adjudicate possible hits, assess materiality and record the screening outcome.

Target

Prepare subject-to-record comparisons and evidence-use links. A human records the disposition or requests more information.

Wait / input: Sufficient current evidence, rationale and explicit simulated authority. Similarity is not a decision.

Human boundary: Only a configured reviewer may record the permitted unresolved outcome. Exclusion is disabled; there is no autonomous approval or automatic EDD.

Expected result: A bounded decision records unresolved or referral against current inputs. Identity, population, EDD and other case conditions remain separately visible.

SRC-007 · M4.5–M4.7 / SRC-010 §6 · Design hypothesis + synthetic record · SCN-MATCH

09 · SCN-EDD · S3 · M5

Assess elevated risk, if applicable

Current

EDD applicability is assessed separately from sanctions finding review; missing reasons remain unknown.

Target

Show required, not required or unknown with its exact reviewed basis. If required, open only a bounded targeted pack and keep approval unknown.

Wait / input: A reviewed, current-scope reason and explicit permission. The approved default contains neither.

Human boundary: A human records applicability and any specialist assessment. No EDD approval or clearance writer is configured.

Expected result: Applicability remains unknown and readiness remains Not ready; screening and EDD do not overwrite one another.

SRC-007 · M5 / SRC-010 §6 · Design hypothesis + synthetic record · SCN-EDD

Start conflicts early

Current

Conflicts is often understood through disconnected searches, findings and late clearance checks. An open finding can be difficult to relate to the original scope.

Target

Start the scoped search from intake, retain the finding and Hold separately, and show its independent contribution to readiness.

Wait / input: A configured specialist review; the search being complete does not resolve the finding.

Human boundary: Only configured Conflicts roles see restricted detail. No misconduct finding, clearance decision or whole-case approval is inferred.

Expected result: Search complete, finding open, specialist review pending and clearance pending remain distinct states.

SRC-007 · M1 → M7 / SRC-010 §6 · Design hypothesis + synthetic record · D1, D2

Resolve credit conditions

Current

Credit assessment, decision, condition and Legal handoff can appear current even when their consumed versions are not explicit.

Target

Keep CD-01, CC-01 and AI-01 revision-addressed. A revised Credit input visibly makes the existing Legal consumer stale without overwriting history.

Wait / input: Documentation incorporation before execution; Credit approval does not fulfil Legal documentation or signing.

Human boundary: The facilitator may simulate one guarded revision. It is not a monetary decision, policy change, approval or case clearance.

Expected result: Credit condition approved, documentation incorporation pending and Legal execution pending are shown separately.

SRC-007 · C2.1–C2.3 / SRC-010 §6 · Design hypothesis + synthetic record · D3

Complete applicable agreements

Current

Legal drafting and approval can obscure which Credit input a document consumed and whether signatory authority is known.

Target

Freeze AGR-01 revision 03 with its consumed AI-01 revision. Flag stale Credit input while keeping review, internal approval and execution separate.

Wait / input: A current Credit input, validated signatory authority and execution. Conflicts and other case conditions remain independent.

Human boundary: Internal approval is not execution or signing authority. The prototype exposes no Legal approval, execution or clearance writer.

Expected result: Agreement revision 03 remains internally approved and execution pending; stale upstream input is visible after revision.

SRC-007 · C1.1–C1.3 / SRC-010 §6 · Design hypothesis + synthetic record · D4

Know exactly what remains

Current

Confirm completion of all applicable clearance prerequisites.

Target

Derive a versioned snapshot from explicit conditions, each with its own owner, reason and next action.

Wait / input: Legal execution, Credit conditions, QA review and any unresolved applicability.

Human boundary: Final bank authority is not configured. Publishing and real trades are outside this slice.

Expected result: Not ready is an explainable result, not a percentage. Authorisation and publication stay separate.

SRC-007 · M8.1 / SRC-010 §6 · Design hypothesis + synthetic record · SCN-READINESS

Additional journey structure

SCN-QA / M6 — Close a specific quality gap · Structural scope

SCN-PUBLISH / M8.2–M8.5 — Publish the scoped outcome · Structural scope

Readiness proof — not ready

Evidence — Unknown · KYC Operations

Purpose-specific evidence review remains open.

Screening — Unknown · Financial Crime reviewer

A possible match needs evidence and a human decision.

Legal — Unknown · Legal

Not assessed in Batch A; applicability or outcome remains unresolved.

Credit — Unknown · Credit

Not assessed in Batch A; applicability or outcome remains unresolved.

QA — Unknown · QA

Final review and sign-off remain pending.

Conflicts — Unknown · Conflicts


Not assessed in Batch A; applicability or outcome remains unresolved.

EDD — Unknown · Financial Crime reviewer

Applicability unknown; a separate risk rationale is required.


Authority unconfirmed. Publication not requested. No transaction is executed.

Current




Archify 2.17 · static host embed · SRC-007, slides 1–2 · fields and authority proposed. [Open diagram viewer ↗](#)

Target



Archify 2.17 · static host embed · SRC-007, slides 1–2 · fields and authority proposed. [Open diagram viewer ↗](#)

Screening collaboration



Archify 2.17 · static host embed · SRC-007, slides 1–2 · fields and authority proposed. [Open diagram viewer ↗](#)

Open validation questions

Validate source permissions, requirement applicability, evidence sufficiency, human authority, EDD rationale and final QA/publication mandates. No client KPI, policy threshold or production integration is assumed.