


All samples


Biliary
Bladder
Bone.SoftTissue
Breast
CNS
Colon
Esophagus
Head
Kidney
Liver
Lung
Lymphoid
Myeloid
Other
Ovary
Pancreas
Prostate
Skin
Stomach
Thymus
Uterus
C_ID1
InsDel1a
InsDel1b
InsDel1c
C_ID10
InsDel10
C_ID11
InsDel11
C_ID12
InsDel12
C_ID13
InsDel13
C_ID14
InsDel14
C_ID17
InsDel17
C_ID18
InsDel18
C_ID19
InsDel19a
InsDel19b
C_ID2
InsDel2a
InsDel2b
InsDel2c
C_ID23
InsDel23
C_ID3
InsDel3a
InsDel3b
C_ID4
InsDel4
C_ID5
InsDel5a
InsDel5b
InsDel5c
C_ID6
InsDel6
C_ID7
InsDel7
C_ID8
InsDel8
C_ID9
InsDel9
ID_A
InsDel_A_alpha
InsDel_A_beta
ID_B
InsDel_B
ID_C
InsDel_C
ID_D
InsDel_D
ID_E
InsDel_E
ID_F
InsDel_F
ID_G
InsDel_G
ID_H
InsDel_H
ID_I
InsDel_I
ID_J
InsDel_J
ID_K
InsDel_K
ID_L
InsDel_L
ID_M
InsDel_M
ID_N
InsDel_N_alpha
InsDel_N_beta
Median mut/Mb
(in present samples)
10.0000
1.0000
0.1000
0.0100
0.0010
Active proportion
5%
25%
50%
75%

MSI samples (n=202)



MSS hypermutated samples, > 4000 indels (n=48)



MSS non−hypermutated samples (n=6725)

Biliary
Bladder
Bone.SoftTissue
Breast
CNS
Colon
Esophagus
Head
Kidney
Liver
Lung
Lymphoid
Myeloid
Other
Ovary
Pancreas
Prostate
Skin
Stomach
Thymus
Uterus

C_ID1
InsDel1a
InsDel1b
InsDel1c
C_ID10
InsDel10
C_ID11
InsDel11
C_ID12
InsDel12
C_ID13
InsDel13
C_ID14
InsDel14
C_ID17
InsDel17
C_ID18
InsDel18
C_ID19
InsDel19a
InsDel19b
C_ID2
InsDel2a
InsDel2b
InsDel2c
C_ID23
InsDel23
C_ID3
InsDel3a
InsDel3b
C_ID4
InsDel4
C_ID5
InsDel5a
InsDel5b
InsDel5c
C_ID6
InsDel6
C_ID7
InsDel7
C_ID8
InsDel8
C_ID9
InsDel9
ID_A
InsDel_A_alpha
InsDel_A_beta
ID_B
InsDel_B
ID_C
InsDel_C
ID_D
InsDel_D
ID_E
InsDel_E
ID_F
InsDel_F
ID_G
InsDel_G
ID_H
InsDel_H
ID_I
InsDel_I
ID_J
InsDel_J
ID_K
InsDel_K
ID_L
InsDel_L
ID_M
InsDel_M
ID_N
InsDel_N_alpha
InsDel_N_beta

Active proportion
5%
25%
50%
75%

Median mut/Mb
(in present samples)
1.0000
0.1000
0.0100
0.0010