Visualizing Path Exploration to Assist Problem Diagnosis for Structural Test Generation

Jiayi Cao¹, Angello Astorga¹, Siwakorn Srisakaokul¹, Zhengkai Wu¹, Xueqing (Susan) Liu¹, Xusheng Xiao², Tao Xie¹


Email: {jcao7,aastorg2,srisaka2,zw3,xliu93,taoxie}@illinois.edu, xusheng.xiao@case.edu

UNIVERSITY OF ILLINOIS

AT URBANA-CHAMPAIGN



Test Generation with Dynamic Symbolic Execution (DSE)



Symbol execution tree



Boundary Problem

```
public void BubbleSort(int[] array, int n){
         for (int i = 0; i < array.length; i++)
                  for (j = 0; j < n; j++){
                  //...
         if (array.Length > 200){
                  throw new Exception("bug");
}}
```

bug


Cannot reach the bug!

- 1. Incremental test generation on number. Length
- 2. Inner loop: constraint solver cost increases with n
- 3. Time cost for reaching the bug exceeds the limit!




PexViz

• **Objective:** Assist developers in diagnosing problems encountered during test generation using visualization






BubbleSort Example





Comparison with Baseline



- SEViz [1] outputs the symbolic execution tree → bad for visualization
- 6 nodes (PexViz) vs. 276 nodes (SEViz)

[1] SEViz: A Tool for Visualizing Symbolic Execution, Honfi et. al. ICST'15



